



Performance Monitoring and Accountability 2020

Measuring Performance, Informing Policy, Empowering Communities.



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Nigeria (Kaduna) Round 1 Snapshot of Indicators (SOIs)

Suggested citation: Centre for Population and Reproductive Health (CPRH), University of Ibadan; Centre for Research, Evaluation Resources and Development (CERED); Population and Reproductive Health Program (PRHP), Obafemi Awolowo University (OAU); Bayero University Kano (BUK); and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 1, PMA2014/Nigeria-R1 (Kaduna-R1) Snapshot of Indicators*. 2014. Nigeria and Baltimore, Maryland, USA.

www.pmadata.org

facebook.com/PM4Action

instagram.com/PM4Action

Twitter: [@PM4Action](https://twitter.com/PM4Action)

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	2568	2569
Age Group			
15-19	23.5	604	602
20-24	22.2	569	570
25-29	19.7	506	510
30-34	14.4	370	376
35-39	9.0	230	221
40-44	6.9	178	176
45-49	4.3	111	114
Marital Status			
Married, or in union	79.9	2052	2050
Unmarried, sexually active	1.1	27	28
Parity			
0-1 children	41.3	1059	1057
2-3 children	26.6	684	687
4+ children	31.0	797	797
Residence			
Urban	44.9	1153	1130
Rural	55.1	1415	1439
Education			
Never	33.6	864	882
Primary	24.6	632	619
Secondary	32.8	843	861
Higher	8.4	216	194
Wealth Quintile			
Lowest	19.9	511	516
Lower	20.4	525	501
Middle	19.3	496	510
High	20.3	520	542
Highest	20.1	516	500
Region			
Kaduna	100.0	2568	2569

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	8.7	10.5	8.5	10.2	0.3	0.3
Age Group						
15-19	2.0	3.8	1.6	2.9	0.4	0.9
20-24	5.8	7.0	5.8	7.0	0.0	0.0
25-29	11.7	12.1	11.1	11.4	0.6	0.7
30-34	13.1	13.9	12.9	13.6	0.3	0.3
35-39	14.7	15.2	14.7	15.2	0.0	0.0
40-44	10.8	10.1	10.8	10.1	0.0	0.0
45-49	16.6	20.0	16.6	20.0	0.0	0.0
Marital Status						
Married, or in union	10.5	na	10.2	na	0.3	na
Unmarried, sexually active	14.1	na	14.1	na	0.0	na
Parity						
0-1 children	3.4	5.5	3.2	5.1	0.2	0.4
2-3 children	11.4	11.5	11.2	11.3	0.2	0.2
4+ children	13.8	14.0	13.5	13.6	0.4	0.4
Residence						
Urban	10.7	13.5	10.2	12.9	0.5	0.7
Rural	7.2	8.3	7.1	8.2	0.1	0.1
Education						
Never	5.0	5.0	4.8	4.8	0.3	0.3
Primary	9.5	10.5	8.9	9.9	0.5	0.6
Secondary	9.5	15.3	9.4	15.1	0.1	0.2
Higher	19.3	26.6	19.3	26.6	0.0	0.0
Wealth Quintile						
Lowest	3.4	3.7	2.9	3.1	0.5	0.6
Lower	8.7	9.5	8.2	9.1	0.4	0.5
Middle	9.3	11.3	9.1	11.0	0.2	0.2
High	9.9	12.3	9.9	12.3	0.0	0.0
Highest	12.5	18.4	12.2	18.0	0.2	0.3
Region						
Kaduna	8.7	10.5	8.5	10.2	0.3	0.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

Background Characteristics	All Users (N = 225)									Married Users ¹ (N = 216)								
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional
Total																		
All	0.7	16.5	3.3	53.6	18.3	0.9	1.4	2.4	3.0	0.7	16.1	3.4	54.2	18.6	0.0	1.4	2.5	3.1
Age Group																		
15-19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
20-24	0.0	11.5	0.0	62.7	19.5	0.0	0.0	6.4	0.0	0.0	11.5	0.0	62.7	19.5	0.0	0.0	6.4	0.0
25-29	0.0	18.2	4.6	41.5	25.3	1.6	0.0	3.6	5.3	0.0	17.8	4.9	41.0	26.9	0.0	0.0	3.8	5.6
30-34	0.0	23.1	0.0	53.6	17.1	0.0	1.8	2.3	2.1	0.0	23.1	0.0	53.6	17.1	0.0	1.8	2.3	2.1
35-39	4.4	8.0	8.3	56.5	19.5	0.0	3.3	0.0	0.0	4.6	3.7	8.7	59.1	20.4	0.0	3.5	0.0	0.0
40-44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Marital Status																		
Married, or in union	0.7	16.1	3.4	54.2	18.6	0.0	1.4	2.5	3.1	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	--	--	--	--	na	na	na	na	na	na	na	na	na
Parity																		
0-1 children	0.0	18.6	4.8	43.4	20.7	5.3	0.0	0.0	7.2	0.0	20.2	5.2	44.4	22.4	0.0	0.0	0.0	7.8
2-3 children	0.0	15.5	2.3	52.1	21.7	0.0	2.9	4.1	1.4	0.0	12.9	2.4	53.7	22.4	0.0	3.0	4.3	1.4
4+ children	1.4	16.6	3.5	58.1	15.0	0.0	0.8	1.9	2.8	1.4	17.1	3.6	57.6	14.7	0.0	0.8	2.0	2.9
Residence																		
Urban	1.2	22.5	2.8	40.2	23.6	0.0	2.5	2.5	4.6	1.3	21.6	3.0	40.1	23.9	0.0	2.6	2.6	4.9
Rural	0.0	9.3	3.9	69.9	11.8	1.9	0.0	2.2	1.0	0.0	9.5	4.0	71.0	12.2	0.0	0.0	2.3	1.0
Education																		
Never	0.0	10.4	2.1	50.5	29.3	0.0	2.6	0.0	5.2	0.0	10.8	2.2	50.4	28.4	0.0	2.7	0.0	5.4
Primary	0.0	17.6	3.3	51.3	13.6	1.6	1.4	5.4	5.8	0.0	17.9	3.3	52.1	13.8	0.0	1.5	5.5	5.9
Secondary	0.0	14.0	4.6	63.8	12.4	0.0	1.4	2.6	1.3	0.0	13.2	4.7	64.1	12.6	0.0	1.4	2.7	1.3
Higher	3.6	26.3	2.1	40.7	25.0	2.3	0.0	0.0	0.0	4.0	25.1	2.3	41.0	27.6	0.0	0.0	0.0	0.0
Wealth Quintile																		
Lowest	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Lower	0.0	12.2	4.3	51.1	23.0	2.1	2.5	0.0	4.7	0.0	12.5	4.4	52.2	23.5	0.0	2.5	0.0	4.8
Middle	0.0	19.2	2.0	55.7	18.7	0.0	0.0	2.4	2.0	0.0	19.2	2.0	55.7	18.7	0.0	0.0	2.4	2.0
High	0.0	11.6	5.3	52.6	21.1	1.9	1.7	6.0	0.0	0.0	12.6	5.7	52.2	21.1	0.0	1.8	6.5	0.0
Highest	2.3	26.2	2.8	47.5	16.0	0.0	1.8	1.8	1.6	2.4	23.4	2.9	49.3	16.6	0.0	1.8	1.8	1.7
Region																		
Kaduna	0.7	16.5	3.3	53.6	18.3	0.9	1.4	2.4	3.0	0.7	16.1	3.4	54.2	18.6	0.0	1.4	2.5	3.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 2568)			Married Women ¹ (N = 2052)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	22.2	6.0	28.2	27.2	7.3	34.5
Age Group						
15-19	19.2	0.8	20.0	37.3	1.3	38.6
20-24	28.2	2.4	30.6	32.7	2.9	35.7
25-29	25.3	5.2	30.5	27.9	5.7	33.7
30-34	22.8	10.2	33.0	23.8	10.5	34.3
35-39	20.9	12.7	33.6	22.6	13.7	36.4
40-44	14.3	16.3	30.6	14.6	17.3	31.8
45-49	7.0	11.6	18.6	8.4	12.9	21.3
Marital Status						
Married, or in union	27.2	7.3	34.5	na	na	na
Unmarried, sexually active	28.2	10.7	38.9	na	na	na
Parity						
0-1 children	16.0	1.3	17.2	25.9	1.9	27.7
2-3 children	31.4	3.4	34.8	32.5	3.4	35.9
4+ children	22.5	14.7	37.2	23.4	15.4	38.7
Residence						
Urban	21.0	4.7	25.7	27.6	6.0	33.6
Rural	23.2	7.1	30.2	26.9	8.4	35.2
Education						
Never	24.7	6.5	31.2	25.9	6.8	32.7
Primary	25.8	7.4	33.1	28.2	8.1	36.4
Secondary	18.1	4.8	22.9	28.2	7.6	35.9
Higher	16.7	4.6	21.3	25.3	6.3	31.7
Wealth Quintile						
Lowest	23.9	5.8	29.7	26.8	6.5	33.3
Lower	24.8	8.3	33.2	27.3	9.4	36.6
Middle	24.8	5.6	30.4	29.2	6.6	35.8
High	20.2	5.7	26.0	26.0	7.5	33.5
Highest	17.5	4.3	21.8	26.4	6.4	32.8
Region						
Kaduna	22.2	6.0	28.2	27.2	7.3	34.5

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=2568)					Married Women ² (N=2052)				
	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	8.7	8.5	28.2	36.9	23.0	10.5	10.2	34.5	45.1	22.7
Age Group										
15-19	2.0	1.6	20.0	22.0	7.1	3.8	2.9	38.6	42.3	6.8
20-24	5.8	5.8	30.6	36.5	16.0	7.0	7.0	35.7	42.7	16.4
25-29	11.7	11.1	30.5	42.2	26.2	12.1	11.4	33.7	45.7	25.0
30-34	13.1	12.9	33.0	46.2	27.9	13.9	13.6	34.3	48.2	28.2
35-39	14.7	14.7	33.6	48.4	30.5	15.2	15.2	36.4	51.6	29.5
40-44	10.8	10.8	30.6	41.4	26.1	10.1	10.1	31.8	41.9	24.0
45-49	16.6	16.6	18.6	35.1	47.2	20.0	20.0	21.3	41.3	48.3
Marital Status										
Married, or in union	10.5	10.2	34.5	45.1	22.7	na	na	na	na	na
Unmarried, sexually active	14.1	14.1	38.9	53.0	--	na	na	na	na	na
Parity										
0-1 children	3.4	3.2	17.2	20.7	15.5	5.5	5.1	27.7	33.2	15.3
2-3 children	11.4	11.2	34.8	46.2	24.3	11.5	11.3	35.9	47.4	23.9
4+ children	13.8	13.5	37.2	51.0	26.4	14.0	13.6	38.7	52.8	25.8
Residence										
Urban	10.7	10.2	25.7	36.4	28.1	13.5	12.9	33.6	47.1	27.3
Rural	7.2	7.1	30.2	37.4	18.9	8.3	8.2	35.2	43.6	18.9
Education										
Never	5.0	4.8	31.2	36.2	13.1	5.0	4.8	32.7	37.8	12.6
Primary	9.5	8.9	33.1	42.6	20.9	10.5	9.9	36.4	46.9	21.1
Secondary	9.5	9.4	22.9	32.4	28.9	15.3	15.1	35.9	51.1	29.4
Higher	19.3	19.3	21.3	40.6	47.6	26.6	26.6	31.7	58.3	45.7
Wealth Quintile										
Lowest	3.4	2.9	29.7	33.1	8.8	3.7	3.1	33.3	37.0	8.3
Lower	8.7	8.2	33.2	41.8	19.7	9.5	9.1	36.6	46.1	19.6
Middle	9.3	9.1	30.4	39.7	22.9	11.3	11.0	35.8	47.0	23.4
High	9.9	9.9	26.0	35.9	27.6	12.3	12.3	33.5	45.8	26.8
Highest	12.5	12.2	21.8	34.3	35.7	18.4	18.0	32.8	51.2	35.3
Region										
Kaduna	8.7	8.5	28.2	36.9	23.0	10.5	10.2	34.5	45.1	22.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1392)			Married ¹ Women with 1 or More Births (N=1345)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	57.4	35.0	7.6	57.8	35.1	7.2
Age Group						
15-19	59.0	35.7	5.4	60.1	35.4	4.5
20-24	58.9	37.8	3.3	59.7	37.4	2.9
25-29	59.1	35.5	5.4	59.9	35.1	5.0
30-34	56.0	32.5	11.5	56.0	33.3	10.7
35-39	52.2	35.0	12.7	52.3	34.7	13.0
40-44	50.0	30.1	19.9	47.8	30.9	21.3
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	57.8	35.1	7.2	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	61.9	34.2	3.9	63.9	33.6	2.5
2-3 children	58.6	38.1	3.3	58.7	38.1	3.2
4+ children	52.9	32.3	14.9	52.5	32.7	14.8
Residence						
Urban	66.1	27.9	6.0	66.0	28.4	5.7
Rural	50.9	40.3	8.8	51.7	40.0	8.3
Education						
Never	57.7	36.7	5.6	57.6	36.9	5.5
Primary	50.2	40.1	9.6	50.4	40.1	9.5
Secondary	62.6	28.2	9.2	64.4	27.5	8.1
Higher	65.7	32.2	2.1	64.8	34.0	1.2
Wealth Quintile						
Lowest	63.2	32.2	4.5	64.0	32.0	4.0
Lower	45.8	45.1	9.2	45.7	45.1	9.2
Middle	55.0	35.3	9.7	54.9	35.6	9.5
High	63.2	28.0	8.7	64.4	27.4	8.2
Highest	61.3	33.0	5.7	61.7	33.7	4.6
Region						
Kaduna	57.4	35.0	7.6	57.8	35.1	7.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 217)
Total				
All	31.7	50.3	18.0	
Age Group				
15-19	--	--	--	
20-24	30.7	52.7	16.6	
25-29	35.6	52.0	12.4	
30-34	23.9	57.1	19.0	
35-39	36.8	41.0	22.2	
40-44	--	--	--	
45-49	--	--	--	
Marital Status				
Married, or in union	31.1	51.6	17.2	
Unmarried, sexually active	--	--	--	
Parity				
0-1 children	38.9	34.7	26.4	
2-3 children	39.2	45.4	15.3	
4+ children	24.1	58.5	17.4	
Residence				
Urban	35.3	34.8	29.9	
Rural	27.5	68.6	3.9	
Education				
Never	36.6	51.6	11.8	
Primary	31.8	53.5	14.7	
Secondary	37.5	51.6	10.8	
Higher	15.7	42.2	42.1	
Wealth Quintile				
Lowest	--	--	--	
Lower	14.3	78.6	7.1	
Middle	45.7	46.2	8.1	
High	43.0	39.1	17.9	
Highest	25.0	39.7	35.3	
Region				
Kaduna	31.7	50.3	18.0	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method ¹ who paid fees for services in the past 12 months, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users	Married ² Modern Contraceptive Users
	(N = 217)	(N = 210)
Total		
All	71.0	71.3
Age Group		
15-19	--	--
20-24	70.4	70.4
25-29	73.8	77.2
30-34	71.8	71.8
35-39	80.2	79.3
40-44	--	--
45-49	--	--
Marital Status		
Married, or in union	71.3	na
Unmarried, sexually active	--	na
Parity		
0-1 children	73.9	75.4
2-3 children	71.8	72.0
4+ children	69.6	69.6
Residence		
Urban	69.2	68.5
Rural	73.2	74.6
Education		
Never	71.9	73.0
Primary	68.7	68.7
Secondary	73.2	73.7
Higher	69.1	68.5
Wealth Quintile		
Lowest	--	--
Lower	58.9	58.9
Middle	79.6	79.6
High	79.9	80.1
Highest	60.4	60.3
Region		
Kaduna	71.0	71.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(217)	(210)	(213)	(205)	(132)	(126)
All	67.8	67.1	62.0	61.1	89.4	88.9
Age Group						
15-19	--	--	--	--	--	--
20-24	63.8	63.8	66.2	66.2	--	--
25-29	67.9	67.5	66.4	65.9	87.0	86.0
30-34	66.4	66.4	57.5	57.5	85.8	85.8
35-39	64.7	63.1	54.3	52.2	--	--
40-44	--	--	--	--	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	67.1	na	61.1	na	88.9	na
Unmarried, sexually active	--	na	--	na	--	na
Parity						
0-1 children	63.2	64.1	62.0	62.9	--	--
2-3 children	67.8	66.8	68.8	67.8	92.6	92.3
4+ children	69.2	68.2	57.2	55.9	87.6	86.9
Residence						
Urban	80.6	79.6	76.1	74.9	93.8	93.3
Rural	52.6	52.6	45.2	45.2	80.8	80.3
Education						
Never	48.8	46.5	38.4	35.6	--	--
Primary	62.3	62.3	60.0	60.0	85.5	85.5
Secondary	66.9	66.2	66.4	65.7	87.0	86.6
Higher	95.4	97.5	79.8	80.2	91.9	91.1
Wealth Quintile						
Lowest	--	--	--	--	--	--
Lower	44.5	44.5	41.3	41.3	--	--
Middle	68.0	68.0	61.4	61.4	89.5	89.5
High	67.7	66.9	67.2	66.3	85.5	84.0
Highest	89.6	89.2	77.4	76.5	96.5	96.4
Region						
Kaduna	67.8	67.1	62.0	61.1	89.4	88.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhoea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 212)	(N = 212)	(N = 212)
All	84.4	70.4	65.5
Age Group			
15-19	--	--	--
20-24	83.2	82.8	76.9
25-29	83.4	64.7	55.4
30-34	83.6	75.4	71.3
35-39	93.6	70.3	70.3
40-44	--	--	--
45-49	--	--	--
Marital Status			
Married, or in union	84.8	70.3	65.1
Unmarried, sexually active	--	--	--
Parity			
0-1 children	80.9	66.9	60.8
2-3 children	88.1	81.3	73.6
4+ children	82.9	63.8	61.1
Residence			
Urban	97.6	82.0	80.4
Rural	68.5	56.6	47.5
Education			
Never	52.8	50.2	43.3
Primary	83.1	69.7	60.7
Secondary	97.2	76.5	73.7
Higher	93.5	80.2	78.2
Wealth Quintile			
Lowest	--	--	--
Lower	62.1	45.4	43.2
Middle	80.0	78.4	62.8
High	96.1	72.0	72.0
Highest	100.0	82.5	82.5
Region			
Kaduna	84.4	70.4	65.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(2568)	(2052)	(2568)	(2052)	(2568)	(2052)
All	13.9	16.0	22.8	27.3	27.6	32.6
Age Group						
15-19	8.5	14.6	9.7	17.9	12.8	22.2
20-24	12.7	14.1	26.9	31.1	31.9	36.7
25-29	19.7	20.7	30.4	32.6	36.5	38.8
30-34	16.5	15.5	26.8	27.5	32.3	32.0
35-39	16.8	17.7	26.7	27.3	32.2	33.2
40-44	12.5	13.3	21.6	22.3	26.8	27.7
45-49	10.8	10.9	18.5	19.2	21.8	23.2
Marital Status						
Married, or in union	16.0	na	27.3	na	32.6	na
Unmarried, sexually active	7.1	na	19.7	na	23.2	na
Parity						
0-1 children	8.4	11.6	15.0	23.9	17.9	26.9
2-3 children	17.4	17.2	29.7	29.8	35.7	35.7
4+ children	18.5	18.8	28.0	28.6	34.3	35.0
Residence						
Urban	17.8	22.2	28.3	35.7	34.4	43.0
Rural	10.7	11.5	18.3	21.1	22.1	24.9
Education						
Never	12.0	12.4	16.7	17.3	21.2	22.0
Primary	15.2	15.6	23.6	25.3	29.3	30.7
Secondary	14.4	20.8	27.5	42.9	32.3	49.4
Higher	16.1	21.8	26.7	38.2	30.7	42.2
Wealth Quintile						
Lowest	7.7	8.0	9.9	10.9	14.5	15.6
Lower	13.1	13.5	19.1	20.1	24.7	26.1
Middle	17.7	20.4	24.1	28.2	28.6	33.2
High	16.4	19.4	30.0	39.1	35.8	45.1
Highest	14.8	21.3	30.6	44.5	34.4	49.3
Region						
Kaduna	13.9	16.0	22.8	27.3	27.6	32.6

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1050	1259	2309
Households Occupied	1040	1247	2287
Households Interviewed	979	1215	2194
Household Response Rate ¹	94.13%	97.43%	95.93%
Interviews with Women			
Number of Eligible Women ²	1140	1478	2618
Number of Eligible Women Interviewed	1130	1439	2569
Eligible Woman Response Rate ³	99.12%	97.36%	98.13%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.085	0.012	0.064	0.112	0.102	0.015	0.076	0.136
Currently using a traditional method	0.003	0.001	0.001	0.007	0.003	0.002	0.001	0.008
Currently using any contraceptive method	0.087	0.012	0.067	0.114	0.105	0.015	0.079	0.139
Currently using DMPA-IM	0.047	0.008	0.034	0.065	0.057	0.010	0.040	0.080
Currently using DMPA-SC								
Currently using condoms	0.014	0.011	0.003	0.057	0.014	0.011	0.003	0.059
Currently using implants	0.165	0.044	0.094	0.271	0.160	0.045	0.090	0.269
Chose method by self or jointly in past 12 months	0.820	0.056	0.684	0.905	0.828	0.051	0.704	0.907
Paid fees for family planning services in past 12 months	0.710	0.053	0.592	0.805	0.713	0.055	0.592	0.810
Informed by provider about other methods	0.666	0.054	0.551	0.764	0.659	0.054	0.543	0.759
Informed by provider about side effects	0.604	0.056	0.487	0.710	0.595	0.056	0.478	0.702
Satisfied with provider: Would return and refer friend/relative to provider	0.653	0.053	0.541	0.751	0.650	0.054	0.534	0.750
Visited by health worker who talked about family planning in past 12 months	0.139	0.019	0.106	0.181	0.161	0.021	0.124	0.206

¹ Married includes married women and those who are living with a man