

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Nigeria (Lagos) Snapshot of Indicators Phase 2 (2021) Cross-sectional Survey

Suggested citation: Centre for Research, Evaluation Resources and Development (CRERD), Bayero University Kano (BUK), and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Nigeria (Lagos) Phase 2 Cross-sectional Survey Snapshot of Indicators, PMA/Nigeria-Lagos-P2-CS SOIs. 2021. Nigeria and Baltimore, Maryland, USA.*

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	1483	1483
Age Group			
15-19	15.8	235	244
20-24	12.7	189	197
25-29	15.7	233	225
30-34	16.0	237	228
35-39	16.8	249	238
40-44	13.3	197	199
45-49	9.7	144	152
Marital Status			
Married, or in union	59.6	883	855
Unmarried, sexually active	8.4	124	138
Parity			
0-1 children	11.4	169	170
2-3 children	34.0	505	495
4+ children	18.0	267	268
Residence			
Urban	100.0	1483	1483
Education			
Never	2.0	29	24
Primary	9.6	142	129
Secondary	52.8	784	806
Higher	35.6	528	524
Wealth Quintile			
Lowest	17.5	259	237
Lower	18.2	270	294
Middle	20.0	296	302
Higher	20.9	310	329
Highest	23.4	348	321

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	40.1	52.7	24.2	30.8	15.9	21.9
Age Group						
15-19	8.9	--	5.6	--	3.3	--
20-24	33.6	<i>28.4</i>	25.5	<i>23.5</i>	8.1	<i>4.9</i>
25-29	43.3	52.1	26.9	30.6	16.4	21.5
30-34	51.3	57.0	27.8	31.6	23.5	25.4
35-39	49.8	52.0	29.2	31.3	20.5	20.8
40-44	54.6	59.0	31.4	33.0	23.3	25.9
45-49	39.3	47.9	24.2	28.6	15.2	19.3
Marital Status						
Married, or in union	52.7	na	30.8	na	21.9	na
Unmarried, sexually active	63.8	na	42.6	na	21.2	na
Parity						
0-1 children	37.6	36.1	18.4	17.6	19.2	18.4
2-3 children	53.2	56.6	30.6	32.0	22.6	24.6
4+ children	58.4	62.8	38.2	40.7	20.2	22.1
Residence						
Urban	40.1	52.7	24.2	30.8	15.9	21.9
Education						
Never	--	--	--	--	--	--
Primary	39.9	47.5	26.5	31.0	13.4	16.5
Secondary	35.8	49.4	22.4	29.3	13.4	20.1
Higher	47.6	59.3	27.0	33.3	20.6	26.0
Wealth Quintile						
Lowest	34.3	42.3	24.6	31.0	9.7	11.3
Lower	39.8	52.3	25.2	30.8	14.5	21.5
Middle	37.4	49.1	24.1	29.8	13.4	19.3
Higher	40.9	53.5	20.2	25.3	20.6	28.1
Highest	46.3	61.5	26.9	36.2	19.5	25.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 593)										Married Users ¹ (N = 450)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.5	10.8	5.1	7.6	0.5	7.3	6.0	21.5	1.2	39.6	0.6	13.4	6.2	9.6	0.4	6.9	5.4	14.6	1.6	41.5
Age Group																				
15-19	--	--	--	--	--	--	--	--	--	--	na	na	na	na	na	na	na	na	na	na
20-24	0.0	2.3	0.0	0.0	0.0	7.0	7.0	59.6	0.0	24.1	--	--	--	--	--	--	--	--	--	--
25-29	0.0	10.5	0.0	9.2	1.0	10.4	3.0	27.5	0.6	37.8	0.0	14.0	0.0	12.3	0.4	9.3	2.1	19.8	0.8	41.3
30-34	0.0	13.1	3.0	9.8	0.5	6.8	2.8	16.9	1.3	45.7	0.0	15.2	3.4	11.3	0.6	5.8	2.0	15.7	1.5	44.6
35-39	0.0	13.1	6.6	8.4	0.0	7.8	9.7	9.7	3.4	41.3	0.0	14.1	7.1	8.3	0.0	7.5	9.1	10.4	3.7	39.9
40-44	1.5	15.6	7.3	11.5	0.6	5.8	4.7	9.8	0.8	42.6	1.6	15.6	6.9	12.1	0.0	4.4	4.9	9.6	0.8	44.0
45-49	1.9	5.2	18.8	2.5	1.3	7.0	7.8	16.8	0.0	38.5	2.0	5.5	18.1	2.6	1.4	4.4	8.2	17.6	0.0	40.3
Marital Status																				
Married, or in union	0.6	13.4	6.2	9.6	0.4	6.9	5.4	14.6	1.6	41.5	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	0.9	0.9	0.0	0.8	12.6	8.9	42.6	0.0	33.3	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	4.1	2.1	0.0	0.0	11.4	4.6	26.9	0.0	51.0	0.0	3.9	2.7	0.0	0.0	12.5	4.4	25.4	0.0	51.1
2-3 children	0.4	13.7	5.3	8.3	0.9	8.5	5.6	12.7	2.0	42.5	0.4	14.5	5.3	8.8	0.4	7.2	5.3	12.5	2.1	43.5
4+ children	1.1	15.7	9.4	14.7	0.4	6.2	5.9	10.8	1.2	34.6	1.1	15.7	9.2	14.7	0.4	5.1	6.1	11.2	1.2	35.2
Residence																				
Urban	0.5	10.8	5.1	7.6	0.5	7.3	6.0	21.5	1.2	39.6	0.6	13.4	6.2	9.6	0.4	6.9	5.4	14.6	1.6	41.5
Education																				
Never	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Primary	0.0	12.1	10.5	11.4	1.1	10.5	5.0	11.9	3.9	33.6	<i>0.0</i>	<i>11.2</i>	<i>11.2</i>	<i>12.1</i>	<i>0.0</i>	<i>9.9</i>	<i>5.3</i>	<i>11.4</i>	<i>4.2</i>	<i>34.8</i>
Secondary	0.2	8.9	4.8	9.7	0.9	8.1	5.0	24.3	0.9	37.4	0.3	12.1	6.3	13.1	0.8	6.2	4.1	15.0	1.2	40.8
Higher	0.8	12.8	4.4	4.7	0.0	5.1	7.6	20.4	1.0	43.3	1.0	15.7	4.9	5.7	0.0	6.2	6.8	14.7	1.3	43.8
Wealth Quintile																				
Lowest	0.0	13.5	1.6	12.6	1.7	12.5	4.3	23.6	1.8	28.4	0.0	17.9	1.2	17.8	1.3	14.1	6.5	11.8	2.7	26.8
Lower	1.0	9.6	3.1	8.6	0.0	10.3	4.8	23.8	2.3	36.5	1.3	12.4	4.0	11.1	0.0	7.7	4.2	15.4	2.9	41.0
Middle	0.0	10.5	6.0	10.5	1.1	7.4	6.8	21.5	0.5	35.7	0.0	13.6	7.8	13.6	0.7	6.7	3.5	14.1	0.7	39.3
Higher	0.5	7.4	6.2	3.9	0.2	3.9	6.9	20.0	0.4	50.5	0.6	9.2	6.9	4.8	0.3	3.8	5.9	15.5	0.5	52.6
Highest	0.6	12.8	6.8	5.1	0.0	4.8	6.7	19.9	1.3	42.0	0.8	15.3	8.1	6.1	0.0	5.8	6.3	15.0	1.5	41.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 1483)	Married Women ³ (N = 855)	All Women (N = 1483)	Married Women ³ (N = 855)
Total				
All	17.7	20.2	6.5	10.6
Age Group				
15-19	5.6	--	0.0	--
20-24	24.7	<i>21.8</i>	0.8	<i>1.7</i>
25-29	22.4	23.2	4.5	7.3
30-34	19.6	21.0	8.3	10.6
35-39	19.4	20.3	9.8	11.0
40-44	18.1	18.8	13.3	14.2
45-49	14.0	16.4	10.2	12.2
Marital Status				
Married, or in union	20.2	na	10.6	na
Unmarried, sexually active	41.4	na	1.2	na
Parity				
0-1 children	16.1	15.3	2.3	2.4
2-3 children	20.2	20.6	10.4	11.4
4+ children	22.9	24.4	15.3	16.3
Residence				
Urban	17.7	20.2	6.5	10.6
Education				
Never	--	--	--	--
Primary	17.5	20.4	9.0	10.6
Secondary	17.5	20.0	5.0	9.2
Higher	18.4	20.5	8.6	12.8
Wealth Quintile				
Lowest	19.4	22.9	5.2	8.0
Lower	19.8	21.6	5.5	9.2
Middle	17.9	19.3	6.2	10.5
Higher	14.4	16.5	5.8	8.9
Highest	17.5	21.4	9.4	14.9

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1483)			Married Women ¹ (N = 855)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	5.3	5.3	10.6	6.8	8.2	15.0
Age Group						
15-19	2.0	0.7	2.8	--	--	--
20-24	12.6	1.3	13.9	<i>36.7</i>	<i>4.4</i>	<i>41.1</i>
25-29	5.5	2.3	7.8	7.5	3.7	11.1
30-34	6.8	4.6	11.4	6.5	5.9	12.4
35-39	5.8	10.3	16.2	6.4	10.9	17.3
40-44	2.1	9.1	11.2	2.4	10.0	12.4
45-49	1.2	10.1	11.3	1.5	11.7	13.2
Marital Status						
Married, or in union	6.8	8.2	15.0	na	na	na
Unmarried, sexually active	13.0	4.3	17.3	na	na	na
Parity						
0-1 children	12.1	2.9	15.0	12.1	2.4	14.5
2-3 children	6.5	7.0	13.6	6.4	7.2	13.6
4+ children	3.6	14.1	17.7	4.0	15.5	19.5
Residence						
Urban	5.3	5.3	10.6	6.8	8.2	15.0
Education						
Never	--	--	--	--	--	--
Primary	6.0	11.3	17.3	7.1	14.4	21.5
Secondary	6.4	4.4	10.9	9.4	7.9	17.3
Higher	3.5	5.0	8.5	3.9	6.7	10.6
Wealth Quintile						
Lowest	8.2	5.6	13.8	9.2	8.1	17.2
Lower	5.9	5.7	11.6	8.5	9.3	17.8
Middle	6.6	6.8	13.4	9.3	11.2	20.5
Higher	3.6	6.3	9.9	4.7	9.8	14.5
Highest	2.8	2.6	5.5	3.8	3.9	7.7

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

All Women (N=1483)

Married Women² (N=855)

	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	40.1	24.2	10.6	50.7	47.8	52.7	30.8	15.0	67.7	45.5
Age Group										
15-19	8.9	5.6	2.8	11.7	<i>47.9</i>	--	--	--	--	na
20-24	33.6	25.5	13.9	47.5	53.7	<i>28.4</i>	<i>23.5</i>	<i>41.1</i>	<i>69.6</i>	<i>33.9</i>
25-29	43.3	26.9	7.8	51.2	52.7	52.1	30.6	11.1	63.2	48.3
30-34	51.3	27.8	11.4	62.7	44.4	57.0	31.6	12.4	69.5	45.5
35-39	49.8	29.2	16.2	66.0	44.3	52.0	31.3	17.3	69.3	45.1
40-44	54.6	31.4	11.2	65.9	47.6	59.0	33.0	12.4	71.4	46.3
45-49	39.3	24.2	11.3	50.7	47.7	47.9	28.6	13.2	61.1	46.8
Marital Status										
Married, or in union	52.7	30.8	15.0	67.7	45.5	na	na	na	na	na
Unmarried, sexually active	63.8	42.6	17.3	81.2	52.5	na	na	na	na	na
Parity										
0-1 children	37.6	18.4	15.0	52.6	35.0	36.1	17.6	14.5	50.5	34.9
2-3 children	53.2	30.6	13.6	66.8	45.8	56.6	32.0	13.6	70.3	45.5
4+ children	58.4	38.2	17.7	76.1	50.2	62.8	40.7	19.5	82.4	49.4
Residence										
Urban	40.1	24.2	10.6	50.7	47.8	52.7	30.8	15.0	67.7	45.5
Education										
Never	--	--	--	--	--	--	--	--	--	--
Primary	39.9	26.5	17.3	57.2	46.3	47.5	31.0	21.5	68.9	44.9
Secondary	35.8	22.4	10.9	46.7	48.1	49.4	29.3	17.3	66.7	43.9
Higher	47.6	27.0	8.5	56.1	48.2	59.3	33.3	10.6	69.9	47.7
Wealth Quintile										
Lowest	34.3	24.6	13.8	48.2	51.0	42.3	31.0	17.2	59.5	52.0
Lower	39.8	25.2	11.6	51.4	49.1	52.3	30.8	17.8	70.1	44.0
Middle	37.4	24.1	13.4	50.9	47.3	49.1	29.8	20.5	69.6	42.8
Higher	40.9	20.2	9.9	50.7	39.9	53.5	25.3	14.5	68.0	37.3
Highest	46.3	26.9	5.5	51.8	51.9	61.5	36.2	7.7	69.2	52.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=494)			Married ¹ Women with 1 or More Births (N=456)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	77.1	15.4	7.5	79.0	13.7	7.3
Age Group						
15-19	--	--	--	--	--	--
20-24	<i>34.8</i>	<i>51.4</i>	<i>13.9</i>	<i>39.3</i>	<i>44.8</i>	<i>15.8</i>
25-29	77.1	18.1	4.8	77.2	18.1	4.7
30-34	80.9	15.4	3.6	82.4	14.2	3.3
35-39	82.3	5.8	12.0	83.0	4.7	12.2
40-44	87.5	5.5	7.0	87.1	5.7	7.2
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	79.0	13.7	7.3	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	65.9	26.3	7.8	72.8	21.2	6.0
2-3 children	81.9	13.5	4.6	81.5	13.9	4.6
4+ children	76.4	8.8	14.9	78.0	6.5	15.5
Residence						
Urban	77.1	15.4	7.5	79.0	13.7	7.3
Education						
Never	--	--	--	--	--	--
Primary	<i>81.9</i>	<i>4.5</i>	<i>13.6</i>	<i>80.7</i>	<i>4.8</i>	<i>14.6</i>
Secondary	71.6	20.8	7.6	74.6	18.4	7.0
Higher	82.6	11.7	5.7	83.5	10.9	5.6
Wealth Quintile						
Lowest	72.2	17.7	10.1	76.6	14.0	9.5
Lower	75.9	14.4	9.7	76.9	12.5	10.6
Middle	73.3	19.2	7.5	75.5	17.7	6.8
Higher	78.3	14.4	7.3	78.9	13.7	7.3
Highest	84.2	11.6	4.1	84.7	11.2	4.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 325)
Total				
All	38.3	47.5	14.2	
Age Group				
15-19	--	--	--	
20-24	<i>15.9</i>	<i>51.6</i>	<i>32.5</i>	
25-29	38.3	48.1	13.6	
30-34	42.0	47.1	10.9	
35-39	44.8	44.2	11.0	
40-44	47.1	47.9	5.0	
45-49	<i>34.0</i>	<i>54.1</i>	<i>11.8</i>	
Marital Status				
Married, or in union	39.6	49.5	10.9	
Unmarried, sexually active	40.1	34.0	25.8	
Parity				
0-1 children	<i>62.5</i>	<i>16.5</i>	<i>20.9</i>	
2-3 children	40.0	51.8	8.2	
4+ children	42.0	46.8	11.2	
Residence				
Urban	38.3	47.5	14.2	
Education				
Never	--	--	--	
Primary	<i>42.1</i>	<i>46.5</i>	<i>11.4</i>	
Secondary	33.3	49.8	16.9	
Higher	43.2	46.1	10.7	
Wealth Quintile				
Lowest	38.7	40.3	21.0	
Lower	37.9	39.7	22.4	
Middle	36.1	54.6	9.4	
Higher	41.4	45.5	13.1	
Highest	37.9	54.2	7.9	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(325)	(240)	(325)	(240)	(134)	(119)	(325)	(240)
All	50.5	62.3	43.8	51.6	89.0	89.8	49.5	61.0
Age Group								
15-19	--	na	--	na	--	na	--	na
20-24	7.7	--	19.2	--	--	--	13.4	--
25-29	45.7	55.3	37.1	45.1	--	--	42.3	50.3
30-34	55.5	58.8	43.1	49.3	91.0	91.0	54.8	59.3
35-39	71.4	72.0	55.9	55.2	80.0	82.2	64.9	66.5
40-44	67.5	70.4	60.1	62.4	89.1	88.5	64.9	67.9
45-49	53.1	57.4	49.1	50.2	--	--	62.4	67.5
Marital Status								
Married, or in union	62.3	na	51.6	na	89.8	na	61.0	na
Unmarried, sexually active	13.7	na	13.4	na	--	na	15.4	na
Parity								
0-1 children	33.2	--	18.6	--	--	--	38.0	--
2-3 children	65.4	67.1	54.7	57.6	90.7	90.5	63.5	66.2
4+ children	65.3	66.8	56.6	55.4	88.9	90.3	61.9	64.4
Residence								
Urban	50.5	62.3	43.8	51.6	89.0	89.8	49.5	61.0
Education								
Never	--	--	--	--	na	na	--	--
Primary	71.7	73.4	60.3	63.2	--	--	63.8	65.3
Secondary	45.7	60.6	38.7	46.9	88.9	91.6	44.9	59.3
Higher	52.2	62.8	47.0	54.4	90.4	89.9	52.8	63.3
Wealth Quintile								
Lowest	56.4	73.9	54.4	61.1	84.9	--	54.8	73.7
Lower	42.6	55.9	36.3	46.9	--	--	42.2	51.0
Middle	51.4	63.6	47.3	62.8	92.4	92.3	47.0	59.3
Higher	41.6	49.8	32.5	35.9	--	--	40.7	48.5
Highest	57.4	67.2	46.6	51.6	89.1	88.5	59.2	69.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 320)	(N = 320)	(N = 320)
All	89.7	86.0	83.8
Age Group			
15-19	--	--	--
20-24	<i>71.6</i>	<i>70.7</i>	<i>64.3</i>
25-29	88.8	83.3	81.8
30-34	94.4	91.1	90.0
35-39	96.5	88.3	87.1
40-44	93.9	92.0	92.0
45-49	<i>93.5</i>	<i>96.2</i>	<i>89.7</i>
Marital Status			
Married, or in union	93.8	90.7	88.0
Unmarried, sexually active	74.9	70.9	69.6
Parity			
0-1 children	<i>84.4</i>	<i>81.7</i>	<i>78.9</i>
2-3 children	96.8	91.7	90.7
4+ children	94.7	91.7	89.4
Residence			
Urban	89.7	86.0	83.8
Education			
Never	--	--	--
Primary	<i>98.1</i>	<i>91.3</i>	<i>91.3</i>
Secondary	88.6	86.2	82.6
Higher	88.7	84.0	82.9
Wealth Quintile			
Lowest	87.7	87.3	85.5
Lower	90.6	82.8	81.6
Middle	94.8	91.7	89.1
Higher	83.4	77.5	74.9
Highest	90.8	88.8	86.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(1483)	(855)	(1483)	(855)	(1483)	(855)
All	9.4	12.0	19.4	30.2	24.2	35.4
Age Group						
15-19	5.4	--	0.4	--	5.4	--
20-24	3.8	<i>6.5</i>	11.3	<i>39.6</i>	13.5	<i>41.3</i>
25-29	12.0	15.2	29.1	43.9	35.1	50.4
30-34	12.3	14.1	35.1	41.4	39.2	46.4
35-39	13.3	14.0	24.6	26.2	31.2	33.0
40-44	10.8	10.8	19.3	21.3	24.2	25.6
45-49	5.8	5.0	10.8	12.2	14.4	15.4
Marital Status						
Married, or in union	12.0	na	30.2	na	35.4	na
Unmarried, sexually active	5.4	na	5.7	na	8.9	na
Parity						
0-1 children	8.4	9.5	31.1	35.1	33.3	37.8
2-3 children	12.6	13.4	31.5	33.7	36.5	39.0
4+ children	11.4	12.1	24.4	26.6	30.8	33.4
Residence						
Urban	9.4	12.0	19.4	30.2	24.2	35.4
Education						
Never	--	--	--	--	--	--
Primary	7.6	5.3	17.5	19.9	20.8	21.5
Secondary	9.2	14.3	19.1	33.8	23.8	40.4
Higher	10.5	11.9	21.4	30.8	26.6	35.4
Wealth Quintile						
Lowest	10.1	14.8	20.4	34.1	26.9	44.0
Lower	6.5	8.4	15.1	24.4	18.0	27.0
Middle	8.7	10.4	20.0	30.4	24.2	33.9
Higher	7.4	9.7	18.9	27.9	23.0	32.9
Highest	13.6	16.3	22.0	33.7	28.1	39.3

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1873	N/A	1873
Households Occupied	1712	N/A	1712
Households Interviewed	1598	N/A	1598
Household Response Rate ¹	93.34%	0.00%	93.34%
Interviews with Women			
Number of Eligible Women ²	1553	N/A	1553
Number of Eligible Women Interviewed	1483	N/A	1483
Eligible Woman Response Rate ³	95.49%	0.00%	95.49%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.242	0.012	0.218	0.268	0.308	0.020	0.270	0.349
Currently using a traditional method	0.159	0.013	0.135	0.187	0.219	0.020	0.181	0.262
Currently using any contraceptive method	0.401	0.019	0.364	0.439	0.527	0.026	0.474	0.578
Currently using DMPA-IM	0.076	0.015	0.052	0.111	0.096	0.019	0.064	0.140
Currently using DMPA-SC	0.005	0.002	0.002	0.013	0.004	0.002	0.001	0.012
Currently using condoms	0.215	0.019	0.179	0.256	0.146	0.017	0.114	0.185
Currently using implants	0.108	0.016	0.079	0.145	0.134	0.020	0.098	0.180
Chose method by self or jointly in past 12 months	0.858	0.022	0.809	0.896	0.891	0.022	0.839	0.927
Informed by provider about other methods	0.505	0.035	0.435	0.574	0.623	0.037	0.548	0.694
Informed by provider about side effects	0.438	0.040	0.360	0.520	0.516	0.042	0.432	0.598
Satisfied with provider: Would return and refer friend/relative to provider	0.838	0.030	0.770	0.889	0.880	0.026	0.818	0.923
Visited by health worker who talked about family planning in past 12 months	0.094	0.022	0.059	0.147	0.120	0.028	0.075	0.188

¹ Married includes married women and those who are living with a man