

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Democratic Republic of Congo (Kongo Central) Snapshot of Indicators Phase 1 (2020) Cross-sectional Survey

Suggested citation: University of Kinshasa School of Public Health and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Democratic Republic of Congo (Kongo Central) Phase 1 Cross-sectional Survey Snapshot of Indicators, PMA/Democratic Republic of Congo-Kongo Central-P1-CS SOIs. 2020.* Kinshasa, DRC and Baltimore,

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	1950	1950
Age Group			
15-19	21.3	414	427
20-24	16.4	321	327
25-29	15.8	307	292
30-34	14.4	281	288
35-39	13.4	262	268
40-44	10.4	203	193
45-49	8.3	162	155
Marital Status			
Married, or in union	63.6	1241	1188
Unmarried, sexually active	12.7	248	278
Parity			
0-1 children	15.8	309	322
2-3 children	26.1	509	510
4+ children	33.9	662	626
Education			
Never	11.7	228	199
Primary	28.7	560	521
Secondary	56.4	1100	1150
Higher	3.1	60	76
Wealth Quintile			
Lowest	17.6	343	251
Lower	17.8	348	289
Middle	19.4	378	338
Higher	22.0	429	474
Highest	23.2	453	598

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	36.1	40.3	23.0	24.2	13.1	16.1
Age Group						
15-19	22.4	38.5	16.0	28.1	6.4	10.4
20-24	38.6	33.9	25.5	20.9	13.1	13.0
25-29	49.7	48.8	32.7	28.4	17.0	20.5
30-34	45.5	45.7	25.9	24.9	19.6	20.8
35-39	44.8	46.9	27.5	28.7	17.4	18.2
40-44	30.9	35.2	20.8	23.4	10.1	11.8
45-49	16.4	18.6	8.3	10.1	8.2	8.5
Marital Status						
Married, or in union	40.3	na	24.2	na	16.1	na
Unmarried, sexually active	54.0	na	40.1	na	13.8	na
Parity						
0-1 children	37.7	39.9	28.0	28.3	9.7	11.6
2-3 children	41.8	43.7	27.5	26.6	14.3	17.1
4+ children	41.2	42.5	23.7	24.3	17.6	18.2
Education						
Never	29.2	35.6	16.8	19.8	12.5	15.7
Primary	31.6	37.0	19.5	22.8	12.2	14.2
Secondary	38.8	43.8	25.4	26.2	13.4	17.6
Higher	53.6	<i>37.2</i>	36.5	<i>28.5</i>	17.1	<i>8.6</i>
Wealth Quintile						
Lowest	28.4	34.9	15.6	17.7	12.8	17.3
Lower	26.9	32.0	16.0	18.3	10.9	13.7
Middle	30.9	34.6	19.6	20.6	11.2	14.0
Higher	38.3	42.9	26.3	28.9	12.0	14.1
Highest	51.3	58.3	33.7	36.5	17.6	21.8

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 779)										Married Users ¹ (N = 527)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	1.7	22.8	0.5	8.8	2.6	5.9	4.4	14.6	2.5	36.2	2.4	24.0	0.4	10.0	3.0	5.7	1.7	10.4	2.7	39.9
Age Group																				
15-19	0.0	12.6	0.0	1.8	1.2	1.0	12.4	37.8	4.6	28.5	<i>0.0</i>	<i>12.4</i>	<i>0.0</i>	<i>1.4</i>	<i>0.4</i>	<i>1.2</i>	<i>6.6</i>	<i>40.6</i>	<i>10.3</i>	<i>27.1</i>
20-24	0.0	17.5	1.7	4.5	2.8	12.1	4.7	18.4	4.5	33.9	0.0	20.6	1.2	3.7	4.9	8.6	1.0	13.8	8.1	38.3
25-29	0.9	33.0	0.0	3.0	3.1	1.6	5.4	16.2	2.7	34.2	1.2	34.8	0.0	3.1	2.6	1.8	2.0	10.3	2.2	42.0
30-34	0.6	22.8	0.0	15.0	4.5	4.5	1.5	7.0	1.0	43.1	0.7	23.2	0.0	12.6	5.3	3.0	1.0	7.9	0.9	45.6
35-39	1.6	27.2	0.3	15.6	1.7	6.1	1.1	6.4	1.3	38.7	1.8	24.5	0.3	17.9	1.9	6.7	1.3	5.9	0.8	38.8
40-44	9.4	18.4	2.1	11.9	0.9	16.7	3.4	3.9	0.7	32.7	10.2	15.9	1.7	12.9	0.9	18.1	1.8	4.3	0.8	33.4
45-49	7.7	15.7	0.0	19.6	1.4	0.0	0.0	5.5	0.5	49.7	9.3	17.5	0.0	18.5	1.7	0.0	0.0	6.7	0.6	45.6
Marital Status																				
Married, or in union	2.4	24.0	0.4	10.0	3.0	5.7	1.7	10.4	2.7	39.9	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	18.3	0.3	8.4	2.3	9.5	11.1	23.6	0.9	25.6	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	24.7	0.6	5.7	4.2	7.0	7.6	17.4	6.9	25.8	0.0	23.4	1.0	3.5	6.0	4.0	3.5	18.9	10.8	29.0
2-3 children	0.9	29.5	0.0	8.7	2.9	4.7	2.2	14.5	2.4	34.3	1.1	28.0	0.0	8.5	3.7	4.5	1.2	11.6	2.2	39.2
4+ children	3.7	23.8	0.6	12.8	1.6	6.9	1.3	6.3	0.6	42.6	4.1	22.5	0.5	13.4	1.7	7.0	0.9	6.3	0.6	42.9
Education																				
Never	2.0	25.3	0.0	13.6	0.0	12.5	0.0	3.3	0.6	42.6	2.2	25.7	0.0	12.7	0.0	13.4	0.0	1.2	0.7	44.3
Primary	3.7	26.9	0.4	10.1	1.3	5.6	0.9	9.7	3.0	38.4	4.2	25.5	0.2	11.2	1.5	5.4	1.0	9.1	3.3	38.4
Secondary	1.0	21.8	0.7	7.6	3.5	5.5	5.4	17.5	2.4	34.6	1.5	22.8	0.6	8.4	4.2	4.3	2.5	13.0	2.5	40.1
Higher	0.0	8.5	0.0	7.2	2.7	0.0	19.8	26.2	3.7	31.8	--	--	--	--	--	--	--	--	--	--
Wealth Quintile																				
Lowest	0.0	20.5	1.4	8.9	1.0	4.1	0.0	12.7	6.4	45.0	0.0	19.5	0.0	10.6	1.2	4.9	0.0	7.0	7.5	49.4
Lower	2.8	24.8	0.0	5.7	0.1	12.1	0.6	12.5	1.0	40.4	3.2	26.1	0.0	6.5	0.1	9.1	0.7	11.2	0.3	42.7
Middle	2.9	25.9	0.0	11.1	0.0	7.3	0.7	13.4	2.3	36.4	3.6	24.3	0.0	12.1	0.0	9.1	0.9	6.8	2.9	40.4
Higher	3.1	25.3	0.9	10.5	3.6	2.8	5.5	15.5	1.4	31.3	5.0	28.6	1.0	12.3	3.1	1.7	2.6	12.2	0.5	32.8
Highest	0.3	19.6	0.4	7.6	4.7	5.7	8.9	16.4	2.2	34.2	0.5	21.7	0.7	8.5	7.6	4.8	3.1	13.1	2.6	37.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 1950)	Married Women ³ (N = 1188)	All Women (N = 1950)	Married Women ³ (N = 1188)
Total				
All	14.0	13.5	9.0	10.8
Age Group				
15-19	13.2	23.3	2.8	4.8
20-24	18.1	13.5	7.4	7.4
25-29	15.9	10.8	16.8	17.6
30-34	15.2	14.0	10.6	10.9
35-39	14.4	16.2	13.0	12.5
40-44	11.6	13.6	9.2	9.8
45-49	4.4	5.1	3.8	5.0
Marital Status				
Married, or in union	13.5	na	10.8	na
Unmarried, sexually active	30.1	na	10.0	na
Parity				
0-1 children	18.4	18.6	9.6	9.7
2-3 children	14.8	13.8	12.7	12.7
4+ children	12.1	12.8	11.6	11.5
Education				
Never	8.8	9.9	8.0	9.9
Primary	9.7	11.7	9.8	11.1
Secondary	16.2	15.3	9.1	10.9
Higher	32.0	20.2	4.6	8.3
Wealth Quintile				
Lowest	9.4	10.9	6.2	6.8
Lower	8.6	8.9	7.4	9.4
Middle	10.8	11.0	8.9	9.6
Higher	15.1	14.0	11.2	14.9
Highest	23.3	23.2	10.4	13.3

¹ Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

² Long-acting methods include IUD, implants, and sterilization (male and female).

³ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1950)			Married Women ¹ (N = 1188)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	17.8	5.7	23.5	20.0	7.7	27.7
Age Group						
15-19	21.7	2.8	24.5	41.8	5.7	47.5
20-24	27.1	6.6	33.7	30.8	10.0	40.8
25-29	21.3	4.2	25.5	25.0	5.0	30.0
30-34	16.9	8.0	24.9	18.6	8.7	27.2
35-39	15.8	7.2	23.0	18.1	8.6	26.7
40-44	6.6	7.2	13.8	8.2	8.4	16.5
45-49	2.0	5.8	7.8	0.6	5.7	6.4
Marital Status						
Married, or in union	20.0	7.7	27.7	na	na	na
Unmarried, sexually active	28.4	4.2	32.7	na	na	na
Parity						
0-1 children	26.4	3.1	29.4	28.2	3.6	31.8
2-3 children	18.9	6.7	25.6	19.7	7.5	27.1
4+ children	13.5	8.7	22.2	14.9	9.5	24.4
Education						
Never	20.6	4.5	25.1	21.3	5.1	26.4
Primary	17.9	7.6	25.5	20.0	9.1	29.2
Secondary	17.7	5.2	23.0	19.9	7.7	27.5
Higher	8.7	0.0	8.7	<i>13.9</i>	<i>0.0</i>	<i>13.9</i>
Wealth Quintile						
Lowest	23.5	8.8	32.3	26.8	12.1	38.9
Lower	20.8	9.8	30.6	24.2	12.0	36.2
Middle	18.4	6.6	25.0	19.1	7.9	27.1
Higher	18.5	2.8	21.4	19.3	3.7	23.1
Highest	10.2	2.1	12.3	10.5	2.3	12.7

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

All Women (N=1950)

Married Women ² (N=1188)

	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	36.1	23.0	23.5	59.6	38.6	40.3	24.2	27.7	67.9	35.7
Age Group										
15-19	22.4	16.0	24.5	46.9	34.1	38.5	28.1	47.5	86.0	32.7
20-24	38.6	25.5	33.7	72.3	35.3	33.9	20.9	40.8	74.7	28.0
25-29	49.7	32.7	25.5	75.2	43.5	48.8	28.4	30.0	78.9	35.9
30-34	45.5	25.9	24.9	70.3	36.8	45.7	24.9	27.2	72.9	34.1
35-39	44.8	27.5	23.0	67.9	40.5	46.9	28.7	26.7	73.5	39.0
40-44	30.9	20.8	13.8	44.7	46.6	35.2	23.4	16.5	51.7	45.3
45-49	16.4	8.3	7.8	24.3	<i>34.1</i>	18.6	10.1	6.4	25.0	<i>40.5</i>
Marital Status										
Married, or in union	40.3	24.2	27.7	67.9	35.7	na	na	na	na	na
Unmarried, sexually active	54.0	40.1	32.7	86.6	46.3	na	na	na	na	na
Parity										
0-1 children	37.7	28.0	29.4	67.1	41.7	39.9	28.3	31.8	71.6	39.5
2-3 children	41.8	27.5	25.6	67.5	40.7	43.7	26.6	27.1	70.8	37.5
4+ children	41.2	23.7	22.2	63.5	37.3	42.5	24.3	24.4	67.0	36.3
Education										
Never	29.2	16.8	25.1	54.4	30.8	35.6	19.8	26.4	62.0	32.0
Primary	31.6	19.5	25.5	57.2	34.1	37.0	22.8	29.2	66.1	34.4
Secondary	38.8	25.4	23.0	61.8	41.1	43.8	26.2	27.5	71.3	36.8
Higher	53.6	36.5	8.7	62.3	<i>58.6</i>	<i>37.2</i>	<i>28.5</i>	<i>13.9</i>	<i>51.1</i>	--
Wealth Quintile										
Lowest	28.4	15.6	32.3	60.7	25.7	34.9	17.7	38.9	73.8	23.9
Lower	26.9	16.0	30.6	57.5	27.9	32.0	18.3	36.2	68.2	26.9
Middle	30.9	19.6	25.0	55.9	35.1	34.6	20.6	27.1	61.7	33.4
Higher	38.3	26.3	21.4	59.6	44.1	42.9	28.9	23.1	66.0	43.7
Highest	51.3	33.7	12.3	63.6	53.0	58.3	36.5	12.7	71.0	51.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1041)			Married ¹ Women with 1 or More Births (N=823)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	36.3	52.4	11.3	39.8	48.8	11.4
Age Group						
15-19	20.6	71.6	7.9	<i>23.6</i>	<i>67.7</i>	<i>8.6</i>
20-24	20.4	70.8	8.8	22.1	68.2	9.7
25-29	39.0	53.2	7.8	42.8	48.5	8.7
30-34	38.1	51.3	10.6	39.1	49.9	11.0
35-39	47.5	36.9	15.6	50.3	36.3	13.4
40-44	50.7	29.3	20.0	50.9	31.0	18.0
45-49	<i>56.3</i>	<i>19.4</i>	<i>24.4</i>	--	--	--
Marital Status						
Married, or in union	39.8	48.8	11.4	na	na	na
Unmarried, sexually active	20.2	70.2	9.6	na	na	na
Parity						
0-1 children	27.9	65.4	6.7	31.7	61.1	7.1
2-3 children	36.0	56.1	7.8	40.2	51.0	8.7
4+ children	41.1	42.3	16.6	42.3	42.7	15.0
Education						
Never	45.6	46.4	7.9	47.3	45.6	7.1
Primary	38.3	47.9	13.8	39.7	46.5	13.8
Secondary	32.4	56.9	10.7	36.8	51.9	11.2
Higher	--	--	--	--	--	--
Wealth Quintile						
Lowest	19.4	63.2	17.4	20.4	63.5	16.1
Lower	33.2	49.6	17.2	32.9	49.0	18.2
Middle	47.6	45.6	6.8	49.3	44.1	6.7
Higher	44.1	47.1	8.8	53.1	38.3	8.6
Highest	38.1	56.3	5.6	47.8	47.0	5.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 485)
Total				
All	57.9	35.4	6.7	
Age Group				
15-19	65.0	28.6	6.4	
20-24	58.2	32.3	9.5	
25-29	53.9	38.8	7.3	
30-34	61.8	32.8	5.5	
35-39	57.9	39.5	2.6	
40-44	45.1	47.4	7.5	
45-49	--	--	--	
Marital Status				
Married, or in union	51.5	42.3	6.1	
Unmarried, sexually active	69.7	21.2	9.1	
Parity				
0-1 children	64.5	26.5	9.0	
2-3 children	52.1	41.7	6.2	
4+ children	57.3	37.1	5.6	
Education				
Never	50.1	47.9	2.0	
Primary	62.7	29.8	7.5	
Secondary	56.6	36.2	7.3	
Higher	--	--	--	
Wealth Quintile				
Lowest	43.7	52.8	3.5	
Lower	44.8	51.1	4.1	
Middle	49.9	43.8	6.3	
Higher	62.3	33.5	4.2	
Highest	68.6	20.4	11.0	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(485)	(315)	(485)	(315)	(219)	(157)	(485)	(315)
All	37.9	36.8	50.0	54.5	81.0	81.0	39.9	38.7
Age Group								
15-19	36.6	--	37.3	--	--	--	42.1	--
20-24	35.7	<i>26.2</i>	43.2	<i>50.9</i>	<i>77.5</i>	--	46.6	<i>42.7</i>
25-29	35.0	38.0	46.6	52.8	<i>86.1</i>	<i>85.3</i>	30.1	30.6
30-34	40.9	35.0	53.2	60.2	<i>72.0</i>	<i>70.6</i>	45.3	41.9
35-39	46.0	44.2	66.0	63.0	<i>90.1</i>	<i>88.1</i>	48.4	48.0
40-44	<i>33.0</i>	<i>32.7</i>	<i>52.6</i>	<i>50.2</i>	--	--	29.7	<i>29.1</i>
45-49	--	--	--	--	--	--	--	--
Marital Status								
Married, or in union	36.8	na	54.5	na	81.0	na	38.7	na
Unmarried, sexually active	38.0	na	35.3	na	<i>75.0</i>	na	37.5	na
Parity								
0-1 children	36.3	39.6	39.6	46.8	<i>74.5</i>	--	46.0	41.7
2-3 children	35.2	33.6	48.2	53.8	87.6	86.7	34.5	32.9
4+ children	41.2	39.3	61.5	59.7	78.9	78.2	40.6	41.6
Education								
Never	<i>43.2</i>	<i>40.0</i>	<i>73.1</i>	<i>70.3</i>	--	--	33.1	<i>32.2</i>
Primary	39.4	36.4	55.3	54.6	76.1	<i>74.0</i>	37.0	38.5
Secondary	34.7	35.9	44.2	51.7	85.2	89.1	39.9	39.9
Higher	--	--	--	--	--	--	--	--
Wealth Quintile								
Lowest	<i>46.1</i>	<i>30.8</i>	<i>76.5</i>	<i>71.1</i>	--	--	39.3	<i>34.1</i>
Lower	<i>41.0</i>	<i>39.6</i>	<i>53.9</i>	<i>55.7</i>	--	--	43.5	<i>44.3</i>
Middle	34.5	<i>37.7</i>	50.7	<i>52.7</i>	<i>94.7</i>	--	44.4	<i>45.8</i>
Higher	34.3	33.7	45.8	53.2	88.0	<i>91.9</i>	37.2	37.4
Highest	38.4	40.0	42.2	48.6	76.7	78.9	38.6	34.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 466)	(N = 466)	(N = 466)
All	59.4	45.7	36.5
Age Group			
15-19	51.1	42.7	39.4
20-24	59.7	37.8	29.6
25-29	70.6	49.6	41.4
30-34	57.3	42.4	35.3
35-39	58.2	50.1	39.7
40-44	48.7	55.4	29.6
45-49	--	--	--
Marital Status			
Married, or in union	57.9	43.5	32.8
Unmarried, sexually active	66.0	52.1	45.7
Parity			
0-1 children	62.5	43.9	35.0
2-3 children	61.1	39.2	35.6
4+ children	57.3	50.3	35.8
Education			
Never	40.6	56.2	28.1
Primary	61.6	47.2	38.1
Secondary	59.7	41.1	34.6
Higher	--	--	--
Wealth Quintile			
Lowest	76.6	61.9	52.9
Lower	53.5	39.2	32.7
Middle	62.4	39.0	33.5
Higher	57.5	49.3	38.6
Highest	56.2	43.8	32.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(1950)	(1188)	(1950)	(1188)	(1950)	(1188)
All	10.5	11.2	11.8	13.6	18.0	20.2
Age Group						
15-19	4.8	7.4	3.9	9.6	7.8	12.8
20-24	12.9	11.1	16.5	14.2	23.0	21.1
25-29	12.7	12.7	14.5	14.4	20.3	20.1
30-34	17.2	15.8	16.4	16.5	25.6	25.0
35-39	11.6	11.2	16.2	17.9	24.0	24.5
40-44	6.1	5.1	12.1	13.1	16.5	16.9
45-49	8.6	10.0	2.1	1.3	9.4	11.0
Marital Status						
Married, or in union	11.2	na	13.6	na	20.2	na
Unmarried, sexually active	9.9	na	10.1	na	16.5	na
Parity						
0-1 children	10.8	13.0	12.1	12.7	17.6	19.4
2-3 children	13.4	11.8	11.8	12.3	21.2	20.1
4+ children	11.2	11.2	15.7	15.9	21.8	22.3
Education						
Never	12.3	12.3	11.2	11.7	17.5	19.1
Primary	8.0	7.9	10.8	12.5	15.7	17.0
Secondary	11.1	12.9	11.8	14.8	18.6	22.4
Higher	15.4	<i>11.6</i>	22.3	<i>13.0</i>	28.6	<i>24.6</i>
Wealth Quintile						
Lowest	12.6	13.9	16.5	19.9	20.6	24.7
Lower	9.2	9.5	10.7	11.4	16.8	18.2
Middle	8.1	8.8	10.4	12.4	15.5	17.7
Higher	7.6	8.7	9.5	10.2	15.0	16.4
Highest	14.7	15.5	12.5	14.7	22.1	24.5

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	N/A	N/A	1995
Households Occupied	N/A	N/A	1986
Households Interviewed	N/A	N/A	1965
Household Response Rate ¹	0.00%	0.00%	98.94%
Interviews with Women			
Number of Eligible Women ²	N/A	N/A	1975
Number of Eligible Women Interviewed	N/A	N/A	1950
Eligible Woman Response Rate ³	0.00%	0.00%	98.73%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.230	0.021	0.191	0.275	0.242	0.024	0.197	0.294
Currently using a traditional method	0.131	0.016	0.103	0.165	0.161	0.020	0.125	0.204
Currently using any contraceptive method	0.361	0.029	0.306	0.420	0.403	0.035	0.336	0.474
Currently using DMPA-IM	0.088	0.018	0.059	0.130	0.100	0.019	0.067	0.145
Currently using DMPA-SC	0.026	0.007	0.014	0.045	0.030	0.010	0.015	0.058
Currently using condoms	0.146	0.024	0.105	0.200	0.104	0.025	0.064	0.164
Currently using implants	0.228	0.032	0.170	0.298	0.240	0.037	0.174	0.321
Chose method by self or jointly in past 12 months	0.933	0.015	0.897	0.957	0.939	0.018	0.892	0.966
Informed by provider about other methods	0.379	0.044	0.296	0.471	0.368	0.045	0.284	0.461
Informed by provider about side effects	0.500	0.053	0.395	0.605	0.545	0.054	0.435	0.650
Satisfied with provider: Would return and refer friend/relative to provider	0.365	0.050	0.271	0.470	0.328	0.053	0.232	0.442
Visited by health worker who talked about family planning in past 12 months	0.105	0.027	0.063	0.171	0.112	0.031	0.063	0.190

¹ Married includes married women and those who are living with a man