Perceived quality of care for family planning

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer friend/relative to provider, by background characteristics

Background characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Number	439	439	439
Total	62.8	59.2	49.2
Age group			
15–19	55.7	49.0	39.3
20–24	56.3	52.8	39.6
25–29	68.9	65.8	56.8
30–34	64.1	64.0	53.6
35–39	65.5	56.2	49.0
40–44	67.3	63.5	54.5
45–49	(53.3)	(61.1)	(53.3)
Marital status			
Married ²	65.1	60.6	51.3
Unmarried, sexually active	66.9	54.6	47.1
Parity			
0-1	58.3	57.8	43.9
2–3	66.3	60.5	54.3
4 or more	65.7	59.9	51.6
Education			
Never attended	(82.7)	(64.8)	(64.8)
Primary	72.2	64.7	55.6
Secondary	59.9	55.4	45.9
Higher	67.1	69.5	56.3
Wealth quintile			
Lowest	55.1	45.4	36.1
Lower	69.5	61.3	54.7
Middle	56.5	51.8	39.7
Higher	65.3	64.0	54.5
Highest	65.8	69.4	57.1

¹Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na = not applicable

²Married includes married women and those who are living with a man

^{() =} Estimate generated from less than 25 unweighted observations