## Perceived quality of care for family planning

Background characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Number	569	569	569
Total	65.1	67.7	54.7
Age group			
15–19	69.0	71.1	63.8
20–24	66.2	70.7	57.6
25–29	67.6	69.0	56.6
30-34	61.4	60.4	47.7
35–39	63.3	68.0	53.7
40-44	64.9	68.1	48.7
45–49	(58.2)	(66.2)	(49.9)
Marital status			
Married <sup>2</sup>	64.2	66.6	51.7
Unmarried, sexually active	67.1	72.1	59.7
Parity			
0-1	63.4	65.6	55.2
2–3	69.0	69.7	56.3
4 or more	63.8	69.0	52.2
Education			
Never attended	71.4	78.7	71.4
Primary	61.0	70.2	52.6
Secondary	65.7	65.4	53.4
Higher	65.6	69.9	56.8
Wealth quintile			
Lowest	61.2	71.9	52.2
Lower	67.9	66.9	58.5
Middle	56.1	55.3	42.1
Higher	64.6	71.1	55.4
Highest	75.7	74.2	65.6

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer friend/relative to provider, by background characteristics

<sup>1</sup>Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

<sup>2</sup>Married includes married women and those who are living with a man

() = Estimate generated from less than 25 unweighted observations

