



## Performance Monitoring and Accountability 2020

*Measuring Performance, Informing Policy, Empowering Communities.*



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

## Ethiopia Round 3: Snapshot of Indicators (SOIs)

**Suggested citation:** Addis Ababa University School of Public Health and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 3, PMA2015/Ethiopia-R3 Snapshot of Indicators*. 2015. Ethiopia and Baltimore, Maryland, USA.

[www.pma2020.org](http://www.pma2020.org)

[facebook.com/GATES.PMA2020](https://facebook.com/GATES.PMA2020)

Twitter: [@PMA2020JHU](https://twitter.com/PMA2020JHU)



## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	7552	7545
<b>Age Group</b>			
15-19	23.5	1777	1812
20-24	18.7	1412	1519
25-29	17.9	1355	1379
30-34	13.3	1004	1004
35-39	12.7	956	876
40-44	7.5	567	511
45-49	6.4	481	444
<b>Marital Status</b>			
Married, or in union	64.5	4869	4363
Unmarried, sexually active	2.7	203	305
<b>Parity</b>			
0-1 children	46.5	3509	4044
2-3 children	19.3	1461	1511
4+ children	34.1	2579	1988
<b>Residence</b>			
Urban	23.1	1746	3847
Rural	76.9	5805	3698
<b>Education</b>			
Never	44.5	3361	2594
Primary	37.1	2799	2688
Secondary	14.5	1093	1661
Technical & vocational	2.7	206	390
Higher	1.2	91	199
<b>Wealth Quintile</b>			
Lowest	20.4	1538	955
Lower	20.0	1509	949
Middle	19.4	1461	990
High	18.6	1401	1254
Highest	21.7	1642	3397
<b>Region</b>			
Addis	5.2	395	888
Amhara	23.7	1792	1318
Oromiya	37.1	2802	1722
SNNP	22.5	1702	1632
Tigray	6.7	509	1173
Other	4.7	352	812

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	26.4	37.0	25.6	35.8	0.8	1.2
<b>Age Group</b>						
15-19	9.2	31.8	8.8	30.1	0.4	1.7
20-24	31.9	43.4	31.1	42.4	0.8	1.0
25-29	36.9	41.0	35.8	39.9	1.1	1.1
30-34	34.2	36.6	33.6	35.8	0.6	0.8
35-39	34.1	38.9	32.5	37.0	1.6	1.9
40-44	27.7	33.9	26.7	32.7	1.0	1.2
45-49	12.0	15.1	11.7	14.7	0.3	0.4
<b>Marital Status</b>						
Married, or in union	37.0	na	35.8	na	1.2	na
Unmarried, sexually active	51.8	na	50.8	na	0.9	na
<b>Parity</b>						
0-1 children	18.8	39.8	18.2	38.5	0.6	1.3
2-3 children	39.9	43.8	38.3	41.9	1.6	1.9
4+ children	29.2	31.6	28.6	31.0	0.6	0.7
<b>Residence</b>						
Urban	31.9	53.0	30.4	50.5	1.5	2.5
Rural	24.8	33.5	24.2	32.6	0.6	0.9
<b>Education</b>						
Never	26.7	30.8	26.2	30.2	0.5	0.6
Primary	25.7	41.5	25.0	40.4	0.7	1.2
Secondary	23.8	50.4	22.7	47.9	1.1	2.5
Technical & vocational	38.1	62.0	34.0	55.1	4.1	6.9
Higher	45.6	65.3	41.0	58.9	4.6	6.4
<b>Wealth Quintile</b>						
Lowest	22.2	29.2	21.4	28.0	0.8	1.1
Lower	21.4	28.8	21.2	28.5	0.2	0.3
Middle	24.2	33.8	23.8	33.3	0.3	0.5
High	29.1	40.3	28.4	39.3	0.7	1.0
Highest	34.8	57.1	32.9	53.9	1.9	3.2
<b>Region</b>						
Addis	30.7	58.7	27.9	53.2	2.8	5.4
Amhara	32.8	45.6	32.8	45.6	0.0	0.0
Oromiya	22.6	30.5	21.6	29.1	1.0	1.4
SNNP	28.1	40.9	27.1	39.4	0.9	1.4
Tigray	22.6	30.8	21.9	29.6	0.7	1.2
Other	17.7	22.4	17.4	21.9	0.3	0.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

All Users (N = 1997)

Married Users<sup>1</sup> (N = 1799)

Background Characteristics	All Users (N = 1997)										Married Users <sup>1</sup> (N = 1799)									
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional		
<b>Total</b>																				
All	1.3	20.2	2.4	65.1	5.5	0.8	1.4	0.8	2.5	1.2	20.2	2.4	66.3	5.6	0.3	0.6	0.8	2.6		
<b>Age Group</b>																				
15-19	0.0	10.3	0.7	76.5	5.7	2.0	0.8	0.0	4.1	0.0	7.6	0.0	80.3	6.5	0.4	0.0	0.0	5.2		
20-24	0.0	19.0	1.5	67.5	6.5	1.8	1.3	0.7	1.7	0.0	18.4	1.7	70.5	6.3	0.6	0.2	0.8	1.5		
25-29	0.0	17.2	1.4	70.2	5.2	0.4	2.3	0.4	2.9	0.0	17.9	1.4	71.2	5.2	0.2	1.0	0.4	2.7		
30-34	1.1	23.6	4.1	60.4	6.7	0.8	1.1	1.4	0.7	0.9	21.9	4.5	62.5	7.0	0.3	0.7	1.5	0.8		
35-39	4.5	25.0	2.4	58.3	3.2	0.2	1.1	1.6	3.7	3.9	25.9	2.0	58.2	3.4	0.1	0.9	1.7	3.9		
40-44	2.9	20.7	6.6	60.1	5.7	0.0	0.4	0.0	3.6	2.9	21.0	6.7	59.5	5.8	0.0	0.4	0.0	3.7		
45-49	3.6	36.4	0.5	51.4	4.0	0.0	1.6	0.0	2.5	<i>3.8</i>	<i>38.1</i>	<i>0.5</i>	<i>49.9</i>	<i>4.2</i>	<i>0.0</i>	<i>0.9</i>	<i>0.0</i>	<i>2.6</i>		
<b>Marital Status</b>																				
Married, or in union	1.2	20.2	2.4	66.3	5.6	0.3	0.6	0.8	2.6	na	na	na	na	na	na	na	na	na		
Unmarried, sexually active	0.9	19.7	2.9	51.4	7.3	5.2	10.8	0.0	1.8	na	na	na	na	na	na	na	na	na		
<b>Parity</b>																				
0-1 children	0.1	15.5	1.5	65.9	8.0	2.5	3.1	0.6	2.9	0.1	14.7	1.5	69.9	8.8	0.8	0.8	0.6	2.8		
2-3 children	0.7	22.7	2.5	62.2	6.6	0.1	1.0	0.7	3.5	0.7	22.0	2.6	62.5	6.7	0.1	1.0	0.7	3.7		
4+ children	2.7	22.5	3.1	66.8	2.4	0.0	0.2	1.0	1.4	2.4	22.8	3.0	66.7	2.4	0.0	0.2	1.0	1.5		
<b>Residence</b>																				
Urban	1.5	19.0	4.8	50.5	12.2	2.7	4.2	1.1	4.0	1.7	20.1	5.2	51.5	13.4	1.0	1.9	1.3	3.9		
Rural	1.2	20.7	1.4	70.8	2.9	0.1	0.3	0.6	1.9	1.0	20.2	1.5	71.4	2.9	0.0	0.2	0.7	2.1		
<b>Education</b>																				
Never	1.5	20.3	1.8	70.5	3.7	0.0	0.3	0.6	1.4	1.2	20.4	1.7	70.7	3.8	0.0	0.1	0.6	1.4		
Primary	1.2	22.7	2.0	64.2	5.1	1.0	0.8	0.9	2.0	1.3	22.7	2.1	65.1	4.9	0.3	0.4	1.0	2.2		
Secondary	0.4	14.8	3.1	59.6	9.7	2.5	4.4	1.1	4.4	0.5	13.0	3.8	64.0	10.4	0.6	2.1	1.2	4.5		
Technical & vocational	1.4	17.7	7.1	44.8	12.4	1.9	4.0	0.0	10.7	1.6	19.9	7.3	44.6	12.9	0.7	2.0	0.0	11.1		
Higher	3.1	15.1	7.0	38.1	12.0	2.6	10.9	2.1	9.1	2.5	14.1	9.2	38.4	15.7	3.4	5.3	2.8	8.6		
<b>Wealth Quintile</b>																				
Lowest	2.0	21.4	2.3	67.3	2.4	0.6	0.6	1.9	1.7	2.2	21.7	2.5	68.1	1.7	0.0	0.0	2.1	1.8		
Lower	0.2	20.6	0.6	75.8	1.8	0.0	0.0	0.0	0.9	0.2	20.7	0.7	75.5	1.9	0.0	0.0	0.0	1.0		
Middle	0.6	18.7	2.3	73.6	3.3	0.0	0.0	0.0	1.4	0.0	17.5	2.4	75.1	3.5	0.0	0.0	0.0	1.5		
High	1.7	21.5	1.5	67.8	4.8	0.2	0.1	0.0	2.4	1.9	20.9	1.0	68.7	4.8	0.2	0.1	0.0	2.6		
Highest	1.5	19.3	4.1	50.7	11.3	2.5	4.4	1.5	4.8	1.5	20.3	4.7	51.6	12.4	0.8	2.2	1.7	4.8		
<b>Region</b>																				
Addis	2.2	14.4	8.7	33.4	19.1	4.1	7.9	1.8	8.4	2.4	16.6	11.3	32.4	22.6	1.7	2.9	1.9	8.4		
Amhara	1.0	17.1	0.7	78.4	2.4	0.1	0.3	0.0	0.0	0.7	16.8	0.8	78.9	2.3	0.1	0.3	0.0	0.0		
Oromiya	0.3	27.5	3.0	56.7	5.9	1.1	0.7	1.1	3.6	0.3	27.7	2.8	57.9	5.9	0.3	0.3	1.2	3.6		
SNNP	2.8	14.7	1.8	69.7	4.7	0.7	1.7	1.1	2.7	3.0	14.3	2.0	71.2	4.5	0.1	0.9	1.2	2.9		
Tigray	1.5	28.1	2.8	56.1	4.9	0.6	2.5	0.6	2.8	0.8	28.2	3.2	58.1	5.0	0.4	0.2	0.6	3.6		
Other	0.0	14.8	2.2	68.7	11.3	0.0	1.2	0.0	1.8	0.0	14.4	1.8	68.2	12.9	0.0	0.6	0.0	2.1		

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 7551)			Married Women <sup>1</sup> (N = 4869)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	10.3	6.3	16.5	15.4	9.1	24.4
<b>Age Group</b>						
15-19	5.8	0.6	6.4	23.8	1.7	25.4
20-24	11.6	2.0	13.5	16.8	2.4	19.2
25-29	14.8	4.9	19.6	17.7	5.5	23.2
30-34	14.9	8.8	23.6	17.3	10.0	27.2
35-39	11.3	13.8	25.2	13.6	16.0	29.6
40-44	7.7	15.4	23.0	9.5	17.8	27.3
45-49	1.7	12.5	14.2	2.0	16.3	18.4
<b>Marital Status</b>						
Married, or in union	15.4	9.1	24.4	na	na	na
Unmarried, sexually active	10.3	8.8	19.1	na	na	na
<b>Parity</b>						
0-1 children	6.3	0.9	7.2	15.3	1.5	16.7
2-3 children	14.6	4.0	18.6	16.8	4.1	20.9
4+ children	13.2	14.9	28.1	14.6	16.1	30.7
<b>Residence</b>						
Urban	5.0	2.9	7.8	8.8	5.2	14.0
Rural	11.9	7.3	19.1	16.8	9.9	26.7
<b>Education</b>						
Never	13.4	9.5	23.0	16.0	11.1	27.1
Primary	9.4	4.6	14.0	16.7	7.5	24.3
Secondary	4.0	1.9	5.9	9.2	4.2	13.3
Technical & vocational	4.2	1.4	5.5	5.4	2.5	7.9
Higher	8.3	0.6	8.9	14.0	1.1	15.1
<b>Wealth Quintile</b>						
Lowest	10.7	8.3	19.0	15.1	11.5	26.6
Lower	15.0	8.3	23.3	21.4	10.8	32.3
Middle	10.8	6.5	17.3	15.7	8.8	24.5
High	10.2	6.5	16.7	14.8	9.4	24.2
Highest	5.1	2.1	7.2	8.5	3.6	12.1
<b>Region</b>						
Addis	3.3	1.5	4.8	6.7	3.7	10.4
Amhara	5.5	6.9	12.4	7.9	9.6	17.5
Oromiya	14.1	7.4	21.5	20.0	10.4	30.4
SNNP	10.8	5.8	16.5	16.3	8.3	24.6
Tigray	10.0	4.3	14.4	17.3	6.8	24.1
Other	9.9	4.3	14.2	13.3	5.8	19.2

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

## Background

### Characteristics

Characteristics	All Women (N=7551)					Married Women <sup>2</sup> (N=4869)				
	Any Method	Modern Method <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	26.4	25.6	16.5	43.0	59.7	37.0	35.8	24.4	61.4	58.3
<b>Age Group</b>										
15-19	9.2	8.8	6.4	15.6	56.5	31.8	30.1	25.4	57.2	52.7
20-24	31.9	31.1	13.5	45.4	68.5	43.4	42.4	19.2	62.6	67.7
25-29	36.9	35.8	19.6	56.5	63.3	41.0	39.9	23.2	64.2	62.1
30-34	34.2	33.6	23.6	57.8	58.0	36.6	35.8	27.2	63.8	56.2
35-39	34.1	32.5	25.2	59.2	54.9	38.9	37.0	29.6	68.5	54.0
40-44	27.7	26.7	23.0	50.8	52.6	33.9	32.7	27.3	61.2	53.4
45-49	12.0	11.7	14.2	26.2	44.7	15.1	14.7	18.4	33.4	43.8
<b>Marital Status</b>										
Married, or in union	37.0	35.8	24.4	61.4	58.3	na	na	na	na	na
Unmarried, sexually active	51.8	50.8	19.1	70.8	71.8	na	na	na	na	na
<b>Parity</b>										
0-1 children	18.8	18.2	7.2	26.0	70.0	39.8	38.5	16.7	56.5	68.1
2-3 children	39.9	38.3	18.6	58.5	65.5	43.8	41.9	20.9	64.7	64.8
4+ children	29.2	28.6	28.1	57.3	49.9	31.6	31.0	30.7	62.3	49.7
<b>Residence</b>										
Urban	31.9	30.4	7.8	39.7	76.5	53.0	50.5	14.0	67.0	75.4
Rural	24.8	24.2	19.1	43.9	55.1	33.5	32.6	26.7	60.2	54.3
<b>Education</b>										
Never	26.7	26.2	23.0	49.7	52.8	30.8	30.2	27.1	57.9	52.2
Primary	25.7	25.0	14.0	39.7	63.0	41.5	40.4	24.3	65.8	61.3
Secondary	23.8	22.7	5.9	29.7	76.4	50.4	47.9	13.3	63.7	75.1
Technical & vocational	38.1	34.0	5.5	43.6	78.0	62.0	55.1	7.9	69.9	78.8
Higher	45.6	41.0	8.9	54.4	75.3	65.3	58.9	15.1	80.4	73.2
<b>Wealth Quintile</b>										
Lowest	22.2	21.4	19.0	41.2	52.0	29.2	28.0	26.6	55.8	50.2
Lower	21.4	21.2	23.3	44.6	47.4	28.8	28.5	32.3	61.0	46.7
Middle	24.2	23.8	17.3	41.5	57.5	33.8	33.3	24.5	58.3	57.1
High	29.1	28.4	16.7	45.8	62.1	40.3	39.3	24.2	64.5	60.9
Highest	34.8	32.9	7.2	42.0	78.4	57.1	53.9	12.1	69.1	78.0
<b>Region</b>										
Addis	30.7	27.9	4.8	35.5	78.6	58.7	53.2	10.4	69.1	77.1
Amhara	32.8	32.8	12.4	45.1	72.6	45.6	45.6	17.5	63.0	72.3
Oromiya	22.6	21.6	21.5	44.1	48.9	30.5	29.1	30.4	60.9	47.8
SNNP	28.1	27.1	16.5	44.6	60.8	40.9	39.4	24.6	65.4	60.3
Tigray	22.6	21.9	14.4	36.9	59.3	30.8	29.6	24.1	54.9	53.9
Other	17.7	17.4	14.2	31.9	54.4	22.4	21.9	19.2	41.5	52.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=3687)			Married <sup>1</sup> Women with 1 or More Births (N=3399)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	65.7	23.0	11.3	65.8	23.7	10.5
<b>Age Group</b>						
15-19	64.8	28.4	6.8	66.5	30.4	3.1
20-24	67.1	27.4	5.4	68.8	28.3	2.9
25-29	69.3	22.9	7.8	69.1	23.4	7.5
30-34	66.3	22.4	11.3	66.2	23.1	10.6
35-39	59.2	20.8	20.0	57.4	21.6	21.0
40-44	63.7	13.2	23.1	64.2	13.6	22.2
45-49	49.7	10.2	40.1	<i>47.3</i>	<i>11.3</i>	<i>41.4</i>
<b>Marital Status</b>						
Married, or in union	65.8	23.7	10.5	na	na	na
Unmarried, sexually active	75.2	8.9	15.9	na	na	na
<b>Parity</b>						
0-1 children	72.8	21.4	5.8	75.0	22.4	2.6
2-3 children	68.5	25.3	6.3	68.8	25.7	5.6
4+ children	59.8	22.4	17.8	59.1	23.2	17.7
<b>Residence</b>						
Urban	71.4	21.1	7.5	73.0	20.7	6.2
Rural	64.6	23.4	12.1	64.5	24.3	11.2
<b>Education</b>						
Never	66.9	21.7	11.4	66.5	22.8	10.7
Primary	61.5	26.4	12.1	61.9	26.8	11.3
Secondary	71.1	19.1	9.8	73.8	19.4	6.8
Technical & vocational	70.5	20.5	9.0	70.0	20.7	9.3
Higher	77.9	19.9	2.2	78.0	19.6	2.4
<b>Wealth Quintile</b>						
Lowest	67.1	21.6	11.3	66.7	22.4	11.0
Lower	61.0	25.5	13.5	61.1	27.0	11.9
Middle	67.2	22.1	10.6	67.6	23.3	9.1
High	61.4	25.9	12.7	62.2	25.5	12.4
Highest	73.3	19.1	7.6	73.3	19.7	7.1
<b>Region</b>						
Addis	75.3	16.3	8.4	78.2	15.3	6.5
Amhara	71.4	16.5	12.1	72.1	16.8	11.1
Oromiya	59.1	29.0	11.8	59.2	29.9	10.9
SNNP	65.2	21.9	12.9	65.0	22.7	12.3
Tigray	74.6	18.7	6.6	74.3	20.0	5.7
Other	78.7	17.1	4.2	79.9	17.1	3.0

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 1936)
<b>Total</b>				
All	32.7	52.9	14.4	
<b>Age Group</b>				
15-19	42.1	44.7	13.2	
20-24	31.9	54.4	13.7	
25-29	32.1	55.0	12.9	
30-34	32.8	47.1	20.2	
35-39	29.7	58.1	12.2	
40-44	31.9	52.2	16.0	
45-49	37.0	53.7	9.3	
<b>Marital Status</b>				
Married, or in union	28.7	56.2	15.1	
Unmarried, sexually active	66.7	26.0	7.3	
<b>Parity</b>				
0-1 children	37.7	49.1	13.1	
2-3 children	30.7	55.9	13.4	
4+ children	29.9	53.9	16.2	
<b>Residence</b>				
Urban	39.6	46.4	13.9	
Rural	30.1	55.3	14.6	
<b>Education</b>				
Never	31.4	51.9	16.7	
Primary	34.3	53.9	11.7	
Secondary	31.5	52.3	16.2	
Technical & vocational	36.4	57.0	6.6	
Higher	33.0	53.9	13.1	
<b>Wealth Quintile</b>				
Lowest	32.6	55.0	12.4	
Lower	27.2	53.4	19.4	
Middle	32.9	54.2	12.9	
High	31.1	53.8	15.0	
Highest	37.1	49.7	13.2	
<b>Region</b>				
Addis	42.0	46.9	11.1	
Amhara	36.1	47.5	16.5	
Oromiya	26.1	62.1	11.8	
SNNP	29.5	53.8	16.7	
Tigray	59.0	28.1	13.0	
Other	25.7	62.8	11.5	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method<sup>1</sup> who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 1936)	Married <sup>2</sup> Modern Contraceptive Users (N = 1743)
<b>Total</b>		
All	23.4	22.0
<b>Age Group</b>		
15-19	33.8	34.7
20-24	29.3	27.7
25-29	22.2	19.6
30-34	19.6	18.5
35-39	16.6	16.1
40-44	21.5	22.1
45-49	25.3	25.6
<b>Marital Status</b>		
Married, or in union	22.0	na
Unmarried, sexually active	39.9	na
<b>Parity</b>		
0-1 children	34.4	31.4
2-3 children	19.6	19.8
4+ children	16.9	17.0
<b>Residence</b>		
Urban	36.9	33.8
Rural	18.3	18.1
<b>Education</b>		
Never	18.0	17.7
Primary	26.8	25.9
Secondary	29.2	24.9
Technical & vocational	28.4	24.7
Higher	41.4	37.1
<b>Wealth Quintile</b>		
Lowest	24.6	24.8
Lower	18.2	19.1
Middle	16.0	15.5
High	15.5	14.3
Highest	36.5	33.1
<b>Region</b>		
Addis	43.9	41.0
Amhara	21.4	20.8
Oromiya	26.8	25.5
SNNP	17.2	15.8
Tigray	11.0	6.1
Other	42.7	43.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods <sup>2</sup>		Informed about side effects <sup>2</sup>		Told what to do if experienced side effects <sup>2</sup>	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(1936)</b>	<b>(1743)</b>	<b>(1933)</b>	<b>(1740)</b>	<b>(1031)</b>	<b>(893)</b>
All	62.1	63.3	52.4	53.1	83.6	84.8
<b>Age Group</b>						
15-19	50.4	49.8	47.6	42.2	77.9	<i>87.8</i>
20-24	57.4	59.5	51.6	52.5	83.3	83.9
25-29	62.8	63.6	49.9	50.7	87.7	88.3
30-34	71.4	72.7	55.9	58.0	86.8	87.5
35-39	63.4	64.0	52.3	53.3	82.5	83.5
40-44	62.4	63.3	59.8	60.7	74.8	74.5
45-49	61.2	<i>61.1</i>	52.7	<i>51.3</i>	<i>79.4</i>	<i>79.5</i>
<b>Marital Status</b>						
Married, or in union	63.3	na	53.1	na	84.8	na
Unmarried, sexually active	55.1	na	46.5	na	70.7	na
<b>Parity</b>						
0-1 children	58.1	60.4	49.0	48.7	79.3	82.3
2-3 children	62.2	62.6	53.9	54.7	89.6	89.4
4+ children	65.5	65.8	54.3	54.9	82.5	82.9
<b>Residence</b>						
Urban	63.1	66.1	51.5	52.7	80.2	82.9
Rural	61.7	62.4	52.7	53.2	84.9	85.4
<b>Education</b>						
Never	59.7	60.1	49.2	50.2	86.7	87.0
Primary	62.2	63.9	51.9	52.0	80.8	82.3
Secondary	65.7	68.8	59.5	60.7	82.7	83.7
Technical & vocational	78.0	80.9	64.1	66.0	83.4	89.7
Higher	63.5	68.0	67.5	78.2	<i>75.3</i>	<i>74.8</i>
<b>Wealth Quintile</b>						
Lowest	55.7	56.7	52.9	53.6	79.0	78.4
Lower	57.2	58.7	46.6	46.6	88.3	89.9
Middle	64.5	64.3	55.1	56.0	84.2	85.7
High	62.9	63.4	54.2	54.5	87.3	88.7
Highest	66.8	69.8	52.5	53.7	80.8	82.1
<b>Region</b>						
Addis	59.6	67.0	46.3	49.8	79.0	82.7
Amhara	56.0	55.9	44.3	43.5	77.4	80.1
Oromiya	63.2	64.0	53.2	53.8	84.6	85.5
SNNP	66.4	68.5	61.6	63.0	88.9	88.7
Tigray	71.5	73.8	52.9	54.4	77.7	75.0
Other	64.6	64.6	63.9	63.1	93.1	93.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhoea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider (N = 1931)	Percent who would refer relative/friend (N = 1931)	Percent who would return and refer friend/relative (N = 1931)
<b>Total</b>			
All	93.4	78.6	76.4
<b>Age Group</b>			
15-19	94.4	81.6	78.1
20-24	95.8	77.9	77.2
25-29	93.0	79.7	76.9
30-34	92.5	79.5	77.7
35-39	92.7	75.6	72.7
40-44	90.3	77.6	75.4
45-49	91.2	81.2	74.3
<b>Marital Status</b>			
Married, or in union	94.2	78.7	77.0
Unmarried, sexually active	88.5	82.4	75.7
<b>Parity</b>			
0-1 children	92.3	78.9	76.2
2-3 children	95.1	80.1	79.0
4+ children	92.9	77.2	74.5
<b>Residence</b>			
Urban	89.0	78.3	74.3
Rural	95.0	78.7	77.1
<b>Education</b>			
Never	93.8	75.1	73.3
Primary	93.6	81.2	78.7
Secondary	92.5	80.1	78.4
Technical & vocational	91.7	90.3	86.2
Higher	85.9	79.9	72.2
<b>Wealth Quintile</b>			
Lowest	90.3	74.1	71.5
Lower	97.4	81.6	79.9
Middle	95.0	81.6	79.6
High	94.8	78.1	76.6
Highest	90.7	78.0	75.0
<b>Region</b>			
Addis	83.5	79.9	76.6
Amhara	94.0	76.6	74.3
Oromiya	95.1	76.0	74.2
SNNP	92.4	85.0	83.1
Tigray	94.1	69.4	65.9
Other	93.8	89.6	85.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(7551)</b>	<b>(4869)</b>	<b>(7551)</b>	<b>(4869)</b>	<b>(7551)</b>	<b>(4869)</b>
All	21.3	25.5	18.1	24.3	31.1	38.5
<b>Age Group</b>						
15-19	12.0	17.9	7.4	22.0	16.9	32.4
20-24	20.1	22.1	21.1	27.1	31.8	37.8
25-29	26.0	28.2	24.8	27.5	38.9	42.1
30-34	27.9	29.7	23.9	26.1	40.1	42.6
35-39	26.7	28.5	21.6	23.3	38.4	40.8
40-44	25.5	28.4	18.3	20.2	34.4	38.2
45-49	16.0	14.3	10.5	12.8	22.3	22.4
<b>Marital Status</b>						
Married, or in union	25.5	na	24.3	na	38.5	na
Unmarried, sexually active	24.5	na	25.1	na	39.2	na
<b>Parity</b>						
0-1 children	15.3	20.8	12.7	24.7	23.0	35.7
2-3 children	26.3	27.3	25.3	27.0	40.1	41.7
4+ children	26.5	27.2	21.3	22.5	37.0	38.4
<b>Residence</b>						
Urban	18.4	23.2	15.6	25.0	27.7	37.8
Rural	22.1	26.0	18.8	24.1	32.1	38.7
<b>Education</b>						
Never	22.6	24.8	20.4	23.0	34.2	37.5
Primary	19.8	26.2	15.9	24.1	28.0	38.7
Secondary	20.4	28.6	16.1	31.0	29.0	44.4
Technical & vocational	21.0	23.9	18.9	28.7	31.6	40.5
Higher	26.2	26.1	19.0	29.4	34.5	38.8
<b>Wealth Quintile</b>						
Lowest	25.8	30.5	18.0	22.2	34.2	40.6
Lower	21.8	25.0	17.2	22.8	30.8	36.9
Middle	17.6	21.1	19.6	25.2	29.5	36.6
High	21.7	26.2	20.0	26.4	32.7	40.0
Highest	19.4	24.4	15.9	25.1	28.5	38.6
<b>Region</b>						
Addis	14.9	21.8	12.1	23.0	22.8	36.5
Amhara	20.0	23.2	19.7	23.7	31.7	37.2
Oromiya	17.5	20.7	13.0	17.9	25.2	31.2
SNNP	26.6	32.4	23.8	33.3	38.6	48.8
Tigray	31.2	41.1	22.0	31.9	40.6	54.5
Other	24.8	28.0	23.3	28.8	34.7	40.0

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	3815	3920	7735
Households Occupied	3803	3900	7703
Households Interviewed	3767	3876	7643
Household Response Rate <sup>1</sup>	99.05%	99.38%	99.22%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	3872	3732	7604
Number of Eligible Women Interviewed	3847	3698	7545
Eligible Woman Response Rate <sup>3</sup>	99.35%	99.09%	99.22%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.256	0.013	0.231	0.284	0.358	0.019	0.321	0.397
Currently using a traditional method	0.008	0.002	0.005	0.013	0.012	0.003	0.007	0.019
Currently using any contraceptive method	0.264	0.014	0.239	0.292	0.370	0.020	0.331	0.410
Currently using DMPA-IM	0.172	0.011	0.151	0.196	0.245	0.016	0.214	0.279
Currently using DMPA-SC								
Currently using condoms	0.014	0.002	0.010	0.020	0.006	0.002	0.003	0.011
Currently using implants	0.202	0.016	0.173	0.236	0.202	0.017	0.171	0.237
Chose method by self or jointly in past 12 months	0.856	0.023	0.806	0.895	0.849	0.025	0.793	0.892
Paid fees for family planning services in past 12 months	0.228	0.022	0.188	0.274	0.214	0.022	0.173	0.261
Informed by provider about other methods	0.612	0.026	0.560	0.663	0.624	0.028	0.568	0.677
Informed by provider about side effects	0.524	0.029	0.466	0.581	0.531	0.031	0.470	0.591
Satisfied with provider: Would return and refer friend/relative to provider	0.764	0.021	0.720	0.803	0.770	0.022	0.725	0.810
Visited by health worker who talked about family planning in past 12 months	0.213	0.018	0.179	0.251	0.255	0.023	0.214	0.302

<sup>1</sup> Married includes married women and those who are living with a man