



## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	10548	10565
<b>Age Group</b>			
15-19	13.4	1413	1494
20-24	12.6	1328	1378
25-29	13.1	1377	1394
30-34	15.6	1647	1622
35-39	16.9	1780	1746
40-44	15.5	1636	1595
45-49	13.0	1368	1336
<b>Marital Status</b>			
Married, or in union	75.8	7999	7702
Unmarried, sexually active	0.1	13	18
<b>Parity</b>			
0-1 children	45.6	4809	4979
2-3 children	44.0	4645	4390
4+ children	10.3	1085	1185
<b>Residence</b>			
Urban	51.2	5406	5809
Rural	48.8	5142	4756
<b>Education</b>			
Never	1.6	171	187
Primary	28.3	2987	2747
Secondary_1	24.1	2539	2410
Secondary_2	33.3	3516	3677
University	12.7	1335	1544
<b>Wealth Quintile</b>			
Lowest	15.5	1631	1758
Lower	18.7	1969	1849
Middle	19.8	2091	1949
High	24.4	2570	2674
Highest	21.7	2288	2335
<b>Region</b>			
South Sulawesi	3.8	398	1960

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	46.5	60.9	44.8	58.7	1.7	2.2
<b>Age Group</b>						
15-19	4.8	48.9	4.8	48.9	0.0	0.0
20-24	35.8	63.6	34.9	62.1	0.8	1.5
25-29	54.4	62.3	52.1	59.7	2.3	2.6
30-34	58.4	62.9	56.8	61.1	1.7	1.8
35-39	62.4	66.2	59.7	63.4	2.6	2.8
40-44	58.4	62.5	56.6	60.6	1.7	1.9
45-49	42.8	47.7	40.5	45.1	2.3	2.6
<b>Marital Status</b>						
Married, or in union	60.9	na	58.7	na	2.2	na
Unmarried, sexually active	--	na	--	na	--	na
<b>Parity</b>						
0-1 children	24.4	46.0	23.6	44.4	0.9	1.6
2-3 children	67.4	70.1	64.9	67.5	2.5	2.6
4+ children	55.0	58.0	53.2	56.1	1.8	1.9
<b>Residence</b>						
Urban	43.1	58.5	40.6	55.1	2.5	3.4
Rural	50.0	63.3	49.2	62.3	0.8	1.0
<b>Education</b>						
Never	37.5	45.4	36.6	44.3	0.8	1.0
Primary	58.4	63.3	57.8	62.6	0.6	0.7
Secondary_1	52.3	64.0	50.6	62.0	1.7	2.0
Secondary_2	38.0	59.9	36.0	56.7	2.0	3.2
University	32.2	50.7	29.1	45.6	3.2	5.0
<b>Wealth Quintile</b>						
Lowest	46.6	60.3	45.8	59.3	0.8	1.0
Lower	49.6	64.2	48.3	62.5	1.3	1.7
Middle	46.1	60.7	44.8	59.0	1.3	1.7
High	45.1	60.4	43.2	57.8	1.9	2.6
Highest	45.7	59.3	43.0	55.8	2.7	3.5
<b>Region</b>						
South Sulawesi	32.4	47.6	31.6	46.4	0.8	1.1

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method
- 2 Married includes married women and those who are living with a man

na Not applicable  
 -- Less than 25 unweighted observations  
*<i>* Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

	All Users (N = 4903)									Married Users <sup>1</sup> (N = 4874)								
	Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional
<b>Total</b>																		
All	6.5	8.5	7.2	51.5	20.3	0.0	2.3	0.1	3.6	6.4	8.5	7.2	51.6	20.3	0.0	2.2	0.1	3.6
<b>Age Group</b>																		
15-19	0.0	10.3	0.1	66.1	23.6	0.0	0.0	0.0	0.0	0.0	10.3	0.1	66.1	23.6	0.0	0.0	0.0	0.0
20-24	0.4	7.3	5.8	68.0	14.7	0.0	1.1	0.4	2.4	0.4	7.3	5.9	67.9	14.8	0.0	1.1	0.4	2.4
25-29	0.0	7.4	7.0	62.7	17.1	0.0	1.6	0.0	4.2	0.0	7.3	7.1	62.7	17.3	0.0	1.5	0.0	4.1
30-34	2.7	7.9	6.7	57.7	20.0	0.0	2.2	0.1	2.9	2.7	7.9	6.5	57.7	20.0	0.0	2.2	0.1	2.9
35-39	7.0	10.0	7.2	47.7	21.1	0.0	2.7	0.0	4.2	6.7	10.0	7.3	47.8	21.2	0.0	2.8	0.0	4.2
40-44	12.0	9.2	8.5	40.9	22.6	0.2	3.3	0.1	3.0	11.9	9.1	8.6	41.0	22.7	0.2	3.3	0.1	3.0
45-49	16.7	8.2	8.2	36.6	23.3	0.0	1.7	0.0	5.3	16.8	8.2	7.9	36.6	23.4	0.0	1.7	0.0	5.4
<b>Marital Status</b>																		
Married, or in union	6.4	8.5	7.2	51.6	20.3	0.0	2.2	0.1	3.6	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	--	--	--	--	na	na	na	na	na	na	na	na	na
<b>Parity</b>																		
0-1 children	0.4	7.8	6.5	60.8	19.3	0.0	1.5	0.2	3.6	0.3	7.7	6.6	60.7	19.5	0.0	1.4	0.2	3.6
2-3 children	6.8	8.1	7.7	49.4	21.3	0.1	2.8	0.1	3.7	6.8	8.1	7.7	49.4	21.4	0.1	2.8	0.1	3.7
4+ children	16.6	12.2	5.9	44.6	16.6	0.0	0.9	0.0	3.3	16.3	12.1	5.8	45.1	16.5	0.0	0.9	0.0	3.3
<b>Residence</b>																		
Urban	7.6	5.1	9.3	48.5	20.4	0.1	3.3	0.1	5.8	7.6	5.0	9.2	48.4	20.5	0.1	3.3	0.1	5.8
Rural	5.5	11.7	5.3	54.3	20.2	0.0	1.3	0.0	1.6	5.4	11.7	5.4	54.4	20.2	0.0	1.3	0.0	1.6
<b>Education</b>																		
Never	12.9	6.4	6.4	44.6	27.4	0.0	0.0	0.0	2.2	13.3	6.2	6.6	43.2	28.3	0.0	0.0	0.0	2.3
Primary	6.9	11.0	5.0	55.2	20.2	0.0	0.6	0.0	1.1	6.8	11.0	5.0	55.2	20.3	0.0	0.6	0.0	1.1
Secondary_1	5.5	7.8	5.9	52.9	22.5	0.0	2.0	0.1	3.2	5.4	7.8	5.9	53.2	22.6	0.0	1.9	0.1	3.2
Secondary_2	5.7	7.1	8.9	49.9	19.6	0.1	3.2	0.2	5.3	5.7	7.1	8.8	49.7	19.8	0.1	3.2	0.2	5.4
University	9.3	5.4	14.9	38.4	14.5	0.3	7.2	0.0	9.9	9.4	5.4	15.0	38.6	14.1	0.3	7.3	0.0	9.9
<b>Wealth Quintile</b>																		
Lowest	5.3	11.6	3.9	55.9	21.1	0.0	0.4	0.0	1.7	5.2	11.5	4.0	55.9	21.3	0.0	0.4	0.0	1.7
Lower	5.3	11.5	5.5	54.7	19.3	0.1	0.9	0.1	2.6	5.1	11.5	5.4	54.7	19.6	0.1	0.8	0.1	2.7
Middle	6.5	9.5	6.9	52.0	19.6	0.0	2.6	0.1	2.8	6.5	9.4	6.9	52.0	19.6	0.0	2.6	0.1	2.8
High	4.8	7.7	7.6	51.3	21.2	0.0	2.9	0.2	4.3	4.9	7.8	7.6	51.2	21.3	0.0	2.9	0.2	4.3
Highest	10.3	3.5	11.0	45.3	20.0	0.1	3.9	0.0	5.8	10.1	3.5	10.9	45.5	20.1	0.1	3.9	0.0	5.8
<b>Region</b>																		
South Sulawesi	3.5	13.4	3.4	62.1	14.6	0.0	0.7	0.0	2.3	3.0	13.1	3.4	62.6	14.8	0.0	0.7	0.0	2.4

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 10548)			Married Women <sup>1</sup> (N = 7999)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	4.6	6.4	11.1	6.1	8.4	14.5
<b>Age Group</b>						
15-19	1.8	0.1	1.8	18.1	0.8	18.9
20-24	5.1	0.9	6.0	8.8	1.4	10.2
25-29	7.4	2.1	9.5	8.6	2.5	11.1
30-34	7.9	3.7	11.6	8.6	3.9	12.5
35-39	5.6	7.6	13.2	6.0	8.1	14.1
40-44	3.2	14.4	17.6	3.4	15.4	18.8
45-49	0.8	14.9	15.8	0.9	16.7	17.7
<b>Marital Status</b>						
Married, or in union	6.1	8.4	14.5	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
<b>Parity</b>						
0-1 children	4.3	1.2	5.6	8.2	2.3	10.5
2-3 children	5.1	9.4	14.5	5.3	9.8	15.1
4+ children	4.0	16.7	20.6	4.2	17.8	22.1
<b>Residence</b>						
Urban	4.2	7.3	11.5	5.8	10.0	15.7
Rural	5.0	5.5	10.5	6.4	6.9	13.3
<b>Education</b>						
Never	3.2	8.9	12.1	4.0	11.2	15.2
Primary	4.5	8.4	12.9	4.9	9.1	14.0
Secondary_1	5.3	6.8	12.1	6.5	8.4	14.8
Secondary_2	3.8	4.7	8.5	5.9	7.5	13.4
University	6.2	5.4	11.5	9.6	8.5	18.1
<b>Wealth Quintile</b>						
Lowest	5.7	5.3	10.9	7.4	6.8	14.2
Lower	4.3	5.2	9.5	5.6	6.8	12.3
Middle	5.0	6.1	11.1	6.6	8.1	14.7
High	4.6	7.6	12.2	6.1	10.1	16.3
Highest	3.9	7.3	11.1	5.0	9.5	14.5
<b>Region</b>						
South Sulawesi	8.5	6.2	14.7	12.6	9.2	21.8

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

## Background

### Characteristics

Characteristics	All Women (N=10548)					Married Women <sup>2</sup> (N=7999)				
	Any Method	Modern <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	46.5	44.8	11.1	57.5	77.9	60.9	58.7	14.5	75.4	77.9
<b>Age Group</b>										
15-19	4.8	4.8	1.8	6.6	72.2	48.9	48.9	18.9	67.8	72.2
20-24	35.8	34.9	6.0	41.7	83.7	63.6	62.1	10.2	73.9	84.1
25-29	54.4	52.1	9.5	63.9	81.5	62.3	59.7	11.1	73.4	81.4
30-34	58.4	56.8	11.6	70.0	81.0	62.9	61.1	12.5	75.5	81.0
35-39	62.4	59.7	13.2	75.5	79.1	66.2	63.4	14.1	80.3	79.0
40-44	58.4	56.6	17.6	76.0	74.5	62.5	60.6	18.8	81.3	74.5
45-49	42.8	40.5	15.8	58.5	69.1	47.7	45.1	17.7	65.3	69.0
<b>Marital Status</b>										
Married, or in union	60.9	58.7	14.5	75.4	77.9	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	na	na	na	na	na
<b>Parity</b>										
0-1 children	24.4	23.6	5.6	30.0	78.5	46.0	44.4	10.5	56.5	78.5
2-3 children	67.4	64.9	14.5	81.8	79.3	70.1	67.5	15.1	85.2	79.3
4+ children	55.0	53.2	20.6	75.6	70.3	58.0	56.1	22.1	80.1	70.1
<b>Residence</b>										
Urban	43.1	40.6	11.5	54.7	74.3	58.5	55.1	15.7	74.2	74.2
Rural	50.0	49.2	10.5	60.5	81.3	63.3	62.3	13.3	76.6	81.3
<b>Education</b>										
Never	37.5	36.6	12.1	49.6	73.9	45.4	44.3	15.2	60.5	73.2
Primary	58.4	57.8	12.9	71.3	81.0	63.3	62.6	14.0	77.3	81.0
Secondary_1	52.3	50.6	12.1	64.4	78.6	64.0	62.0	14.8	78.9	78.6
Secondary_2	38.0	36.0	8.5	46.5	77.4	59.9	56.7	13.4	73.4	77.3
University	32.2	29.1	11.5	43.8	66.4	50.7	45.6	18.1	68.7	66.4
<b>Wealth Quintile</b>										
Lowest	46.6	45.8	10.9	57.5	79.6	60.3	59.3	14.2	74.6	79.5
Lower	49.6	48.3	9.5	59.1	81.8	64.2	62.5	12.3	76.6	81.6
Middle	46.1	44.8	11.1	57.2	78.3	60.7	59.0	14.7	75.3	78.3
High	45.1	43.2	12.2	57.3	75.3	60.4	57.8	16.3	76.7	75.4
Highest	45.7	43.0	11.1	56.8	75.7	59.3	55.8	14.5	73.8	75.7
<b>Region</b>										
South Sulawesi	32.4	31.6	14.7	47.1	67.2	47.6	46.4	21.8	69.4	66.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=3460)			Married <sup>1</sup> Women with 1 or More Births (N=3373)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	84.2	11.7	4.1	84.4	11.6	4.0
<b>Age Group</b>						
15-19	85.9	11.8	2.3	86.6	12.2	1.2
20-24	88.3	8.2	3.5	88.3	8.3	3.4
25-29	86.5	12.5	1.0	86.7	12.3	1.0
30-34	85.1	12.4	2.5	85.4	12.2	2.3
35-39	84.0	10.5	5.5	84.2	10.4	5.4
40-44	68.8	15.8	15.4	68.6	15.5	15.9
45-49	60.4	23.4	16.2	<i>61.7</i>	<i>21.4</i>	<i>16.9</i>
<b>Marital Status</b>						
Married, or in union	84.4	11.6	4.0	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
<b>Parity</b>						
0-1 children	93.1	5.7	1.2	93.3	5.7	1.0
2-3 children	81.8	14.5	3.8	81.9	14.4	3.6
4+ children	66.0	18.6	15.4	66.5	17.6	15.8
<b>Residence</b>						
Urban	82.7	11.4	5.9	82.7	11.3	6.0
Rural	85.6	12.1	2.3	86.0	11.9	2.1
<b>Education</b>						
Never	<i>88.6</i>	<i>11.4</i>	<i>0.0</i>	<i>87.4</i>	<i>12.6</i>	<i>0.0</i>
Primary	81.1	13.7	5.2	81.0	13.9	5.1
Secondary_1	84.6	11.6	3.8	85.1	11.2	3.7
Secondary_2	84.3	11.5	4.3	84.5	11.3	4.2
University	88.7	8.9	2.4	88.9	8.9	2.2
<b>Wealth Quintile</b>						
Lowest	81.8	13.4	4.8	82.1	13.4	4.5
Lower	85.5	10.3	4.1	85.8	9.9	4.3
Middle	86.8	9.3	3.9	87.1	9.1	3.8
High	83.5	12.5	4.1	83.5	12.5	4.0
Highest	83.1	13.2	3.8	83.3	13.0	3.7
<b>Region</b>						
South Sulawesi	89.7	7.2	3.1	90.5	6.9	2.6

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 4720)
<b>Total</b>				
All	55.9	41.1	3.0	
<b>Age Group</b>				
15-19	47.2	49.2	3.7	
20-24	55.1	42.2	2.7	
25-29	57.7	39.5	2.8	
30-34	57.2	39.9	3.0	
35-39	56.0	41.4	2.6	
40-44	55.3	42.1	2.6	
45-49	54.5	40.8	4.7	
<b>Marital Status</b>				
Married, or in union	56.1	41.0	2.9	
Unmarried, sexually active	--	--	--	
<b>Parity</b>				
0-1 children	54.6	42.6	2.8	
2-3 children	56.8	40.2	3.0	
4+ children	54.2	42.7	3.0	
<b>Residence</b>				
Urban	56.3	39.9	3.8	
Rural	55.6	42.1	2.3	
<b>Education</b>				
Never	64.7	35.3	0.0	
Primary	55.6	41.6	2.8	
Secondary_1	56.6	40.8	2.6	
Secondary_2	56.8	39.8	3.4	
University	51.1	45.0	3.8	
<b>Wealth Quintile</b>				
Lowest	53.5	44.4	2.1	
Lower	55.9	40.6	3.6	
Middle	57.2	39.3	3.5	
High	57.1	40.0	2.9	
Highest	55.4	42.0	2.6	
<b>Region</b>				
South Sulawesi	74.9	22.7	2.4	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method <sup>1</sup> who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 4722)	Married <sup>2</sup> Modern Contraceptive Users (N = 4694)
<b>Total</b>		
All	75.2	75.4
<b>Age Group</b>		
15-19	83.5	83.5
20-24	84.7	84.8
25-29	87.2	87.5
30-34	80.2	80.5
35-39	72.7	73.1
40-44	66.2	66.3
45-49	62.0	62.2
<b>Marital Status</b>		
Married, or in union	75.4	na
Unmarried, sexually active	--	na
<b>Parity</b>		
0-1 children	83.9	84.5
2-3 children	74.3	74.4
4+ children	62.5	62.9
<b>Residence</b>		
Urban	74.5	74.9
Rural	75.8	75.9
<b>Education</b>		
Never	66.2	65.4
Primary	75.3	75.6
Secondary_1	80.0	80.1
Secondary_2	73.0	73.5
University	67.4	67.2
<b>Wealth Quintile</b>		
Lowest	75.1	75.3
Lower	74.2	74.6
Middle	74.0	74.2
High	78.3	78.5
Highest	73.8	74.1
<b>Region</b>		
South Sulawesi	66.3	66.6

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method
- 2 Married includes married women and those who are living with a man

na Not applicable  
 -- Less than 25 unweighted observations  
*<i>* Italics indicate estimate was generated from 25 to 49 unweighted observations



## Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods <sup>2</sup>		Informed about side effects <sup>2</sup>		Told what to do if experienced side effects <sup>2</sup>	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(4722)</b>	<b>(4694)</b>	<b>(4720)</b>	<b>(4691)</b>	<b>(2405)</b>	<b>(2393)</b>
All	60.3	60.4	54.6	54.6	76.3	76.2
<b>Age Group</b>						
15-19	51.1	51.1	33.8	33.8	--	--
20-24	61.6	61.7	53.3	53.4	71.0	71.0
25-29	63.7	63.8	58.3	58.3	73.0	72.7
30-34	62.0	62.2	52.5	52.5	75.6	75.8
35-39	60.8	60.9	56.2	56.4	76.7	76.5
40-44	57.3	57.3	54.3	54.3	79.2	79.3
45-49	57.1	57.1	54.2	54.0	79.9	79.7
<b>Marital Status</b>						
Married, or in union	60.4	na	54.6	na	76.2	na
Unmarried, sexually active	--	na	--	na	na	na
<b>Parity</b>						
0-1 children	60.3	60.4	51.9	51.7	72.5	72.2
2-3 children	60.9	61.0	55.6	55.7	77.0	77.0
4+ children	57.1	57.2	54.2	54.1	79.1	79.3
<b>Residence</b>						
Urban	61.4	61.5	55.7	55.8	76.1	76.1
Rural	59.3	59.4	53.6	53.6	76.4	76.4
<b>Education</b>						
Never	54.9	56.7	55.1	56.9	<i>72.6</i>	<i>72.6</i>
Primary	54.7	54.8	50.9	50.9	75.9	75.8
Secondary_1	59.3	59.4	52.7	52.8	73.2	73.1
Secondary_2	67.6	67.6	59.9	59.8	77.9	77.9
University	66.1	65.9	59.9	60.2	82.1	82.1
<b>Wealth Quintile</b>						
Lowest	58.7	58.9	55.4	55.5	75.2	75.2
Lower	60.3	60.3	51.3	51.4	78.4	78.2
Middle	60.2	59.9	53.9	53.8	75.0	74.9
High	59.7	59.8	55.8	55.8	77.5	77.5
Highest	62.4	62.7	56.5	56.3	75.0	75.1
<b>Region</b>						
South Sulawesi	76.0	76.4	67.6	67.4	86.5	87.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider (N = 4720)	Percent who would refer relative/friend (N = 4720)	Percent who would return and refer friend/relative (N = 4720)
<b>Total</b>			
All	83.4	41.9	38.2
<b>Age Group</b>			
15-19	91.7	35.9	35.9
20-24	87.3	42.1	40.0
25-29	90.5	44.1	40.0
30-34	86.8	41.0	38.6
35-39	84.7	43.8	40.7
40-44	78.5	39.2	34.9
45-49	70.0	41.9	34.7
<b>Marital Status</b>			
Married, or in union	83.7	41.9	38.4
Unmarried, sexually active	--	--	--
<b>Parity</b>			
0-1 children	87.5	38.9	35.7
2-3 children	82.9	42.0	38.7
4+ children	78.0	47.1	40.7
<b>Residence</b>			
Urban	79.0	42.2	37.8
Rural	87.2	41.6	38.6
<b>Education</b>			
Never	76.8	45.2	39.6
Primary	84.0	38.2	34.9
Secondary_1	85.2	39.9	36.9
Secondary_2	81.0	47.1	42.4
University	83.7	47.1	43.1
<b>Wealth Quintile</b>			
Lowest	87.9	46.8	43.1
Lower	82.6	41.8	37.8
Middle	83.0	42.8	38.8
High	85.1	40.3	37.3
Highest	79.3	39.0	35.4
<b>Region</b>			
South Sulawesi	89.5	68.8	64.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(10548)</b>	<b>(7999)</b>	<b>(10548)</b>	<b>(7999)</b>	<b>(10548)</b>	<b>(7999)</b>
All	9.2	11.1	19.4	24.7	24.4	30.4
<b>Age Group</b>						
15-19	2.9	10.8	3.9	24.6	6.1	31.2
20-24	7.6	11.4	18.5	30.8	22.3	35.9
25-29	8.8	9.6	26.0	29.6	30.3	34.2
30-34	11.4	12.0	24.1	25.5	30.3	32.1
35-39	10.9	11.2	24.9	26.1	30.0	31.3
40-44	11.7	11.6	20.2	21.4	27.1	27.8
45-49	10.1	10.8	15.9	17.3	21.6	23.2
<b>Marital Status</b>						
Married, or in union	11.1	na	24.7	na	30.4	na
Unmarried, sexually active	--	na	--	na	--	na
<b>Parity</b>						
0-1 children	6.2	9.4	13.8	24.0	17.4	29.0
2-3 children	11.6	11.7	24.7	25.6	30.9	31.7
4+ children	13.0	13.1	21.5	22.3	27.4	28.0
<b>Residence</b>						
Urban	7.9	9.8	18.8	24.6	22.8	29.4
Rural	10.7	12.4	20.1	24.8	26.1	31.4
<b>Education</b>						
Never	4.5	5.6	8.1	10.2	10.0	12.6
Primary	9.7	10.0	20.1	21.4	25.7	27.0
Secondary_1	10.5	12.2	22.3	26.9	28.0	33.2
Secondary_2	8.6	12.3	17.8	27.1	22.2	33.0
University	8.0	10.0	17.9	25.8	22.2	30.5
<b>Wealth Quintile</b>						
Lowest	10.8	12.9	17.4	22.0	23.7	29.0
Lower	10.9	13.1	20.1	25.5	26.4	32.8
Middle	8.7	10.4	20.1	25.5	24.7	30.7
High	8.5	10.5	19.7	25.6	24.1	30.8
Highest	8.1	9.5	19.3	24.2	23.2	28.7
<b>Region</b>						
South Sulawesi	12.7	17.2	17.9	26.0	24.5	34.3

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	7035	5985	13020
Households Occupied	6858	5873	12731
Households Interviewed	6393	5714	12107
Household Response Rate <sup>1</sup>	93.22%	97.29%	95.10%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	6247	4928	11175
Number of Eligible Women Interviewed	5809	4756	10565
Eligible Woman Response Rate <sup>3</sup>	92.99%	96.51%	94.54%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.448	0.009	0.430	0.466	0.587	0.010	0.567	0.607
Currently using a traditional method	0.017	0.002	0.013	0.022	0.022	0.003	0.017	0.028
Currently using any contraceptive method	0.465	0.009	0.447	0.483	0.609	0.010	0.590	0.629
Currently using DMPA-IM	0.240	0.008	0.224	0.255	0.314	0.010	0.295	0.333
Currently using condoms	0.023	0.003	0.017	0.030	0.022	0.003	0.017	0.029
Currently using implants	0.040	0.004	0.032	0.049	0.052	0.005	0.042	0.064
Chose method by self or jointly in past 12 months	0.970	0.004	0.961	0.977	0.971	0.004	0.961	0.978
Paid fees for family planning services in past 12 months	0.727	0.012	0.703	0.750	0.730	0.012	0.705	0.753
Informed by provider about other methods	0.595	0.016	0.563	0.625	0.595	0.016	0.564	0.626
Informed by provider about side effects	0.545	0.016	0.513	0.577	0.546	0.016	0.513	0.578
Satisfied with provider: Would return and refer friend/relative to provider	0.382	0.020	0.343	0.423	0.383	0.021	0.344	0.425
Visited by health worker who talked about family planning in past 12 months	0.092	0.008	0.078	0.110	0.111	0.009	0.094	0.131

<sup>1</sup> Married includes married women and those who are living with a man