



## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	1394	1398
<b>Age Group</b>			
15-19	22.2	310	307
20-24	19.7	275	277
25-29	17.2	240	237
30-34	14.3	199	199
35-39	12.7	178	179
40-44	8.6	120	123
45-49	5.2	73	76
<b>Marital Status</b>			
Married, or in union	64.9	905	911
Unmarried, sexually active	2.2	31	28
<b>Parity</b>			
0-1 children	47.3	660	652
2-3 children	22.4	313	317
4+ children	30.1	420	427
<b>Residence</b>			
Urban	94.2	1313	1299
Rural	5.8	82	99
<b>Education</b>			
Never	32.2	449	463
Primary	25.4	354	366
Secondary	31.8	444	429
Tertiary	10.6	147	140
<b>Wealth Quintile</b>			
Lowest	33.5	467	496
Middle	32.6	455	476
Highest	33.9	472	426
<b>Region</b>			
Niamey	100.0	1394	1398

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	22.0	32.7	21.1	31.5	0.9	1.2
<b>Age Group</b>						
15-19	4.7	18.3	4.4	16.8	0.3	1.6
20-24	21.2	35.5	20.4	34.2	0.8	1.3
25-29	30.8	37.5	29.7	36.2	1.0	1.3
30-34	34.6	37.7	32.8	36.6	1.8	1.1
35-39	31.1	35.0	29.1	32.8	1.9	2.2
40-44	24.5	27.7	24.5	27.7	0.0	0.0
45-49	9.2	12.1	9.2	12.1	0.0	0.0
<b>Marital Status</b>						
Married, or in union	32.7	na	31.5	na	1.2	na
Unmarried, sexually active	32.5	na	27.1	na	5.4	na
<b>Parity</b>						
0-1 children	9.6	24.3	9.2	23.5	0.4	0.8
2-3 children	34.4	36.8	32.9	35.4	1.5	1.4
4+ children	32.2	34.5	31.0	33.2	1.2	1.3
<b>Residence</b>						
Urban	22.5	34.0	21.6	32.8	0.9	1.2
Rural	14.7	16.9	13.9	15.9	0.9	1.0
<b>Education</b>						
Never	23.2	26.7	22.3	25.6	0.9	1.1
Primary	26.8	36.8	25.7	35.4	1.2	1.4
Secondary	15.7	34.9	14.9	33.5	0.8	1.3
Tertiary	25.7	44.0	25.1	42.9	0.6	1.1
<b>Wealth Quintile</b>						
Lowest	17.4	24.3	16.7	23.3	0.7	1.0
Middle	19.5	29.5	18.7	28.8	0.8	0.7
Highest	28.9	44.5	27.7	42.6	1.2	1.9
<b>Region</b>						
Niamey	22.0	32.7	21.1	31.5	0.9	1.2

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method
- 2 Married includes married women and those who are living with a man

- na Not applicable
- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

	All Users (N = 307)									Married Users <sup>1</sup> (N = 296)								
	Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional
<b>Total</b>																		
All	3.5	23.8	4.4	17.2	45.6	0.0	0.5	1.0	4.1	3.6	24.6	4.1	16.0	46.5	0.0	0.5	1.0	3.7
<b>Age Group</b>																		
15-19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
20-24	0.0	35.7	2.0	9.7	48.9	0.0	0.0	0.0	3.7	0.0	36.5	0.0	9.9	49.9	0.0	0.0	0.0	3.7
25-29	2.5	26.5	2.0	23.2	40.5	0.0	1.9	0.0	3.4	2.6	27.9	2.1	20.3	41.4	0.0	2.0	0.0	3.6
30-34	2.7	18.4	6.4	13.5	51.1	0.0	0.0	2.9	5.1	2.8	19.1	6.6	12.6	53.1	0.0	0.0	3.0	2.8
35-39	4.4	17.8	3.6	12.2	54.1	0.0	0.0	1.7	6.1	4.5	18.0	3.6	12.4	53.6	0.0	0.0	1.8	6.2
40-44	<i>12.5</i>	<i>17.3</i>	<i>14.9</i>	<i>26.6</i>	<i>28.6</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>12.5</i>	<i>17.3</i>	<i>14.9</i>	<i>26.6</i>	<i>28.6</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Marital Status</b>																		
Married, or in union	3.6	24.6	4.1	16.0	46.5	0.0	0.5	1.0	3.7	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	--	--	--	--	na	na	na	na	na	na	na	na	na
<b>Parity</b>																		
0-1 children	0.0	39.0	4.2	11.9	40.5	0.0	0.0	0.0	4.3	0.0	44.6	2.7	4.8	44.6	0.0	0.0	0.0	3.4
2-3 children	2.6	23.5	1.9	13.5	52.0	0.0	1.3	0.9	4.4	2.6	24.2	1.9	13.1	52.1	0.0	1.4	0.9	3.8
4+ children	5.2	17.0	6.5	22.8	43.3	0.0	0.0	1.5	3.8	5.2	17.0	6.5	22.8	43.3	0.0	0.0	1.5	3.8
<b>Residence</b>																		
Urban	3.6	23.5	4.6	16.4	46.4	0.0	0.5	1.0	4.0	3.8	24.4	4.3	15.0	47.4	0.0	0.5	1.0	3.6
Rural	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Education</b>																		
Never	9.4	21.8	5.4	21.6	36.8	0.0	0.0	1.0	4.0	9.4	21.8	5.4	21.6	36.8	0.0	0.0	1.0	4.0
Primary	0.0	20.6	3.0	18.4	50.2	0.0	1.5	2.0	4.3	0.0	22.3	3.3	13.4	53.5	0.0	1.6	2.2	3.8
Secondary	0.0	27.0	7.0	17.2	44.0	0.0	0.0	0.0	4.9	0.0	28.2	5.6	17.9	44.6	0.0	0.0	0.0	3.8
Tertiary	<i>2.4</i>	<i>31.1</i>	<i>0.0</i>	<i>2.4</i>	<i>61.5</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>2.5</i>	<i>2.5</i>	<i>31.8</i>	<i>0.0</i>	<i>2.5</i>	<i>60.6</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>2.6</i>
<b>Wealth Quintile</b>																		
Lowest	1.9	19.6	3.7	33.1	34.1	0.0	0.0	3.6	4.0	2.0	20.6	3.9	29.9	35.7	0.0	0.0	3.8	4.1
Middle	4.2	17.1	3.4	19.1	52.2	0.0	0.0	0.0	4.0	4.4	18.2	2.2	18.1	54.9	0.0	0.0	0.0	2.3
Highest	4.0	30.6	5.4	6.5	48.2	0.0	1.0	0.0	4.3	4.1	31.0	5.5	6.6	47.5	0.0	1.1	0.0	4.3
<b>Region</b>																		
Niamey	3.5	23.8	4.4	17.2	45.6	0.0	0.5	1.0	4.1	3.6	24.6	4.1	16.0	46.5	0.0	0.5	1.0	3.7

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1394)			Married Women <sup>1</sup> (N = 905)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	9.6	2.7	12.3	13.9	3.4	17.2
<b>Age Group</b>						
15-19	5.1	0.9	6.0	16.0	0.0	16.0
20-24	10.0	1.7	11.7	16.0	0.7	16.8
25-29	14.3	0.0	14.3	18.3	0.0	18.3
30-34	10.6	2.0	12.7	12.1	1.9	14.0
35-39	8.9	4.8	13.7	10.1	5.5	15.6
40-44	11.5	9.9	21.4	12.2	11.2	23.3
45-49	7.4	7.4	14.8	9.8	9.8	19.6
<b>Marital Status</b>						
Married, or in union	13.9	3.4	17.2	na	na	na
Unmarried, sexually active	27.0	19.6	46.6	na	na	na
<b>Parity</b>						
0-1 children	4.8	0.9	5.7	10.5	0.0	10.5
2-3 children	12.8	3.4	16.2	13.8	3.5	17.3
4+ children	14.8	4.9	19.7	15.9	5.3	21.2
<b>Residence</b>						
Urban	8.9	2.9	11.8	13.1	3.7	16.7
Rural	20.4	0.0	20.4	23.4	0.0	23.4
<b>Education</b>						
Never	13.7	3.1	16.8	15.3	3.5	18.8
Primary	11.9	2.5	14.4	16.9	3.0	19.8
Secondary	4.2	1.9	6.1	8.3	2.1	10.4
Tertiary	7.8	4.4	12.2	11.4	6.7	18.1
<b>Wealth Quintile</b>						
Lowest	12.5	2.8	15.3	17.1	3.8	20.9
Middle	9.0	2.5	11.6	13.9	3.5	17.4
Highest	7.3	2.7	10.0	10.4	2.7	13.2
<b>Region</b>						
Niamey	9.6	2.7	12.3	13.9	3.4	17.2

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

## Background

### Characteristics

Characteristics	All Women (N=1394)					Married Women <sup>2</sup> (N=905)				
	Any Method	Modern <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	22.0	21.1	12.3	34.3	61.5	32.7	31.5	17.2	49.9	63.1
<b>Age Group</b>										
15-19	4.7	4.4	6.0	10.8	<i>40.9</i>	18.3	16.8	16.0	34.4	--
20-24	21.2	20.4	11.7	32.9	62.0	35.5	34.2	16.8	52.3	65.4
25-29	30.8	29.7	14.3	45.0	66.0	37.5	36.2	18.3	55.8	64.8
30-34	34.6	32.8	12.7	47.3	69.4	37.7	36.6	14.0	51.7	70.9
35-39	31.1	29.1	13.7	44.8	65.1	35.0	32.8	15.6	50.6	64.8
40-44	24.5	24.5	21.4	46.0	53.4	27.7	27.7	23.3	51.0	54.3
45-49	9.2	9.2	14.8	24.0	--	12.1	12.1	19.6	31.7	--
<b>Marital Status</b>										
Married, or in union	32.7	31.5	17.2	49.9	63.1	na	na	na	na	na
Unmarried, sexually active	<i>32.5</i>	<i>27.1</i>	<i>46.6</i>	<i>79.1</i>	--	na	na	na	na	na
<b>Parity</b>										
0-1 children	9.6	9.2	5.7	15.3	60.0	24.3	23.5	10.5	34.8	67.4
2-3 children	34.4	32.9	16.2	50.6	64.9	36.8	35.4	17.3	54.1	65.5
4+ children	32.2	31.0	19.7	51.9	59.6	34.5	33.2	21.2	55.7	59.6
<b>Residence</b>										
Urban	22.5	21.6	11.8	34.2	63.0	34.0	32.8	16.7	50.7	64.7
Rural	14.7	13.9	20.4	35.2	<i>39.4</i>	16.9	15.9	23.4	40.3	<i>39.4</i>
<b>Education</b>										
Never	23.2	22.3	16.8	40.0	55.8	26.7	25.6	18.8	45.5	56.3
Primary	26.8	25.7	14.4	41.2	62.3	36.8	35.4	19.8	56.6	62.6
Secondary	15.7	14.9	6.1	21.8	68.5	34.9	33.5	10.4	45.3	74.1
Tertiary	25.7	25.1	12.2	37.9	66.1	44.0	42.9	18.1	62.1	<i>69.0</i>
<b>Wealth Quintile</b>										
Lowest	17.4	16.7	15.3	32.7	51.1	24.3	23.3	20.9	45.2	51.5
Middle	19.5	18.7	11.6	31.1	60.2	29.5	28.8	17.4	46.9	61.4
Highest	28.9	27.7	10.0	38.9	71.2	44.5	42.6	13.2	57.7	73.9
<b>Region</b>										
Niamey	22.0	21.1	12.3	34.3	61.5	32.7	31.5	17.2	49.9	63.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method  
 2 Married includes married women and those who are living with a man

na Not applicable  
 -- Less than 25 unweighted observations  
 <i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=697)			Married <sup>1</sup> Women with 1 or More Births (N=652)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	75.5	21.2	3.3	75.9	21.4	2.7
<b>Age Group</b>						
15-19	74.9	21.2	3.9	77.5	22.5	0.0
20-24	78.7	19.1	2.2	78.8	20.3	0.9
25-29	78.3	19.4	2.3	80.4	17.9	1.7
30-34	74.5	24.1	1.4	74.4	24.2	1.5
35-39	71.6	24.6	3.8	71.0	25.1	3.9
40-44	68.6	19.6	11.8	65.7	21.4	12.9
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	75.9	21.4	2.7	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
<b>Parity</b>						
0-1 children	80.4	16.5	3.1	85.3	14.7	0.0
2-3 children	78.5	19.6	1.9	78.0	20.0	2.0
4+ children	70.4	25.1	4.5	69.6	25.8	4.6
<b>Residence</b>						
Urban	78.4	18.5	3.2	78.9	18.6	2.5
Rural	44.5	50.9	4.6	44.5	50.8	4.8
<b>Education</b>						
Never	71.4	24.2	4.5	70.8	24.5	4.6
Primary	77.6	19.4	3.0	78.3	20.5	1.2
Secondary	81.4	17.7	0.9	82.8	17.2	0.0
Tertiary	75.1	20.9	4.1	77.3	18.3	4.3
<b>Wealth Quintile</b>						
Lowest	71.1	25.5	3.4	72.0	25.6	2.5
Middle	82.5	14.9	2.7	82.4	15.4	2.2
Highest	73.9	22.3	3.8	74.1	22.4	3.5
<b>Region</b>						
Niamey	75.5	21.2	3.3	75.9	21.4	2.7

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 292)
<b>Total</b>				
All	59.9	35.0	5.1	
<b>Age Group</b>				
15-19	--	--	--	
20-24	65.9	30.3	3.8	
25-29	57.8	38.2	4.0	
30-34	61.2	31.9	6.8	
35-39	50.9	42.4	6.7	
40-44	<i>61.7</i>	<i>31.2</i>	<i>7.1</i>	
45-49	--	--	--	
<b>Marital Status</b>				
Married, or in union	59.9	35.3	4.8	
Unmarried, sexually active	--	--	--	
<b>Parity</b>				
0-1 children	57.0	33.8	9.2	
2-3 children	63.8	31.4	4.7	
4+ children	57.8	38.7	3.5	
<b>Residence</b>				
Urban	61.0	33.7	5.3	
Rural	--	--	--	
<b>Education</b>				
Never	64.8	30.8	4.4	
Primary	63.8	35.1	1.1	
Secondary	52.2	38.9	8.9	
Tertiary	<i>51.1</i>	<i>38.9</i>	<i>10.0</i>	
<b>Wealth Quintile</b>				
Lowest	60.5	34.9	4.6	
Middle	67.5	28.8	3.6	
Highest	54.6	39.1	6.3	
<b>Region</b>				
Niamey	59.9	35.0	5.1	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method<sup>1</sup> who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 294)	Married <sup>2</sup> Modern Contraceptive Users (N = 285)
<b>Total</b>		
All	26.8	26.5
<b>Age Group</b>		
15-19	--	--
20-24	22.0	22.5
25-29	28.1	28.2
30-34	32.6	31.6
35-39	25.4	24.4
40-44	24.2	24.2
45-49	--	--
<b>Marital Status</b>		
Married, or in union	26.5	na
Unmarried, sexually active	--	na
<b>Parity</b>		
0-1 children	26.5	24.8
2-3 children	28.4	28.4
4+ children	25.1	25.1
<b>Residence</b>		
Urban	26.9	26.5
Rural	--	--
<b>Education</b>		
Never	27.7	27.7
Primary	25.9	24.8
Secondary	28.8	28.3
Tertiary	22.9	23.5
<b>Wealth Quintile</b>		
Lowest	19.5	17.9
Middle	32.9	33.6
Highest	27.2	26.9
<b>Region</b>		
Niamey	26.8	26.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods <sup>2</sup>		Informed about side effects <sup>2</sup>		Told what to do if experienced side effects <sup>2</sup>	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(294)</b>	<b>(285)</b>	<b>(292)</b>	<b>(283)</b>	<b>(130)</b>	<b>(126)</b>
All	67.3	67.7	45.0	45.1	77.3	78.4
<b>Age Group</b>						
15-19	--	--	--	--	--	--
20-24	78.0	77.5	55.6	54.6	<i>82.1</i>	<i>85.4</i>
25-29	74.2	73.8	54.9	56.2	<i>66.2</i>	<i>68.3</i>
30-34	59.6	60.5	41.1	41.7	<i>83.4</i>	<i>83.4</i>
35-39	59.8	<i>60.5</i>	30.4	<i>29.5</i>	--	--
40-44	<i>68.6</i>	<i>68.6</i>	<i>31.4</i>	<i>31.4</i>	--	--
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	67.7	na	45.1	na	78.4	na
Unmarried, sexually active	--	na	--	na	--	na
<b>Parity</b>						
0-1 children	76.2	<i>78.2</i>	58.0	<i>59.4</i>	<i>70.0</i>	<i>74.3</i>
2-3 children	65.0	65.6	44.6	45.0	<i>74.5</i>	<i>74.1</i>
4+ children	64.8	64.8	38.9	38.9	84.5	84.5
<b>Residence</b>						
Urban	67.2	67.6	44.9	45.0	77.0	78.2
Rural	--	--	--	--	--	--
<b>Education</b>						
Never	74.2	74.2	46.2	46.2	<i>84.0</i>	<i>84.0</i>
Primary	56.7	58.4	41.5	42.5	<i>65.0</i>	<i>66.5</i>
Secondary	69.5	68.5	45.9	44.2	<i>78.1</i>	<i>80.6</i>
Tertiary	<i>70.9</i>	<i>70.2</i>	<i>49.0</i>	<i>50.1</i>	--	--
<b>Wealth Quintile</b>						
Lowest	64.9	66.8	43.0	45.2	<i>67.8</i>	<i>67.8</i>
Middle	64.3	64.3	39.2	37.3	<i>80.5</i>	<i>86.3</i>
Highest	70.8	70.4	50.1	50.0	80.4	80.1
<b>Region</b>						
Niamey	67.3	67.7	45.0	45.1	77.3	78.4

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method
- 2 Asked of all current/recent modern contraceptive users
- 3 Married includes married women and those who are living with a man

- na Not applicable  
 -- Less than 25 unweighted observations  
 <i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 292)</b>	<b>(N = 292)</b>	<b>(N = 292)</b>
All	85.7	73.8	69.0
<b>Age Group</b>			
15-19	--	--	--
20-24	87.4	77.6	72.3
25-29	93.1	77.8	75.6
30-34	90.5	82.1	75.1
35-39	80.2	62.4	60.7
40-44	<i>65.5</i>	<i>54.1</i>	<i>47.8</i>
45-49	--	--	--
<b>Marital Status</b>			
Married, or in union	85.4	74.1	69.1
Unmarried, sexually active	--	--	--
<b>Parity</b>			
0-1 children	87.7	90.1	80.5
2-3 children	89.3	75.9	72.4
4+ children	81.7	64.3	60.5
<b>Residence</b>			
Urban	85.4	73.1	68.1
Rural	--	--	--
<b>Education</b>			
Never	83.6	66.4	63.0
Primary	85.9	74.7	69.3
Secondary	88.4	79.6	75.6
Tertiary	<i>85.9</i>	<i>81.2</i>	<i>72.3</i>
<b>Wealth Quintile</b>			
Lowest	88.5	67.5	65.2
Middle	84.5	71.3	67.3
Highest	84.8	79.1	72.3
<b>Region</b>			
Niamey	85.7	73.8	69.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(1394)</b>	<b>(905)</b>	<b>(1394)</b>	<b>(905)</b>	<b>(1394)</b>	<b>(905)</b>
All	7.3	10.4	22.4	32.3	25.7	36.7
<b>Age Group</b>						
15-19	4.4	15.1	8.5	29.2	10.8	36.2
20-24	4.1	6.4	23.0	35.5	26.1	40.2
25-29	8.6	11.0	34.2	42.8	35.7	44.8
30-34	9.9	11.3	30.0	33.5	32.4	36.1
35-39	10.4	10.8	26.2	29.9	32.3	35.8
40-44	10.9	12.3	24.0	24.4	29.1	30.2
45-49	6.4	7.2	7.2	9.5	13.6	16.7
<b>Marital Status</b>						
Married, or in union	10.4	na	32.3	na	36.7	na
Unmarried, sexually active	0.0	na	15.8	na	15.8	na
<b>Parity</b>						
0-1 children	3.7	8.1	10.6	24.2	12.7	27.9
2-3 children	8.0	8.8	32.8	35.1	35.5	38.1
4+ children	12.1	12.8	33.2	35.2	38.6	40.8
<b>Residence</b>						
Urban	4.8	7.1	21.8	32.2	23.6	34.5
Rural	46.3	49.2	31.0	34.2	58.3	63.0
<b>Education</b>						
Never	13.3	15.1	31.1	35.5	37.1	42.2
Primary	4.7	5.5	27.1	35.6	29.6	38.3
Secondary	4.0	7.9	11.6	23.5	13.5	26.6
Tertiary	4.9	8.5	16.6	28.0	17.7	30.0
<b>Wealth Quintile</b>						
Lowest	10.9	14.6	22.7	30.9	28.9	38.9
Middle	5.7	8.3	22.8	34.9	25.3	38.1
Highest	5.2	8.0	21.7	31.4	22.8	33.1
<b>Region</b>						
Niamey	7.3	10.4	22.4	32.3	25.7	36.7

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	1085	70	1155
Households Occupied	1061	70	1131
Households Interviewed	1030	69	1099
Household Response Rate <sup>1</sup>	97.08%	98.57%	97.17%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	1321	100	1421
Number of Eligible Women Interviewed	1299	99	1398
Eligible Woman Response Rate <sup>3</sup>	98.33%	99.00%	98.38%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.211	0.018	0.176	0.251	0.315	0.026	0.264	0.370
Currently using a traditional method	0.009	0.003	0.004	0.018	0.012	0.005	0.006	0.026
Currently using any contraceptive method	0.220	0.018	0.185	0.260	0.327	0.026	0.277	0.382
Currently using DMPA-IM	0.038	0.007	0.027	0.054	0.052	0.009	0.037	0.073
Currently using condoms	0.005	0.005	0.001	0.034	0.005	0.005	0.001	0.035
Currently using implants	0.058	0.015	0.035	0.097	0.090	0.023	0.053	0.148
Chose method by self or jointly in past 12 months	0.949	0.015	0.909	0.972	0.952	0.015	0.909	0.975
Paid fees for family planning services in past 12 months	0.264	0.053	0.171	0.384	0.262	0.053	0.168	0.383
Informed by provider about other methods	0.663	0.040	0.578	0.738	0.668	0.040	0.582	0.744
Informed by provider about side effects	0.442	0.056	0.333	0.557	0.443	0.056	0.334	0.558
Satisfied with provider: Would return and refer friend/relative to provider	0.691	0.062	0.554	0.801	0.692	0.064	0.550	0.806
Visited by health worker who talked about family planning in past 12 months	0.073	0.030	0.030	0.165	0.104	0.043	0.044	0.229

<sup>1</sup> Married includes married women and those who are living with a man