



Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	3017	3020
Age Group			
15-19	21.5	650	679
20-24	19.7	594	553
25-29	18.2	549	523
30-34	13.1	396	413
35-39	12.2	368	385
40-44	10.2	308	297
45-49	5.0	152	170
Marital Status			
Married, or in union	82.5	2488	2161
Unmarried, sexually active	0.9	26	40
Parity			
0-1 children	30.0	904	1172
2-3 children	24.4	736	667
4+ children	45.6	1377	1181
Residence			
Urban	20.9	631	1948
Rural	79.1	2386	1072
Education			
Never	65.7	1982	1398
Primary	17.5	529	638
Secondary	14.8	446	837
Tertiary	1.9	57	145
Wealth Quintile			
Lowest	31.4	949	442
Middle	32.3	975	565
Highest	36.2	1093	2013
Region			
Niamey	9.6	290	1269
Other urban	11.3	341	679
Rural areas	79.1	2386	1072

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	15.9	18.9	15.2	18.1	0.7	0.8
Age Group						
15-19	5.9	11.5	5.9	11.5	0.0	0.0
20-24	20.8	23.0	19.5	21.8	1.3	1.1
25-29	19.9	20.5	18.8	19.4	1.1	1.1
30-34	17.7	18.4	17.6	18.3	0.1	0.1
35-39	21.0	22.1	20.6	21.6	0.4	0.5
40-44	13.2	14.3	11.9	12.9	1.3	1.4
45-49	14.3	16.7	12.8	15.0	1.4	1.7
Marital Status						
Married, or in union	18.9	na	18.1	na	0.8	na
Unmarried, sexually active	18.9	na	12.5	na	6.4	na
Parity						
0-1 children	7.2	13.2	7.0	13.0	0.3	0.2
2-3 children	20.6	21.0	20.1	20.5	0.5	0.5
4+ children	19.1	19.7	18.0	18.5	1.1	1.2
Residence						
Urban	22.6	33.0	21.6	31.6	1.0	1.5
Rural	14.2	16.0	13.5	15.4	0.7	0.7
Education						
Never	14.9	16.2	14.1	15.3	0.9	0.9
Primary	17.1	20.6	16.4	20.2	0.7	0.5
Secondary	17.9	34.3	17.6	33.7	0.3	0.6
Tertiary	24.9	43.8	24.9	43.8	0.0	0.0
Wealth Quintile						
Lowest	8.2	9.4	7.6	8.7	0.5	0.6
Middle	15.9	18.4	14.9	17.3	1.0	1.1
Highest	22.7	29.0	22.0	28.4	0.6	0.6
Region						
Niamey	21.9	34.1	20.6	32.1	1.2	2.0
Other urban	23.2	32.2	22.4	31.2	0.7	1.1
Rural areas	14.2	16.0	13.5	15.4	0.7	0.7

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method
- 2 Married includes married women and those who are living with a man

- na Not applicable
- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 480)										Married Users ¹ (N = 470)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.5	16.7	1.0	32.1	5.7	38.5	0.1	0.5	0.2	4.5	0.6	16.3	1.0	32.8	5.8	38.7	0.1	0.1	0.3	4.3
Age Group																				
15-19	<i>0.0</i>	<i>11.4</i>	<i>0.0</i>	<i>33.3</i>	<i>9.6</i>	<i>41.4</i>	<i>0.0</i>	<i>4.4</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>12.1</i>	<i>0.0</i>	<i>35.2</i>	<i>10.1</i>	<i>42.6</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
20-24	0.0	14.2	0.2	33.1	7.1	38.7	0.3	0.4	0.0	6.0	0.0	13.1	0.2	34.6	7.5	39.4	0.3	0.0	0.0	4.9
25-29	1.6	20.9	0.3	28.1	5.5	37.5	0.0	0.3	0.2	5.5	1.7	20.0	0.3	28.6	5.6	37.7	0.0	0.3	0.2	5.6
30-34	0.3	21.4	3.5	23.6	0.0	49.7	0.0	0.0	1.1	0.5	0.3	21.7	3.5	23.5	0.0	49.4	0.0	0.0	1.1	0.5
35-39	0.4	21.8	1.2	34.5	4.3	35.4	0.3	0.2	0.0	2.1	0.4	21.8	1.2	34.6	4.3	35.2	0.3	0.2	0.0	2.1
40-44	<i>0.0</i>	<i>9.2</i>	<i>1.6</i>	<i>23.3</i>	<i>13.9</i>	<i>41.3</i>	<i>0.0</i>	<i>0.0</i>	<i>0.6</i>	<i>10.1</i>	<i>0.0</i>	<i>9.2</i>	<i>1.6</i>	<i>23.3</i>	<i>13.9</i>	<i>41.3</i>	<i>0.0</i>	<i>0.0</i>	<i>0.6</i>	<i>10.1</i>
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Marital Status																				
Married, or in union	0.6	16.3	1.0	32.8	5.8	38.7	0.1	0.1	0.3	4.3	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	--	--	--	--	--	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	19.2	0.9	21.8	4.9	45.5	0.5	3.5	0.0	3.7	0.0	20.9	1.0	23.7	5.3	47.0	0.6	0.3	0.0	1.2
2-3 children	1.6	14.7	0.2	33.0	4.1	43.6	0.0	0.1	0.3	2.4	1.6	14.1	0.2	33.5	4.2	43.6	0.0	0.1	0.3	2.5
4+ children	0.1	17.2	1.4	34.2	6.8	33.9	0.1	0.1	0.3	6.0	0.1	16.6	1.4	34.5	6.9	34.1	0.1	0.1	0.3	6.0
Residence																				
Urban	0.6	20.5	2.3	17.7	1.5	51.3	0.4	0.6	0.8	4.3	0.6	20.2	2.4	18.1	1.6	51.0	0.4	0.3	0.9	4.4
Rural	0.5	15.1	0.4	38.2	7.5	33.1	0.0	0.5	0.0	4.6	0.5	14.7	0.4	38.8	7.6	33.7	0.0	0.0	0.0	4.2
Education																				
Never	0.1	15.3	0.8	36.1	9.1	32.8	0.0	0.0	0.2	5.7	0.1	15.1	0.8	36.2	9.1	32.8	0.0	0.0	0.2	5.7
Primary	0.0	19.6	0.0	32.4	0.2	41.3	0.2	2.0	0.3	4.0	0.0	20.1	0.0	34.2	0.2	42.5	0.2	0.2	0.3	2.3
Secondary	2.7	19.3	2.2	19.2	0.3	53.0	0.4	1.0	0.5	1.6	2.8	17.5	2.3	20.1	0.3	54.0	0.5	0.4	0.5	1.7
Tertiary	<i>2.0</i>	<i>13.5</i>	<i>4.1</i>	<i>20.0</i>	<i>1.6</i>	<i>58.8</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>2.1</i>	<i>14.0</i>	<i>4.2</i>	<i>20.7</i>	<i>1.6</i>	<i>57.5</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
Wealth Quintile																				
Lowest	<i>0.0</i>	<i>23.2</i>	<i>0.0</i>	<i>30.7</i>	<i>7.4</i>	<i>32.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>6.6</i>	<i>0.0</i>	<i>23.2</i>	<i>0.0</i>	<i>30.7</i>	<i>7.4</i>	<i>32.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>6.6</i>
Middle	0.0	14.7	0.9	40.5	10.2	27.1	0.0	0.0	0.3	6.2	0.0	14.7	0.9	40.5	10.2	27.1	0.0	0.0	0.3	6.2
Highest	1.1	15.9	1.3	27.3	2.4	47.7	0.2	1.0	0.3	2.8	1.1	15.1	1.4	28.4	2.5	48.6	0.2	0.2	0.3	2.2
Region																				
Niamey	1.4	23.4	3.3	16.2	1.3	47.1	0.3	0.7	0.6	5.6	1.4	24.5	3.4	16.4	1.4	45.3	0.3	0.8	0.7	5.8
Other urban	0.0	18.1	1.5	18.9	1.6	54.7	0.4	0.5	1.0	3.2	0.0	16.9	1.6	19.5	1.7	55.6	0.5	0.0	1.0	3.3
Rural areas	0.5	15.1	0.4	38.2	7.5	33.1	0.0	0.5	0.0	4.6	0.5	14.7	0.4	38.8	7.6	33.7	0.0	0.0	0.0	4.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 3017)			Married Women ¹ (N = 2488)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	15.5	2.1	17.6	18.6	2.4	21.0
Age Group						
15-19	11.2	0.6	11.8	22.4	0.4	22.7
20-24	18.0	0.2	18.1	20.7	0.2	20.9
25-29	18.4	0.5	18.9	19.2	0.5	19.7
30-34	20.2	3.6	23.7	21.1	3.8	24.9
35-39	13.5	3.5	17.0	14.2	3.6	17.8
40-44	13.6	7.3	20.8	14.7	7.9	22.6
45-49	10.6	3.5	14.2	12.4	4.1	16.6
Marital Status						
Married, or in union	18.6	2.4	21.0	na	na	na
Unmarried, sexually active	15.1	1.1	16.1	na	na	na
Parity						
0-1 children	9.5	0.6	10.1	18.0	0.5	18.5
2-3 children	19.2	1.0	20.2	19.9	1.0	20.9
4+ children	17.5	3.6	21.2	18.2	3.7	21.9
Residence						
Urban	10.2	2.3	12.5	14.8	3.5	18.3
Rural	16.9	2.0	18.9	19.4	2.2	21.6
Education						
Never	18.5	2.1	20.6	20.1	2.3	22.3
Primary	13.9	2.8	16.7	17.1	3.6	20.6
Secondary	6.2	1.2	7.4	12.4	1.1	13.5
Tertiary	1.8	1.4	3.2	2.5	2.5	5.0
Wealth Quintile						
Lowest	19.1	2.2	21.3	21.6	2.5	24.2
Middle	18.3	2.4	20.7	21.1	2.7	23.9
Highest	10.0	1.6	11.6	13.0	1.9	14.9
Region						
Niamey	8.6	3.4	11.9	13.4	5.4	18.7
Other urban	11.6	1.4	13.0	15.9	2.1	18.0
Rural areas	16.9	2.0	18.9	19.4	2.2	21.6

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=3017)					Married Women ² (N=2488)				
	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	15.9	15.2	17.6	33.5	45.4	18.9	18.1	21.0	39.9	45.3
Age Group										
15-19	5.9	5.9	11.8	17.7	33.1	11.5	11.5	22.7	34.2	33.6
20-24	20.8	19.5	18.1	38.9	50.2	23.0	21.8	20.9	43.9	49.7
25-29	19.9	18.8	18.9	38.8	48.5	20.5	19.4	19.7	40.2	48.2
30-34	17.7	17.6	23.7	41.4	42.5	18.4	18.3	24.9	43.3	42.3
35-39	21.0	20.6	17.0	38.0	54.1	22.1	21.6	17.8	39.9	54.2
40-44	13.2	11.9	20.8	34.1	34.9	14.3	12.9	22.6	36.9	34.9
45-49	14.3	12.8	14.2	28.4	<i>45.1</i>	16.7	15.0	16.6	33.3	<i>45.1</i>
Marital Status										
Married, or in union	18.9	18.1	21.0	39.9	45.3	na	na	na	na	na
Unmarried, sexually active	<i>18.9</i>	<i>12.5</i>	<i>16.1</i>	<i>35.1</i>	--	na	na	na	na	na
Parity										
0-1 children	7.2	7.0	10.1	17.3	40.3	13.2	13.0	18.5	31.7	41.1
2-3 children	20.6	20.1	20.2	40.7	49.3	21.0	20.5	20.9	41.9	48.9
4+ children	19.1	18.0	21.2	40.3	44.7	19.7	18.5	21.9	41.6	44.5
Residence										
Urban	22.6	21.6	12.5	35.1	61.6	33.0	31.6	18.3	51.3	61.5
Rural	14.2	13.5	18.9	33.1	40.8	16.0	15.4	21.6	37.6	40.9
Education										
Never	14.9	14.1	20.6	35.5	39.7	16.2	15.3	22.3	38.5	39.6
Primary	17.1	16.4	16.7	33.8	48.6	20.6	20.2	20.6	41.2	48.9
Secondary	17.9	17.6	7.4	25.4	69.5	34.3	33.7	13.5	47.8	70.6
Tertiary	24.9	24.9	3.2	28.1	<i>88.7</i>	43.8	43.8	5.0	48.8	<i>89.8</i>
Wealth Quintile										
Lowest	8.2	7.6	21.3	29.5	25.9	9.4	8.7	24.2	33.5	26.1
Middle	15.9	14.9	20.7	36.6	40.8	18.4	17.3	23.9	42.3	40.8
Highest	22.7	22.0	11.6	34.3	64.2	29.0	28.4	14.9	43.9	64.6
Region										
Niamey	21.9	20.6	11.9	33.8	61.0	34.1	32.1	18.7	52.8	60.8
Other urban	23.2	22.4	13.0	36.2	62.0	32.2	31.2	18.0	50.2	62.0
Rural areas	14.2	13.5	18.9	33.1	40.8	16.0	15.4	21.6	37.6	40.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=2029)			Married ¹ Women with 1 or More Births (N=1963)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	88.9	9.8	1.2	89.1	9.8	1.1
Age Group						
15-19	85.4	12.4	2.1	87.3	11.9	0.8
20-24	89.7	9.7	0.7	89.7	9.6	0.7
25-29	90.6	9.1	0.3	90.6	9.1	0.3
30-34	88.5	11.2	0.3	88.4	11.2	0.3
35-39	92.2	6.2	1.6	92.0	6.3	1.6
40-44	88.7	7.8	3.5	88.5	7.9	3.6
45-49	<i>64.5</i>	<i>26.5</i>	<i>9.0</i>	<i>64.3</i>	<i>26.7</i>	<i>9.0</i>
Marital Status						
Married, or in union	89.1	9.8	1.1	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	91.5	6.6	1.9	93.3	5.7	1.0
2-3 children	89.3	10.3	0.4	89.4	10.1	0.4
4+ children	87.9	10.5	1.5	87.8	10.7	1.6
Residence						
Urban	87.1	11.2	1.7	87.6	10.6	1.8
Rural	89.3	9.6	1.1	89.4	9.6	1.0
Education						
Never	89.7	9.5	0.8	89.7	9.5	0.8
Primary	86.8	10.9	2.3	87.3	10.4	2.4
Secondary	86.6	11.0	2.3	87.7	11.4	1.0
Tertiary	88.6	8.1	3.3	89.9	6.7	3.4
Wealth Quintile						
Lowest	87.6	12.2	0.3	87.3	12.4	0.3
Middle	88.5	10.1	1.4	88.7	9.9	1.4
Highest	90.6	7.4	2.0	91.3	7.1	1.6
Region						
Niamey	82.5	15.4	2.2	83.6	14.3	2.1
Other urban	90.2	8.4	1.5	90.3	8.1	1.5
Rural areas	89.3	9.6	1.1	89.4	9.6	1.0

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 458)
Total				
All	64.4	30.9	4.7	
Age Group				
15-19	<i>54.3</i>	<i>40.5</i>	<i>5.2</i>	
20-24	58.9	34.6	6.5	
25-29	68.9	21.4	9.7	
30-34	67.0	31.2	1.9	
35-39	71.1	27.9	1.1	
40-44	<i>63.2</i>	<i>36.8</i>	<i>0.0</i>	
45-49	--	--	--	
Marital Status				
Married, or in union	64.8	30.7	4.4	
Unmarried, sexually active	--	--	--	
Parity				
0-1 children	57.4	27.5	15.1	
2-3 children	59.4	37.5	3.1	
4+ children	69.2	27.8	3.0	
Residence				
Urban	68.3	27.8	3.8	
Rural	62.8	32.2	5.1	
Education				
Never	65.2	30.7	4.1	
Primary	63.4	28.8	7.8	
Secondary	65.4	31.1	3.6	
Tertiary	<i>49.7</i>	<i>46.3</i>	<i>4.0</i>	
Wealth Quintile				
Lowest	<i>71.8</i>	<i>16.4</i>	<i>11.8</i>	
Middle	64.4	33.4	2.2	
Highest	62.2	33.7	4.1	
Region				
Niamey	63.0	32.7	4.3	
Other urban	72.6	24.0	3.5	
Rural areas	62.8	32.2	5.1	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method¹ who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 459)	Married ² Modern Contraceptive Users (N = 450)
Total		
All	11.2	10.7
Age Group		
15-19	<i>17.1</i>	<i>13.5</i>
20-24	7.1	6.6
25-29	12.3	12.1
30-34	10.6	10.3
35-39	9.9	9.6
40-44	<i>11.4</i>	<i>11.4</i>
45-49	--	--
Marital Status		
Married, or in union	10.7	na
Unmarried, sexually active	--	na
Parity		
0-1 children	14.1	10.2
2-3 children	12.1	11.8
4+ children	10.0	10.1
Residence		
Urban	18.0	17.3
Rural	8.4	8.0
Education		
Never	9.6	9.6
Primary	12.2	9.6
Secondary	15.5	15.1
Tertiary	<i>14.0</i>	<i>14.4</i>
Wealth Quintile		
Lowest	<i>2.6</i>	<i>2.6</i>
Middle	12.9	12.9
Highest	12.8	11.8
Region		
Niamey	19.9	18.3
Other urban	16.5	16.4
Rural areas	8.4	8.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(459)	(450)	(458)	(449)	(289)	(287)
All	72.9	73.7	48.9	49.6	78.1	78.2
Age Group						
15-19	48.0	49.6	32.4	33.1	--	--
20-24	79.1	81.0	49.9	51.2	78.6	79.2
25-29	70.3	70.3	50.2	51.1	81.1	81.1
30-34	81.5	82.3	45.1	45.7	63.3	63.3
35-39	74.7	74.9	56.7	56.9	89.8	89.8
40-44	59.1	59.1	62.2	62.2	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	73.7	na	49.6	na	78.2	na
Unmarried, sexually active	--	na	--	na	--	na
Parity						
0-1 children	60.1	62.3	44.1	45.4	51.2	51.2
2-3 children	71.2	71.4	46.2	47.1	82.0	82.0
4+ children	77.2	77.9	51.7	52.1	81.8	81.8
Residence						
Urban	77.2	78.0	47.3	48.6	74.0	74.4
Rural	71.1	72.0	49.5	50.1	79.7	79.7
Education						
Never	68.8	68.7	49.9	50.1	79.1	79.1
Primary	80.6	83.1	46.1	47.8	81.7	81.5
Secondary	76.7	79.7	45.3	47.5	71.8	71.8
Tertiary	86.2	85.8	63.8	62.7	--	--
Wealth Quintile						
Lowest	66.7	66.7	55.9	55.9	55.8	55.8
Middle	68.6	68.6	40.0	40.0	82.8	82.8
Highest	77.4	79.1	52.1	53.7	83.1	83.3
Region						
Niamey	72.4	74.3	58.1	60.1	81.5	82.6
Other urban	81.0	81.0	38.8	39.6	65.2	64.6
Rural areas	71.1	72.0	49.5	50.1	79.7	79.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider (N = 455)	Percent who would refer relative/friend (N = 455)	Percent who would return and refer friend/relative (N = 455)
Total			
All	88.4	80.4	75.2
Age Group			
15-19	<i>87.5</i>	<i>69.4</i>	<i>67.2</i>
20-24	91.5	87.1	84.3
25-29	86.8	82.4	74.6
30-34	81.4	74.0	67.2
35-39	92.9	84.5	79.3
40-44	<i>90.0</i>	<i>73.4</i>	<i>66.1</i>
45-49	--	--	--
Marital Status			
Married, or in union	88.5	80.5	75.2
Unmarried, sexually active	--	--	--
Parity			
0-1 children	85.9	78.4	76.0
2-3 children	90.9	84.9	78.9
4+ children	87.5	78.3	72.8
Residence			
Urban	85.3	77.2	70.4
Rural	89.7	81.8	77.2
Education			
Never	88.3	80.6	75.8
Primary	87.0	75.4	69.9
Secondary	89.7	83.7	77.1
Tertiary	<i>92.1</i>	<i>88.9</i>	<i>84.3</i>
Wealth Quintile			
Lowest	<i>89.2</i>	<i>81.3</i>	<i>79.0</i>
Middle	87.9	74.3	71.2
Highest	88.5	83.8	76.4
Region			
Niamey	83.4	78.7	71.2
Other urban	86.7	76.0	69.8
Rural areas	89.7	81.8	77.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(3017)	(2488)	(3017)	(2488)	(3017)	(2488)
All	6.4	7.2	20.4	23.8	23.3	27.0
Age Group						
15-19	3.5	5.4	8.5	14.2	10.4	17.1
20-24	8.9	9.4	25.8	29.0	29.7	33.0
25-29	4.7	4.9	24.4	25.4	26.1	27.1
30-34	9.1	9.4	26.9	27.9	31.6	32.7
35-39	8.4	8.7	28.9	30.2	31.4	32.7
40-44	4.8	5.1	13.5	14.4	16.6	17.6
45-49	6.9	6.1	12.2	11.6	15.7	15.6
Marital Status						
Married, or in union	7.2	na	23.8	na	27.0	na
Unmarried, sexually active	0.0	na	8.9	na	8.9	na
Parity						
0-1 children	4.6	7.1	8.9	14.5	11.8	18.8
2-3 children	7.9	7.9	28.2	28.9	31.4	32.2
4+ children	6.8	6.8	23.8	24.3	26.5	27.0
Residence						
Urban	2.2	2.4	19.0	26.6	20.7	28.4
Rural	7.5	8.1	20.8	23.2	24.0	26.7
Education						
Never	7.3	7.9	19.9	21.3	23.5	25.1
Primary	5.9	5.9	25.6	31.1	27.4	32.3
Secondary	4.0	4.8	17.3	30.9	18.8	32.9
Tertiary	0.7	0.0	14.9	26.3	15.2	26.3
Wealth Quintile						
Lowest	8.3	9.0	18.9	21.2	23.0	25.7
Middle	6.5	7.2	21.3	24.1	23.7	26.7
Highest	4.7	5.3	21.0	26.0	23.2	28.6
Region						
Niamey	2.7	2.8	19.1	29.4	21.3	31.6
Other urban	1.8	2.1	18.9	24.4	20.2	26.0
Rural areas	7.5	8.1	20.8	23.2	24.0	26.7

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1750	1154	2904
Households Occupied	1694	1142	2836
Households Interviewed	1653	1131	2784
Household Response Rate ¹	97.58%	99.04%	98.17%
Interviews with Women			
Number of Eligible Women ²	2012	1103	3115
Number of Eligible Women Interviewed	1948	1072	3020
Eligible Woman Response Rate ³	96.82%	97.19%	96.95%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.152	0.017	0.122	0.189	0.181	0.021	0.143	0.226
Currently using a traditional method	0.007	0.002	0.004	0.014	0.008	0.003	0.004	0.016
Currently using any contraceptive method	0.159	0.017	0.128	0.196	0.189	0.021	0.150	0.234
Currently using DMPA-IM	0.051	0.009	0.037	0.071	0.062	0.010	0.045	0.085
Currently using DMPA-SC	0.009	0.003	0.005	0.017	0.011	0.004	0.006	0.021
Currently using condoms	0.005	0.004	0.001	0.020	0.001	0.001	0.000	0.003
Currently using implants	0.027	0.004	0.020	0.036	0.031	0.005	0.022	0.042
Chose method by self or jointly in past 12 months	0.953	0.012	0.922	0.972	0.956	0.012	0.924	0.974
Paid fees for family planning services in past 12 months	0.128	0.023	0.089	0.181	0.124	0.023	0.085	0.177
Informed by provider about other methods	0.731	0.028	0.671	0.784	0.739	0.029	0.677	0.792
Informed by provider about side effects	0.477	0.041	0.396	0.559	0.484	0.042	0.402	0.568
Satisfied with provider: Would return and refer friend/relative to provider	0.747	0.031	0.680	0.804	0.747	0.031	0.680	0.804
Visited by health worker who talked about family planning in past 12 months	0.064	0.012	0.044	0.094	0.072	0.015	0.048	0.107

¹ Married includes married women and those who are living with a man