



## Performance Monitoring and Accountability 2020

*Measuring Performance, Informing Policy, Empowering Communities.*



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

### DRC Round 4: Snapshot of Indicators (SOIs)

**Suggested citation:** Tulane University School of Public Health, University of Kinshasa School of Public Health and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 4, PMA2015/DRC-R4-Kinshasa Snapshot of Indicators*. 2015. Kinshasa, DRC and Baltimore, Maryland, USA.

[www.pmadata.org](http://www.pmadata.org)  
[facebook.com/PM4Action](https://facebook.com/PM4Action)  
[instagram.com/PM4Action](https://instagram.com/PM4Action)  
Twitter: @PM4Action

# Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	2724	2733
<b>Age Group</b>			
15-19	22.6	617	619
20-24	19.0	516	521
25-29	18.5	504	504
30-34	14.1	384	384
35-39	12.6	344	346
40-44	7.2	195	195
45-49	6.0	164	164
<b>Marital Status</b>			
Married, or in union	43.2	1177	1173
Unmarried, sexually active	18.3	498	505
<b>Parity</b>			
0-1 children	56.2	1532	1540
2-3 children	23.4	638	637
4+ children	20.3	554	556
<b>Residence</b>			
Urban	100.0	2724	2733
<b>Education</b>			
Never	3.1	86	88
Primary	21.3	580	590
Secondary	62.5	1703	1701
Tertiary	12.9	352	352
<b>Wealth Quintile</b>			
Lowest	17.8	484	492
Lower	21.0	573	576
Middle	20.7	563	569
High	20.3	552	548
Highest	20.3	553	548
<b>Region</b>			
Kinshasa	100.0	2724	2733

# Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	42.3	50.2	20.9	23.8	21.4	26.4
<b>Age Group</b>						
15-19	18.7	<i>35.7</i>	9.0	<i>19.5</i>	9.7	<i>16.2</i>
20-24	49.1	41.2	24.2	18.2	24.9	23.0
25-29	55.8	56.0	28.8	27.5	27.1	28.5
30-34	54.0	58.5	26.5	28.0	27.4	30.5
35-39	47.0	48.7	24.0	23.9	23.0	24.8
40-44	41.0	50.3	18.8	22.2	22.2	28.1
45-49	32.8	38.5	14.5	16.1	18.4	22.4
<b>Marital Status</b>						
Married, or in union	50.2	na	23.8	na	26.4	na
Unmarried, sexually active	68.1	na	36.7	na	31.4	na
<b>Parity</b>						
0-1 children	35.4	37.6	16.4	15.4	19.0	22.3
2-3 children	49.0	49.7	25.8	23.7	23.1	26.0
4+ children	53.9	58.2	27.9	28.9	26.0	29.3
<b>Residence</b>						
Urban	42.3	50.2	20.9	23.8	21.4	26.4
<b>Education</b>						
Never	42.9	<i>52.2</i>	31.3	<i>30.1</i>	11.6	<i>22.1</i>
Primary	36.8	48.1	18.0	23.0	18.8	25.1
Secondary	41.9	50.7	20.0	24.2	21.9	26.5
Tertiary	53.5	51.4	28.1	20.9	25.4	30.5
<b>Wealth Quintile</b>						
Lowest	39.1	46.8	22.6	24.9	16.5	21.9
Lower	39.4	47.8	20.1	26.3	19.4	21.5
Middle	43.9	47.6	21.3	21.2	22.6	26.4
High	43.0	51.5	19.5	20.5	23.4	31.0
Highest	45.9	58.4	21.4	26.0	24.5	32.4
<b>Region</b>						
Kinshasa	42.3	50.2	20.9	23.8	21.4	26.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

	All Users (N = 1155)										Married Users <sup>1</sup> (N = 592)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
<b>Total</b>																				
All	1.2	9.8	0.4	3.9	1.3	7.3	1.5	23.6	0.5	50.4	1.7	13.4	0.8	6.5	1.3	8.2	0.9	13.9	0.7	52.6
<b>Age Group</b>																				
15-19	0.0	4.2	0.0	0.8	0.0	7.7	1.8	33.7	0.0	51.8	--	--	--	--	--	--	--	--	--	--
20-24	0.0	4.2	0.4	2.3	1.6	4.6	2.1	34.2	0.0	50.7	0.0	11.4	1.8	5.9	1.9	5.7	1.9	15.4	0.0	55.9
25-29	0.0	9.1	0.0	3.5	0.7	8.0	1.1	28.5	0.7	48.5	0.0	12.3	0.0	6.2	0.7	9.0	0.7	19.5	0.7	50.9
30-34	1.0	11.4	0.4	7.2	1.4	8.6	2.5	15.8	0.9	50.8	1.4	11.1	0.7	9.1	2.1	9.2	1.6	11.8	0.7	52.2
35-39	1.9	18.6	0.6	6.1	2.4	7.8	0.0	12.7	1.2	48.7	2.5	17.9	0.7	7.9	0.8	6.9	0.0	11.0	1.6	50.5
40-44	6.1	10.0	2.4	3.7	1.3	6.1	2.5	14.4	0.0	53.5	2.8	11.2	2.7	4.1	1.4	5.5	1.5	14.9	0.0	55.9
45-49	7.2	18.5	0.0	1.7	1.8	11.3	0.0	3.5	0.0	55.9	<i>6.5</i>	<i>17.5</i>	<i>0.0</i>	<i>2.1</i>	<i>2.2</i>	<i>11.3</i>	<i>0.0</i>	<i>2.2</i>	<i>0.0</i>	<i>58.2</i>
<b>Marital Status</b>																				
Married, or in union	1.7	13.4	0.8	6.5	1.3	8.2	0.9	13.9	0.7	52.6	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.3	5.8	0.0	2.0	1.7	6.2	2.3	35.3	0.3	46.0	na	na	na	na	na	na	na	na	na	na
<b>Parity</b>																				
0-1 children	0.0	2.0	0.0	1.1	0.4	6.1	1.9	34.6	0.4	53.7	0.0	5.6	0.0	3.8	0.9	9.5	0.9	20.0	0.0	59.1
2-3 children	0.0	13.6	0.6	6.3	2.2	9.8	2.0	17.6	0.6	47.2	0.0	10.7	0.8	7.1	1.4	9.1	1.5	16.1	0.9	52.4
4+ children	4.7	19.9	1.0	6.6	2.0	6.9	0.4	10.0	0.7	47.9	3.7	18.6	1.1	7.0	1.5	7.0	0.4	9.7	0.8	50.2
<b>Residence</b>																				
Urban	1.2	9.8	0.4	3.9	1.3	7.3	1.5	23.6	0.5	50.4	1.7	13.4	0.8	6.5	1.3	8.2	0.9	13.9	0.7	52.6
<b>Education</b>																				
Never	<i>0.0</i>	<i>23.4</i>	<i>0.0</i>	<i>2.5</i>	<i>7.9</i>	<i>18.3</i>	<i>2.8</i>	<i>15.6</i>	<i>2.5</i>	<i>27.0</i>	--	--	--	--	--	--	--	--	--	--
Primary	2.3	16.2	0.0	4.9	2.7	7.2	0.5	15.3	0.0	50.9	3.3	20.3	0.0	6.2	1.6	7.9	0.8	7.7	0.0	52.2
Secondary	0.8	8.8	0.7	3.9	0.8	7.1	1.6	23.4	0.6	52.3	1.1	11.1	1.3	6.9	1.1	8.5	0.5	16.6	0.8	52.3
Tertiary	1.6	3.6	0.0	3.1	0.0	6.2	2.2	35.5	0.5	47.3	2.9	10.1	0.0	7.4	0.0	4.6	1.9	13.3	1.4	58.4
<b>Wealth Quintile</b>																				
Lowest	1.5	12.7	0.5	7.6	4.7	12.5	1.0	16.9	0.5	41.9	1.7	14.7	0.8	9.1	3.3	14.5	0.9	7.3	0.8	46.8
Lower	1.8	11.8	0.4	4.3	2.2	7.2	0.8	21.9	0.5	49.2	1.7	14.2	0.8	7.5	2.5	8.1	0.0	20.4	0.0	45.0
Middle	0.4	12.1	0.0	1.2	0.0	7.5	2.5	23.6	1.2	51.4	1.0	17.9	0.0	1.9	0.0	10.1	0.9	10.9	1.9	55.5
High	0.4	6.4	0.4	3.0	0.0	5.0	0.9	29.3	0.0	54.5	0.8	10.6	0.8	5.7	0.0	5.7	0.8	15.4	0.0	60.2
Highest	2.0	6.7	0.7	4.3	0.4	5.4	2.1	24.8	0.4	53.1	3.2	10.4	1.5	8.0	0.8	3.3	1.9	14.9	0.7	55.1
<b>Region</b>																				
Kinshasa	1.2	9.8	0.4	3.9	1.3	7.3	1.5	23.6	0.5	50.4	1.7	13.4	0.8	6.5	1.3	8.2	0.9	13.9	0.7	52.6

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 2724)			Married Women <sup>1</sup> (N = 1177)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	12.6	3.4	16.0	18.9	6.7	25.6
<b>Age Group</b>						
15-19	10.7	1.4	12.1	<i>44.1</i>	<i>11.4</i>	<i>55.5</i>
20-24	14.2	1.9	16.1	35.4	5.6	41.0
25-29	14.0	2.3	16.3	19.2	3.1	22.3
30-34	15.8	4.3	20.1	20.2	6.5	26.7
35-39	16.1	6.6	22.7	18.6	8.5	27.0
40-44	7.3	7.5	14.9	7.9	9.6	17.4
45-49	2.4	4.8	7.2	3.4	6.7	10.1
<b>Marital Status</b>						
Married, or in union	18.9	6.7	25.6	na	na	na
Unmarried, sexually active	20.9	1.3	22.2	na	na	na
<b>Parity</b>						
0-1 children	10.4	0.9	11.3	24.6	2.8	27.4
2-3 children	20.8	3.1	23.9	24.7	3.3	28.0
4+ children	9.2	10.6	19.8	10.0	12.2	22.2
<b>Residence</b>						
Urban	12.6	3.4	16.0	18.9	6.7	25.6
<b>Education</b>						
Never	11.2	6.7	17.9	<i>13.1</i>	<i>8.4</i>	<i>21.6</i>
Primary	14.5	4.9	19.4	17.6	10.0	27.6
Secondary	13.3	3.0	16.3	20.6	5.9	26.5
Tertiary	6.7	1.7	8.3	14.1	3.8	17.9
<b>Wealth Quintile</b>						
Lowest	18.1	5.2	23.3	23.1	6.6	29.7
Lower	13.7	4.5	18.2	18.2	10.0	28.2
Middle	13.3	2.1	15.4	22.4	4.7	27.1
High	12.4	2.7	15.1	20.0	5.3	25.4
Highest	6.2	2.7	8.8	9.9	6.4	16.3
<b>Region</b>						
Kinshasa	12.6	3.4	16.0	18.9	6.7	25.6

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

## Background

### Characteristics

#### All Women (N=2724)

#### Married Women <sup>2</sup> (N=1177)

	Any Method	Modern <sup>1</sup> Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup> Method	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	42.3	20.9	16.0	58.3	35.9	50.2	23.8	25.6	75.8	31.4
<b>Age Group</b>										
15-19	18.7	9.0	12.1	30.8	29.2	<i>35.7</i>	<i>19.5</i>	<i>55.5</i>	<i>91.2</i>	<i>21.3</i>
20-24	49.1	24.2	16.1	65.1	37.2	41.2	18.2	41.0	82.2	22.1
25-29	55.8	28.8	16.3	72.1	39.9	56.0	27.5	22.3	78.3	35.1
30-34	54.0	26.5	20.1	74.1	35.8	58.5	28.0	26.7	85.1	32.9
35-39	47.0	24.0	22.7	69.8	34.4	48.7	23.9	27.0	75.7	31.6
40-44	41.0	18.8	14.9	55.9	33.7	50.3	22.2	17.4	67.7	32.8
45-49	32.8	14.5	7.2	40.0	36.2	38.5	16.1	10.1	48.6	33.1
<b>Marital Status</b>										
Married, or in union	50.2	23.8	25.6	75.8	31.4	na	na	na	na	na
Unmarried, sexually active	68.1	36.7	22.2	90.3	40.6	na	na	na	na	na
<b>Parity</b>										
0-1 children	35.4	16.4	11.3	46.7	35.1	37.6	15.4	27.4	65.1	23.6
2-3 children	49.0	25.8	23.9	72.9	35.5	49.7	23.7	28.0	77.7	30.4
4+ children	53.9	27.9	19.8	73.7	37.9	58.2	28.9	22.2	80.4	36.0
<b>Residence</b>										
Urban	42.3	20.9	16.0	58.3	35.9	50.2	23.8	25.6	75.8	31.4
<b>Education</b>										
Never	42.9	31.3	17.9	60.8	51.5	<i>52.2</i>	<i>30.1</i>	<i>21.6</i>	<i>73.7</i>	<i>40.9</i>
Primary	36.8	18.0	19.4	56.2	32.0	48.1	23.0	27.6	75.7	30.4
Secondary	41.9	20.0	16.3	58.3	34.3	50.7	24.2	26.5	77.2	31.3
Tertiary	53.5	28.1	8.3	61.8	45.4	51.4	20.9	17.9	69.3	30.2
<b>Wealth Quintile</b>										
Lowest	39.1	22.6	23.3	62.4	36.2	46.8	24.9	29.7	76.5	32.5
Lower	39.4	20.1	18.2	57.7	34.8	47.8	26.3	28.2	76.0	34.6
Middle	43.9	21.3	15.4	59.3	36.0	47.6	21.2	27.1	74.7	28.4
High	43.0	19.5	15.1	58.1	33.7	51.5	20.5	25.4	76.9	26.7
Highest	45.9	21.4	8.8	54.7	39.2	58.4	26.0	16.3	74.7	34.8
<b>Region</b>										
Kinshasa	42.3	20.9	16.0	58.3	35.9	50.2	23.8	25.6	75.8	31.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1137)			Married <sup>1</sup> Women with 1 or More Births (N=828)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	41.1	47.4	11.5	47.5	43.6	9.0
<b>Age Group</b>						
15-19	8.8	56.3	34.9	<i>14.7</i>	<i>70.2</i>	<i>15.1</i>
20-24	25.7	62.0	12.3	36.4	54.5	9.1
25-29	41.8	49.7	8.5	48.0	45.5	6.5
30-34	48.0	44.7	7.2	50.9	42.2	7.0
35-39	51.9	39.5	8.7	51.9	39.8	8.3
40-44	56.1	27.4	16.5	57.8	26.0	16.2
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	47.5	43.6	9.0	na	na	na
Unmarried, sexually active	25.7	54.2	20.2	na	na	na
<b>Parity</b>						
0-1 children	33.6	51.1	15.3	47.7	45.9	6.3
2-3 children	44.0	48.8	7.1	49.9	44.8	5.3
4+ children	44.0	41.9	14.1	44.6	40.8	14.6
<b>Residence</b>						
Urban	41.1	47.4	11.5	47.5	43.6	9.0
<b>Education</b>						
Never	<i>32.8</i>	<i>39.8</i>	<i>27.4</i>	<i>37.0</i>	<i>39.0</i>	<i>24.0</i>
Primary	36.8	47.0	16.1	44.8	42.8	12.5
Secondary	41.0	49.4	9.6	46.4	45.9	7.7
Tertiary	58.3	36.0	5.7	64.8	30.8	4.4
<b>Wealth Quintile</b>						
Lowest	32.5	50.1	17.4	34.8	52.6	12.6
Lower	37.2	49.2	13.6	42.9	44.7	12.4
Middle	39.8	51.3	8.9	48.3	45.6	6.2
High	46.7	46.7	6.6	53.1	40.9	6.0
Highest	53.9	36.5	9.6	61.7	31.6	6.7
<b>Region</b>						
Kinshasa	41.1	47.4	11.5	47.5	43.6	9.0

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 570)
<b>Total</b>				
All	36.6	51.8	11.5	
<b>Age Group</b>				
15-19	28.7	48.1	23.2	
20-24	36.2	47.3	16.5	
25-29	36.6	54.0	9.4	
30-34	41.3	52.9	5.8	
35-39	38.1	53.4	8.5	
40-44	<i>27.3</i>	<i>57.0</i>	<i>15.7</i>	
45-49	--	--	--	
<b>Marital Status</b>				
Married, or in union	34.0	57.3	8.8	
Unmarried, sexually active	38.5	46.9	14.5	
<b>Parity</b>				
0-1 children	31.5	52.5	16.0	
2-3 children	47.4	45.0	7.6	
4+ children	33.5	58.1	8.4	
<b>Residence</b>				
Urban	36.6	51.8	11.5	
<b>Education</b>				
Never	<i>56.7</i>	<i>25.2</i>	<i>18.1</i>	
Primary	35.6	51.3	13.0	
Secondary	37.9	50.5	11.7	
Tertiary	27.9	64.3	7.8	
<b>Wealth Quintile</b>				
Lowest	41.0	43.0	16.0	
Lower	46.0	43.8	10.2	
Middle	34.6	51.5	13.9	
High	27.7	64.4	8.0	
Highest	33.7	56.8	9.5	
<b>Region</b>				
Kinshasa	36.6	51.8	11.5	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method <sup>1</sup> who paid fees for services in the past 12 months, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users	Married <sup>2</sup> Modern Contraceptive Users
	(N = 570)	(N = 280)
<b>Total</b>		
All	60.3	60.6
<b>Age Group</b>		
15-19	74.9	--
20-24	66.6	--
25-29	62.0	71.0
30-34	58.6	62.0
35-39	47.4	51.2
40-44	<i>59.3</i>	<i>53.1</i>
45-49	--	--
<b>Marital Status</b>		
Married, or in union	60.6	na
Unmarried, sexually active	62.9	na
<b>Parity</b>		
0-1 children	67.3	<i>74.8</i>
2-3 children	60.5	69.0
4+ children	48.9	49.4
<b>Residence</b>		
Urban	60.3	60.6
<b>Education</b>		
Never	<i>50.1</i>	--
Primary	61.1	56.2
Secondary	59.4	62.2
Tertiary	65.6	<i>64.3</i>
<b>Wealth Quintile</b>		
Lowest	59.9	57.9
Lower	59.8	60.5
Middle	62.1	<i>64.4</i>
High	57.0	<i>54.3</i>
Highest	62.4	65.9
<b>Region</b>		
Kinshasa	60.3	60.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods <sup>2</sup>		Informed about side effects <sup>2</sup>		Told what to do if experienced side effects <sup>2</sup>	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(570)</b>	<b>(280)</b>	<b>(570)</b>	<b>(280)</b>	<b>(214)</b>	<b>(136)</b>
All	36.0	43.2	36.9	48.0	72.7	78.9
<b>Age Group</b>						
15-19	27.9	--	15.8	--	--	--
20-24	27.2	--	26.4	--	<i>59.4</i>	--
25-29	37.4	43.2	35.7	45.8	64.0	70.1
30-34	34.7	41.0	43.4	46.6	79.4	83.7
35-39	46.4	49.9	50.7	52.9	81.7	82.1
40-44	<i>42.9</i>	<i>37.2</i>	<i>49.1</i>	<i>47.3</i>	--	--
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	43.2	na	48.0	na	78.9	na
Unmarried, sexually active	31.1	na	26.1	na	58.9	na
<b>Parity</b>						
0-1 children	25.5	<i>32.3</i>	20.7	<i>32.1</i>	42.8	--
2-3 children	41.6	43.6	45.4	47.0	82.8	82.1
4+ children	47.0	46.4	54.0	53.9	82.1	82.0
<b>Residence</b>						
Urban	36.0	43.2	36.9	48.0	72.7	78.9
<b>Education</b>						
Never	<i>39.1</i>	--	<i>53.7</i>	--	--	--
Primary	38.3	43.4	46.8	51.8	86.2	<i>84.0</i>
Secondary	34.8	41.5	34.3	45.1	69.1	75.0
Tertiary	36.6	<i>54.4</i>	30.8	<i>51.2</i>	<i>64.3</i>	--
<b>Wealth Quintile</b>						
Lowest	35.7	39.0	48.0	54.4	79.5	<i>83.0</i>
Lower	36.3	37.2	42.3	49.3	68.4	<i>67.0</i>
Middle	32.2	<i>39.8</i>	31.0	<i>45.9</i>	<i>61.4</i>	--
High	31.0	<i>49.4</i>	28.2	<i>41.6</i>	76.8	--
Highest	44.3	52.5	35.1	46.9	76.0	<i>84.6</i>
<b>Region</b>						
Kinshasa	36.0	43.2	36.9	48.0	72.7	78.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhoea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 569)</b>	<b>(N = 569)</b>	<b>(N = 569)</b>
All	65.1	67.7	54.7
<b>Age Group</b>			
15-19	69.0	71.1	63.8
20-24	66.2	70.7	57.6
25-29	67.6	69.0	56.6
30-34	61.4	60.4	47.7
35-39	63.3	68.0	53.7
40-44	<i>64.9</i>	<i>68.1</i>	<i>48.7</i>
45-49	--	--	--
<b>Marital Status</b>			
Married, or in union	64.2	66.6	51.7
Unmarried, sexually active	67.1	72.1	59.7
<b>Parity</b>			
0-1 children	63.4	65.6	55.2
2-3 children	69.0	69.7	56.3
4+ children	63.8	69.0	52.2
<b>Residence</b>			
Urban	65.1	67.7	54.7
<b>Education</b>			
Never	<i>71.4</i>	<i>78.7</i>	<i>71.4</i>
Primary	61.0	70.2	52.6
Secondary	65.7	65.4	53.4
Tertiary	65.6	69.9	56.8
<b>Wealth Quintile</b>			
Lowest	61.2	71.9	52.2
Lower	67.9	66.9	58.5
Middle	56.1	55.3	42.1
High	64.6	71.1	55.4
Highest	75.7	74.2	65.6
<b>Region</b>			
Kinshasa	65.1	67.7	54.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(2724)</b>	<b>(1177)</b>	<b>(2724)</b>	<b>(1177)</b>	<b>(2724)</b>	<b>(1177)</b>
All	5.4	6.8	13.2	22.6	16.5	26.2
<b>Age Group</b>						
15-19	2.9	<i>2.3</i>	4.8	<i>23.2</i>	7.0	<i>23.2</i>
20-24	4.9	6.3	11.9	26.1	14.6	28.5
25-29	8.9	10.3	18.6	29.4	24.0	34.4
30-34	5.8	6.0	18.7	26.0	22.8	30.5
35-39	7.1	8.1	18.2	20.7	22.3	25.0
40-44	4.8	5.8	13.8	16.0	16.4	19.0
45-49	2.4	1.7	7.3	9.4	9.0	10.2
<b>Marital Status</b>						
Married, or in union	6.8	na	22.6	na	26.2	na
Unmarried, sexually active	4.1	na	7.7	na	11.0	na
<b>Parity</b>						
0-1 children	3.9	4.9	7.7	21.7	10.3	23.8
2-3 children	8.2	8.5	19.4	22.9	23.9	27.6
4+ children	6.5	6.3	21.2	23.0	25.2	26.4
<b>Residence</b>						
Urban	5.4	6.8	13.2	22.6	16.5	26.2
<b>Education</b>						
Never	7.0	<i>8.9</i>	13.6	<i>15.2</i>	19.4	<i>21.9</i>
Primary	4.5	5.4	14.1	24.4	17.0	27.2
Secondary	5.5	7.1	13.5	22.9	16.6	26.5
Tertiary	6.4	7.6	10.0	20.1	14.7	24.7
<b>Wealth Quintile</b>						
Lowest	8.4	8.5	18.1	23.3	23.2	27.7
Lower	4.9	7.0	12.6	23.6	15.6	27.1
Middle	3.3	5.5	12.0	20.2	13.8	23.5
High	5.0	5.7	10.9	19.7	14.4	23.6
Highest	6.0	7.4	12.8	26.6	16.5	29.4
<b>Region</b>						
Kinshasa	5.4	6.8	13.2	22.6	16.5	26.2

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	N/A	N/A	1918
Households Occupied	N/A	N/A	1843
Households Interviewed	N/A	N/A	1774
Household Response Rate <sup>1</sup>	0.00%	0.00%	96.26%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	N/A	N/A	2830
Number of Eligible Women Interviewed	N/A	N/A	2733
Eligible Woman Response Rate <sup>3</sup>	0.00%	0.00%	96.57%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.209	0.015	0.180	0.242	0.238	0.018	0.203	0.276
Currently using a traditional method	0.214	0.014	0.186	0.244	0.264	0.020	0.227	0.306
Currently using any contraceptive method	0.423	0.019	0.386	0.461	0.502	0.026	0.451	0.554
Currently using DMPA-IM	0.017	0.003	0.012	0.024	0.033	0.006	0.023	0.046
Currently using DMPA-SC	0.005	0.002	0.002	0.012	0.007	0.003	0.003	0.015
Currently using condoms	0.236	0.018	0.202	0.272	0.138	0.014	0.112	0.170
Currently using implants	0.041	0.005	0.032	0.053	0.067	0.009	0.051	0.089
Chose method by self or jointly in past 12 months	0.885	0.019	0.840	0.918	0.912	0.018	0.869	0.942
Paid fees for family planning services in past 12 months	0.328	0.026	0.277	0.383	0.317	0.023	0.273	0.364
Informed by provider about other methods	0.318	0.031	0.260	0.383	0.363	0.034	0.298	0.434
Informed by provider about side effects	0.343	0.027	0.291	0.400	0.450	0.033	0.385	0.517
Satisfied with provider: Would return and refer friend/relative to provider	0.523	0.045	0.433	0.612	0.485	0.045	0.397	0.573
Visited by health worker who talked about family planning in past 12 months	0.054	0.011	0.036	0.079	0.068	0.014	0.045	0.101

<sup>1</sup> Married includes married women and those who are living with a man