



## Performance Monitoring and Accountability 2020

*Measuring Performance, Informing Policy, Empowering Communities.*



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

## Burkina Faso Round 3: Snapshot of Indicators (SOIs)

**Suggested citation:** Institut Supérieur des Sciences de la Population, Université Joseph Ki-Zerbo, Ouagadougou, Burkina Faso, and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 3, PMA2016/Burkina Faso-R3 *Snapshot of indicators*. 2016. Ouagadougou, Burkina Faso and Baltimore, Maryland, USA.

[www.pma2020.org](http://www.pma2020.org)

[facebook.com/GATES.PMA2020](https://facebook.com/GATES.PMA2020)

Twitter: @PMA2020JHU



## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	3268	3261
<b>Age Group</b>			
15-19	23.9	782	809
20-24	18.2	596	602
25-29	18.0	588	580
30-34	13.0	425	442
35-39	12.1	396	361
40-44	8.1	263	263
45-49	6.7	218	204
<b>Marital Status</b>			
Married, or in union	74.8	2444	2239
Unmarried, sexually active	5.0	163	218
<b>Parity</b>			
0-1 children	41.1	1343	1506
2-3 children	22.4	732	738
4+ children	36.4	1191	1016
<b>Residence</b>			
Urban	24.0	783	1606
Rural	76.0	2484	1655
<b>Education</b>			
Never	62.3	2036	1719
Primary	18.0	588	651
Secondary 1 Cycle	14.3	468	621
Secondary 2 Cycles	3.6	116	179
Tertiary	1.4	47	83
<b>Wealth Quintile</b>			
Lowest	35.9	1172	878
Middle	30.4	995	774
Highest	33.7	1101	1609

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	22.8	25.5	21.5	24.2	1.3	1.3
<b>Age Group</b>						
15-19	9.3	13.2	8.5	12.4	0.7	0.8
20-24	27.9	26.6	26.4	25.4	1.5	1.2
25-29	29.7	28.6	28.6	27.6	1.1	1.1
30-34	33.5	34.3	32.4	33.3	1.0	1.0
35-39	26.1	26.9	23.6	24.3	2.5	2.6
40-44	23.5	23.0	21.2	20.9	2.3	2.2
45-49	11.3	12.6	11.3	12.6	0.0	0.0
<b>Marital Status</b>						
Married, or in union	25.5	na	24.2	na	1.3	na
Unmarried, sexually active	43.5	na	41.2	na	2.3	na
<b>Parity</b>						
0-1 children	16.1	18.3	14.8	16.9	1.3	1.4
2-3 children	29.4	29.7	27.7	28.0	1.7	1.6
4+ children	26.3	26.9	25.3	25.9	1.0	1.0
<b>Residence</b>						
Urban	33.8	42.8	31.3	39.2	2.6	3.6
Rural	19.3	21.8	18.5	21.0	0.9	0.8
<b>Education</b>						
Never	19.3	20.5	18.6	19.7	0.7	0.8
Primary	27.7	33.5	25.8	31.2	2.0	2.2
Secondary 1 Cycle	25.9	44.7	24.1	43.4	1.8	1.4
Secondary 2 Cycles	34.5	54.2	32.7	50.0	1.8	4.1
Tertiary	52.5	<i>55.1</i>	42.2	<i>39.7</i>	10.3	<i>15.3</i>
<b>Wealth Quintile</b>						
Lowest	18.3	21.3	17.6	20.5	0.8	0.8
Middle	19.2	22.0	18.4	20.9	0.9	1.1
Highest	30.8	35.2	28.6	33.0	2.2	2.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

	All Users (N = 745)										Married Users <sup>1</sup> (N = 623)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
<b>Total</b>																				
All	0.1	41.9	1.9	24.6	4.5	10.6	0.5	10.1	0.2	5.6	0.1	44.5	2.3	27.5	5.0	10.9	0.4	3.8	0.3	5.1
<b>Age Group</b>																				
15-19	0.0	25.2	0.0	23.0	7.1	10.9	0.0	25.9	0.0	7.9	<i>0.0</i>	<i>29.0</i>	<i>0.0</i>	<i>39.5</i>	<i>10.0</i>	<i>8.5</i>	<i>0.0</i>	<i>6.9</i>	<i>0.0</i>	<i>6.2</i>
20-24	0.0	32.2	1.9	21.8	7.1	12.2	0.3	19.2	0.0	5.4	0.0	35.0	2.6	26.8	9.5	14.5	0.0	7.1	0.0	4.4
25-29	0.0	48.2	0.9	27.8	4.4	5.9	1.1	7.9	0.0	3.9	0.0	49.0	1.0	30.6	5.0	5.9	0.9	3.8	0.0	3.7
30-34	0.0	47.4	2.7	21.8	3.8	14.8	0.8	5.0	0.6	3.1	0.0	48.6	2.9	21.3	4.1	14.9	0.9	3.7	0.7	3.0
35-39	0.0	47.3	2.2	24.9	0.4	13.8	0.0	1.7	0.0	9.6	0.0	47.2	2.3	26.0	0.4	14.0	0.0	0.5	0.0	9.6
40-44	0.0	46.2	5.5	27.2	1.5	6.7	0.0	1.6	1.4	9.8	0.0	47.8	6.3	27.3	0.7	5.8	0.0	1.1	1.6	9.4
45-49	<i>2.2</i>	<i>47.2</i>	<i>0.0</i>	<i>33.9</i>	<i>8.3</i>	<i>4.8</i>	<i>0.0</i>	<i>3.6</i>	<i>0.0</i>	<i>0.0</i>	--	--	--	--	--	--	--	--	--	--
<b>Marital Status</b>																				
Married, or in union	0.1	44.5	2.3	27.5	5.0	10.9	0.4	3.8	0.3	5.1	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	31.4	0.0	11.6	0.8	10.9	0.6	39.4	0.0	5.3	na	na	na	na	na	na	na	na	na	na
<b>Parity</b>																				
0-1 children	0.0	29.0	0.5	16.1	4.3	11.8	0.9	28.7	0.4	8.3	0.0	34.0	1.0	23.5	6.6	15.0	0.9	10.5	0.8	7.7
2-3 children	0.0	38.4	4.0	28.8	7.2	11.3	0.8	3.4	0.4	5.7	0.0	38.2	4.2	29.0	7.6	11.3	0.8	3.1	0.4	5.5
4+ children	0.2	53.3	1.5	27.6	2.7	9.2	0.0	1.8	0.0	3.7	0.2	52.8	1.5	28.0	2.7	9.2	0.0	1.9	0.0	3.9
<b>Residence</b>																				
Urban	0.2	30.1	3.1	15.5	3.2	15.6	1.3	22.6	0.7	7.6	0.3	35.4	4.5	19.2	4.3	17.3	1.4	8.3	0.9	8.4
Rural	0.0	48.4	1.3	29.6	5.2	7.8	0.0	3.1	0.0	4.5	0.0	48.4	1.4	31.0	5.3	8.3	0.0	1.9	0.0	3.7
<b>Education</b>																				
Never	0.0	46.9	1.8	30.6	5.7	7.7	0.4	3.1	0.0	3.8	0.0	45.6	1.9	31.7	6.1	8.0	0.4	2.3	0.0	3.9
Primary	0.0	46.3	1.6	21.9	3.7	12.2	0.0	7.1	0.0	7.1	0.0	50.1	1.8	24.0	2.6	11.7	0.0	3.1	0.0	6.7
Secondary 1 Cycle	0.4	32.0	3.2	16.5	3.3	13.4	0.4	23.8	0.0	7.0	0.7	42.1	5.0	21.5	5.2	16.0	0.0	6.5	0.0	3.0
Secondary 2 Cycles	0.0	26.9	2.3	7.6	3.2	22.4	1.4	28.9	2.2	5.2	<i>0.0</i>	<i>25.6</i>	<i>3.3</i>	<i>7.4</i>	<i>4.7</i>	<i>29.9</i>	<i>2.1</i>	<i>16.2</i>	<i>3.2</i>	<i>7.6</i>
Tertiary	<i>0.0</i>	<i>5.8</i>	<i>0.0</i>	<i>10.1</i>	<i>0.0</i>	<i>13.9</i>	<i>3.6</i>	<i>43.4</i>	<i>3.5</i>	<i>19.7</i>	--	--	--	--	--	--	--	--	--	--
<b>Wealth Quintile</b>																				
Lowest	0.0	46.8	2.0	35.5	5.6	4.1	0.0	1.9	0.0	4.2	0.0	47.7	2.1	35.5	6.0	3.7	0.0	1.1	0.0	3.8
Middle	0.3	48.5	1.1	28.9	2.7	8.1	0.0	6.0	0.0	4.4	0.3	50.9	1.2	29.7	2.9	7.7	0.0	2.5	0.0	4.8
Highest	0.0	35.1	2.3	15.3	4.8	16.1	1.0	17.6	0.5	7.2	0.0	37.4	3.2	19.3	5.6	19.1	1.1	7.1	0.7	6.4

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 3268)			Married Women <sup>1</sup> (N = 2444)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	19.8	4.3	24.2	23.8	5.5	29.3
<b>Age Group</b>						
15-19	13.7	0.8	14.5	25.9	1.5	27.4
20-24	25.0	0.3	25.4	28.8	0.4	29.2
25-29	29.5	2.1	31.5	31.3	2.3	33.6
30-34	26.7	4.2	30.8	28.0	4.5	32.6
35-39	17.5	10.6	28.1	18.8	11.0	29.8
40-44	8.7	12.7	21.5	9.1	13.8	22.9
45-49	5.9	12.5	18.5	6.8	13.2	20.0
<b>Marital Status</b>						
Married, or in union	23.8	5.5	29.3	na	na	na
Unmarried, sexually active	36.3	3.5	39.8	na	na	na
<b>Parity</b>						
0-1 children	15.5	0.5	16.0	24.0	0.6	24.6
2-3 children	25.3	2.4	27.7	26.5	2.3	28.8
4+ children	21.3	9.8	31.1	22.0	10.1	32.1
<b>Residence</b>						
Urban	11.6	3.6	15.2	14.9	6.3	21.2
Rural	22.4	4.6	27.0	25.7	5.3	31.0
<b>Education</b>						
Never	24.0	5.1	29.1	26.3	5.6	31.8
Primary	15.3	4.5	19.8	18.8	5.9	24.7
Secondary 1 Cycle	11.8	1.2	13.0	19.3	2.6	21.9
Secondary 2 Cycles	8.4	2.5	10.8	3.0	5.7	8.8
Tertiary	4.9	0.8	5.7	<i>9.3</i>	<i>1.5</i>	<i>10.8</i>
<b>Wealth Quintile</b>						
Lowest	21.9	4.8	26.7	25.7	5.7	31.5
Middle	24.2	4.7	28.8	27.5	5.5	33.0
Highest	13.7	3.5	17.2	17.0	5.1	22.1

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

### Background

#### Characteristics

Characteristics	All Women (N=3268)					Married Women <sup>2</sup> (N=2444)				
	Any Method	Modern Method <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	22.8	21.5	24.2	47.0	45.8	25.5	24.2	29.3	54.8	44.2
<b>Age Group</b>										
15-19	9.3	8.5	14.5	23.8	35.8	13.2	12.4	27.4	40.6	30.5
20-24	27.9	26.4	25.4	53.3	49.6	26.6	25.4	29.2	55.8	45.6
25-29	29.7	28.6	31.5	61.3	46.6	28.6	27.6	33.6	62.2	44.3
30-34	33.5	32.4	30.8	64.3	50.4	34.3	33.3	32.6	66.9	49.8
35-39	26.1	23.6	28.1	54.2	43.5	26.9	24.3	29.8	56.7	42.8
40-44	23.5	21.2	21.5	45.0	47.2	23.0	20.9	22.9	46.0	45.4
45-49	11.3	11.3	18.5	29.7	37.9	12.6	12.6	20.0	32.6	38.8
<b>Marital Status</b>										
Married, or in union	25.5	24.2	29.3	54.8	44.2	na	na	na	na	na
Unmarried, sexually active	43.5	41.2	39.8	83.4	49.4	na	na	na	na	na
<b>Parity</b>										
0-1 children	16.1	14.8	16.0	32.1	46.0	18.3	16.9	24.6	42.9	39.4
2-3 children	29.4	27.7	27.7	57.1	48.5	29.7	28.0	28.8	58.5	48.0
4+ children	26.3	25.3	31.1	57.4	44.1	26.9	25.9	32.1	59.0	43.9
<b>Residence</b>										
Urban	33.8	31.3	15.2	49.0	63.8	42.8	39.2	21.2	64.0	61.3
Rural	19.3	18.5	27.0	46.3	39.8	21.8	21.0	31.0	52.8	39.7
<b>Education</b>										
Never	19.3	18.6	29.1	48.4	38.4	20.5	19.7	31.8	52.4	37.7
Primary	27.7	25.8	19.8	47.5	54.2	33.5	31.2	24.7	58.2	53.6
Secondary 1 Cycle	25.9	24.1	13.0	38.9	61.9	44.7	43.4	21.9	66.7	65.1
Secondary 2 Cycles	34.5	32.7	10.8	45.4	72.2	54.2	50.0	8.8	62.9	79.5
Tertiary	52.5	42.2	5.7	58.2	72.5	55.1	39.7	10.8	65.9	60.3
<b>Wealth Quintile</b>										
Lowest	18.3	17.6	26.7	45.0	39.0	21.3	20.5	31.5	52.7	38.8
Middle	19.2	18.4	28.8	48.1	38.2	22.0	20.9	33.0	54.9	38.1
Highest	30.8	28.6	17.2	48.0	59.5	35.2	33.0	22.1	57.4	57.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1942)			Married <sup>1</sup> Women with 1 or More Births (N=1845)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	68.7	28.0	3.3	69.4	27.3	3.3
<b>Age Group</b>						
15-19	67.6	32.2	0.2	70.7	29.3	0.0
20-24	73.7	25.9	0.4	75.7	23.9	0.4
25-29	69.8	28.0	2.2	70.4	27.3	2.3
30-34	68.9	28.7	2.4	68.9	28.8	2.3
35-39	66.4	28.3	5.3	66.9	28.6	4.5
40-44	58.8	26.5	14.7	57.1	27.3	15.6
45-49	<i>51.3</i>	<i>27.9</i>	<i>20.8</i>	<i>46.8</i>	<i>30.5</i>	<i>22.8</i>
<b>Marital Status</b>						
Married, or in union	69.4	27.3	3.3	na	na	na
Unmarried, sexually active	<i>64.9</i>	<i>33.6</i>	<i>1.6</i>	na	na	na
<b>Parity</b>						
0-1 children	74.1	25.7	0.2	77.1	22.8	0.1
2-3 children	73.7	25.0	1.2	74.9	24.2	0.9
4+ children	61.9	31.5	6.6	61.5	31.8	6.7
<b>Residence</b>						
Urban	75.4	22.6	2.0	78.6	19.5	1.9
Rural	67.1	29.3	3.6	67.5	28.9	3.6
<b>Education</b>						
Never	67.3	29.3	3.4	67.4	29.2	3.4
Primary	71.1	26.1	2.8	73.2	24.0	2.8
Secondary 1 Cycle	73.2	24.7	2.1	78.1	19.9	2.0
Secondary 2 Cycles	85.7	12.7	1.6	88.6	9.4	2.0
Tertiary	<i>82.3</i>	<i>17.7</i>	<i>0.0</i>	<i>79.4</i>	<i>20.6</i>	<i>0.0</i>
<b>Wealth Quintile</b>						
Lowest	62.2	34.0	3.9	62.5	33.9	3.6
Middle	68.3	27.2	4.5	68.8	26.5	4.6
Highest	77.2	21.5	1.3	79.3	19.4	1.4

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 703)
<b>Total</b>				
All	46.6	44.5	8.9	
<b>Age Group</b>				
15-19	54.6	40.3	5.0	
20-24	37.1	49.9	13.0	
25-29	42.0	46.0	12.0	
30-34	44.9	50.9	4.2	
35-39	55.0	34.7	10.3	
40-44	60.5	34.1	5.5	
45-49	<i>62.9</i>	<i>35.5</i>	<i>1.6</i>	
<b>Marital Status</b>				
Married, or in union	45.6	46.1	8.3	
Unmarried, sexually active	55.4	33.4	11.2	
<b>Parity</b>				
0-1 children	39.7	48.4	11.9	
2-3 children	45.0	47.2	7.8	
4+ children	52.2	40.0	7.8	
<b>Residence</b>				
Urban	40.6	50.1	9.3	
Rural	49.8	41.4	8.8	
<b>Education</b>				
Never	51.0	39.2	9.8	
Primary	48.0	45.8	6.3	
Secondary 1 Cycle	37.3	54.3	8.4	
Secondary 2 Cycles	38.1	53.5	8.4	
Tertiary	<i>28.9</i>	<i>60.2</i>	<i>10.9</i>	
<b>Wealth Quintile</b>				
Lowest	49.8	39.8	10.4	
Middle	50.7	41.8	7.5	
Highest	42.1	49.1	8.8	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method<sup>1</sup> who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 703)	Married <sup>2</sup> Modern Contraceptive Users (N = 591)
<b>Total</b>		
All	69.4	71.2
<b>Age Group</b>		
15-19	74.3	<i>79.6</i>
20-24	69.2	75.3
25-29	70.0	71.2
30-34	73.8	73.9
35-39	68.4	69.4
40-44	50.8	50.3
45-49	<i>75.3</i>	--
<b>Marital Status</b>		
Married, or in union	71.2	na
Unmarried, sexually active	64.2	na
<b>Parity</b>		
0-1 children	68.0	78.0
2-3 children	75.3	75.0
4+ children	66.4	66.3
<b>Residence</b>		
Urban	67.9	77.6
Rural	70.2	68.6
<b>Education</b>		
Never	70.6	70.3
Primary	67.7	68.6
Secondary 1 Cycle	69.5	77.6
Secondary 2 Cycles	76.0	<i>84.4</i>
Tertiary	<i>58.0</i>	--
<b>Wealth Quintile</b>		
Lowest	70.7	70.0
Middle	63.6	63.3
Highest	72.0	77.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods <sup>2</sup>		Informed about side effects <sup>2</sup>		Told what to do if experienced side effects <sup>2</sup>	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(703)</b>	<b>(591)</b>	<b>(702)</b>	<b>(590)</b>	<b>(428)</b>	<b>(369)</b>
All	63.4	67.5	56.6	60.1	85.7	85.4
<b>Age Group</b>						
15-19	46.5	<i>61.3</i>	38.5	<i>48.6</i>	<i>91.2</i>	--
20-24	55.5	62.5	51.6	54.9	83.0	83.9
25-29	66.0	67.5	58.6	61.2	88.7	87.7
30-34	75.5	76.7	66.0	67.9	78.5	77.8
35-39	69.0	69.5	58.2	59.3	89.1	88.9
40-44	53.8	53.1	56.2	55.3	<i>92.1</i>	<i>90.9</i>
45-49	<i>74.3</i>	--	<i>65.7</i>	--	--	--
<b>Marital Status</b>						
Married, or in union	67.5	na	60.1	na	85.4	na
Unmarried, sexually active	44.6	na	43.7	na	<i>89.1</i>	na
<b>Parity</b>						
0-1 children	52.9	65.5	43.6	50.8	85.1	85.2
2-3 children	69.1	70.8	64.9	66.1	81.7	81.3
4+ children	66.4	66.1	59.5	59.5	88.8	88.4
<b>Residence</b>						
Urban	61.1	73.2	50.6	57.6	87.1	87.3
Rural	64.6	65.3	59.8	61.2	85.0	84.6
<b>Education</b>						
Never	62.1	63.3	57.7	58.4	88.9	88.4
Primary	71.8	75.1	62.8	65.9	87.5	86.5
Secondary 1 Cycle	61.4	76.9	54.5	66.2	79.6	80.0
Secondary 2 Cycles	65.7	<i>72.4</i>	46.0	<i>51.4</i>	<i>63.2</i>	--
Tertiary	<i>41.2</i>	--	<i>28.3</i>	--	--	--
<b>Wealth Quintile</b>						
Lowest	60.7	61.0	58.3	57.8	88.7	89.1
Middle	64.3	67.1	61.8	65.2	81.3	81.6
Highest	64.5	73.2	52.4	58.4	86.4	85.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 702)</b>	<b>(N = 702)</b>	<b>(N = 702)</b>
All	86.0	82.9	75.7
<b>Age Group</b>			
15-19	81.4	77.0	71.3
20-24	77.9	80.5	70.0
25-29	90.0	83.2	76.6
30-34	89.3	90.4	83.1
35-39	83.4	83.8	75.4
40-44	95.0	84.2	81.6
45-49	<i>94.3</i>	<i>63.2</i>	<i>63.2</i>
<b>Marital Status</b>			
Married, or in union	88.4	84.2	77.8
Unmarried, sexually active	73.3	75.9	61.8
<b>Parity</b>			
0-1 children	76.4	79.5	67.7
2-3 children	89.4	86.5	81.9
4+ children	90.0	82.6	76.7
<b>Residence</b>			
Urban	87.2	82.4	79.4
Rural	85.4	83.1	73.7
<b>Education</b>			
Never	88.8	81.5	75.2
Primary	86.7	88.7	81.3
Secondary 1 Cycle	83.3	81.2	75.4
Secondary 2 Cycles	65.0	85.2	62.8
Tertiary	<i>80.8</i>	<i>83.2</i>	<i>78.6</i>
<b>Wealth Quintile</b>			
Lowest	90.3	81.5	75.9
Middle	90.8	81.0	79.2
Highest	80.4	84.8	73.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(3268)</b>	<b>(2444)</b>	<b>(3268)</b>	<b>(2444)</b>	<b>(3268)</b>	<b>(2444)</b>
All	14.9	17.0	20.9	25.8	29.7	35.3
<b>Age Group</b>						
15-19	7.1	8.6	6.5	12.4	12.1	17.9
20-24	17.1	18.8	27.9	32.8	35.9	41.0
25-29	19.8	21.1	27.8	29.7	39.0	41.5
30-34	18.5	18.1	30.7	32.0	42.0	42.7
35-39	18.2	17.8	24.5	25.5	34.5	34.7
40-44	13.0	13.4	16.6	17.4	25.5	26.8
45-49	12.8	13.6	13.9	13.3	23.6	23.6
<b>Marital Status</b>						
Married, or in union	17.0	na	25.8	na	35.3	na
Unmarried, sexually active	13.0	na	10.2	na	19.9	na
<b>Parity</b>						
0-1 children	9.6	12.5	12.9	22.0	19.5	29.3
2-3 children	17.2	17.1	28.3	29.1	36.0	36.7
4+ children	19.4	19.5	25.3	25.8	37.4	37.8
<b>Residence</b>						
Urban	7.6	8.9	18.7	27.7	23.5	32.4
Rural	17.2	18.8	21.5	25.3	31.7	35.9
<b>Education</b>						
Never	15.9	17.1	21.4	23.7	30.4	33.2
Primary	15.0	19.6	23.2	30.7	32.6	42.9
Secondary 1 Cycle	12.4	14.9	17.0	34.3	24.9	40.4
Secondary 2 Cycles	8.3	7.7	20.2	31.2	26.5	36.1
Tertiary	7.2	4.3	11.1	21.1	18.3	25.4
<b>Wealth Quintile</b>						
Lowest	18.1	20.1	19.5	23.3	31.1	35.8
Middle	15.3	17.3	21.3	24.4	30.3	34.1
Highest	11.1	12.7	21.9	30.6	27.7	36.0

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	1435	1471	2906
Households Occupied	1410	1454	2864
Households Interviewed	1360	1443	2803
Household Response Rate <sup>1</sup>	96.45%	99.24%	97.87%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	1679	1696	3375
Number of Eligible Women Interviewed	1606	1655	3261
Eligible Woman Response Rate <sup>3</sup>	95.65%	97.58%	96.62%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.215	0.015	0.187	0.246	0.242	0.019	0.206	0.281
Currently using a traditional method	0.013	0.002	0.009	0.019	0.013	0.003	0.009	0.019
Currently using any contraceptive method	0.228	0.015	0.199	0.260	0.255	0.019	0.218	0.295
Currently using DMPA-IM	0.056	0.009	0.040	0.078	0.070	0.012	0.050	0.098
Currently using DMPA-SC	0.010	0.002	0.007	0.016	0.013	0.003	0.008	0.020
Currently using condoms	0.101	0.018	0.070	0.142	0.038	0.010	0.023	0.063
Currently using implants	0.096	0.010	0.077	0.118	0.114	0.013	0.091	0.142
Chose method by self or jointly in past 12 months	0.911	0.020	0.862	0.943	0.917	0.023	0.858	0.953
Paid fees for family planning services in past 12 months	0.664	0.031	0.599	0.723	0.684	0.033	0.616	0.745
Informed by provider about other methods	0.619	0.035	0.548	0.686	0.659	0.037	0.581	0.728
Informed by provider about side effects	0.566	0.038	0.490	0.639	0.601	0.040	0.520	0.678
Satisfied with provider: Would return and refer friend/relative to provider	0.757	0.039	0.671	0.826	0.778	0.039	0.690	0.846
Visited by health worker who talked about family planning in past 12 months	0.149	0.020	0.114	0.192	0.170	0.025	0.126	0.226

<sup>1</sup> Married includes married women and those who are living with a man