



## Performance Monitoring and Accountability 2020

*Measuring Performance, Informing Policy, Empowering Communities.*



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

## Burkina Faso Round 5: Snapshot of Indicators (SOIs)

**Suggested citation:** Burkina Faso Institut national de la statistique et de la démographie (National Institute of Statistics and Demography), and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 5, PMA2017/Burkina Faso-R5 Snapshot of Indicators*. 2017. Ouagadougou, Burkina Faso and Baltimore, Maryland, USA.

[www.pma2020.org](http://www.pma2020.org)

[facebook.com/GATES.PMA2020](https://facebook.com/GATES.PMA2020)

Twitter: @PMA2020JHU



## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	3512	3512
<b>Age Group</b>			
15-19	22.4	787	792
20-24	17.0	596	638
25-29	17.0	598	612
30-34	14.4	506	505
35-39	11.7	412	393
40-44	10.6	372	340
45-49	6.9	241	232
<b>Marital Status</b>			
Married, or in union	74.9	2629	2413
Unmarried, sexually active	5.0	176	240
<b>Parity</b>			
0-1 children	37.8	1329	1508
2-3 children	22.7	797	847
4+ children	39.5	1386	1157
<b>Residence</b>			
Urban	21.6	760	1638
Rural	78.4	2752	1874
<b>Education</b>			
Never	63.8	2239	1882
Primary	16.2	571	624
Secondary 1 Cycle	14.6	513	664
Secondary 2 Cycles	3.7	128	223
Tertiary	1.7	60	116
<b>Wealth Quintile</b>			
Lowest	35.2	1238	937
Middle	33.2	1164	880
Highest	31.6	1110	1695

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	28.0	31.7	26.4	30.1	1.6	1.5
<b>Age Group</b>						
15-19	12.4	22.8	11.2	21.7	1.3	1.1
20-24	31.9	30.6	29.4	28.4	2.4	2.1
25-29	34.0	33.6	32.2	32.1	1.8	1.5
30-34	37.6	36.4	36.7	35.6	0.8	0.8
35-39	36.5	37.1	35.1	35.9	1.4	1.2
40-44	31.7	33.6	30.0	31.6	1.8	2.0
45-49	13.8	13.7	11.9	11.5	2.0	2.2
<b>Marital Status</b>						
Married, or in union	31.7	na	30.1	na	1.5	na
Unmarried, sexually active	50.3	na	45.7	na	4.6	na
<b>Parity</b>						
0-1 children	18.9	23.7	16.8	21.5	2.1	2.2
2-3 children	35.4	35.3	33.4	33.3	2.0	2.0
4+ children	32.5	33.1	31.6	32.1	0.9	1.0
<b>Residence</b>						
Urban	36.9	44.4	32.6	39.0	4.3	5.4
Rural	25.5	29.2	24.7	28.4	0.9	0.8
<b>Education</b>						
Never	25.6	26.8	24.7	25.9	0.9	0.9
Primary	33.4	44.7	32.3	43.4	1.1	1.3
Secondary 1 Cycle	28.2	47.3	24.5	40.3	3.7	6.9
Secondary 2 Cycles	37.5	57.4	32.1	50.3	5.4	7.1
Tertiary	46.8	<i>56.4</i>	39.6	<i>48.4</i>	7.3	<i>8.1</i>
<b>Wealth Quintile</b>						
Lowest	24.6	27.4	23.4	26.5	1.2	1.0
Middle	25.8	29.3	25.1	28.7	0.7	0.6
Highest	34.1	41.0	31.1	37.3	3.1	3.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

	All Users (N = 983)										Married Users <sup>1</sup> (N = 833)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
<b>Total</b>																				
All	0.4	45.1	3.5	15.3	9.7	11.0	0.3	8.3	0.7	5.8	0.4	47.9	4.0	16.6	10.7	11.1	0.1	3.6	0.8	4.8
<b>Age Group</b>																				
15-19	0.0	39.9	0.4	13.2	6.6	9.1	0.4	20.2	0.0	10.2	<i>0.0</i>	<i>55.2</i>	<i>0.7</i>	<i>13.4</i>	<i>8.5</i>	<i>13.3</i>	<i>0.0</i>	<i>4.0</i>	<i>0.0</i>	<i>4.9</i>
20-24	0.0	43.8	0.4	15.0	9.1	9.6	0.4	13.9	0.0	7.7	0.0	47.4	0.6	17.8	11.3	10.6	0.3	5.0	0.0	7.0
25-29	0.0	40.4	2.6	15.9	16.2	12.2	0.3	7.3	0.0	5.2	0.0	41.7	2.4	17.4	16.9	12.5	0.3	4.4	0.0	4.5
30-34	0.0	49.1	4.6	17.6	7.1	13.5	0.5	4.9	0.5	2.2	0.0	50.6	5.1	18.3	7.3	13.0	0.0	3.0	0.6	2.2
35-39	0.0	42.3	6.7	21.7	11.7	8.0	0.0	4.6	1.1	3.9	0.0	44.0	7.0	22.4	12.3	6.2	0.0	3.6	1.2	3.3
40-44	2.6	55.7	5.4	6.8	6.7	11.6	0.0	2.4	3.1	5.7	2.7	55.3	5.6	6.8	6.7	11.5	0.0	2.2	3.3	5.9
45-49	<i>1.3</i>	<i>50.7</i>	<i>8.3</i>	<i>7.1</i>	<i>0.0</i>	<i>15.2</i>	<i>0.0</i>	<i>3.1</i>	<i>0.0</i>	<i>14.3</i>	<i>1.6</i>	<i>49.7</i>	<i>10.2</i>	<i>8.7</i>	<i>0.0</i>	<i>13.8</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>16.1</i>
<b>Marital Status</b>																				
Married, or in union	0.4	47.9	4.0	16.6	10.7	11.1	0.1	3.6	0.8	4.8	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	26.3	0.0	11.0	5.3	12.6	1.4	34.3	0.0	9.1	na	na	na	na	na	na	na	na	na	na
<b>Parity</b>																				
0-1 children	0.0	34.5	1.2	11.6	7.4	10.4	0.8	23.0	0.0	11.0	0.0	42.5	1.9	14.2	10.4	13.4	0.7	7.7	0.0	9.2
2-3 children	0.1	40.6	4.3	14.6	13.0	14.8	0.2	5.6	1.0	5.7	0.1	40.8	4.4	15.5	13.3	14.6	0.0	4.5	1.0	5.8
4+ children	0.7	53.9	4.3	17.7	9.0	9.0	0.0	1.7	0.8	2.9	0.7	53.9	4.4	18.0	9.2	8.3	0.0	1.8	0.8	2.9
<b>Residence</b>																				
Urban	0.8	29.6	6.0	10.0	5.9	14.8	0.9	19.1	1.1	11.7	1.1	32.5	8.4	12.9	6.7	17.2	0.5	6.9	1.6	12.2
Rural	0.2	51.4	2.5	17.4	11.3	9.5	0.0	3.9	0.5	3.4	0.2	52.4	2.7	17.6	11.9	9.3	0.0	2.7	0.5	2.6
<b>Education</b>																				
Never	0.5	52.4	2.3	16.8	10.7	10.3	0.0	2.7	0.6	3.5	0.5	53.0	2.5	17.1	11.2	9.7	0.0	2.1	0.7	3.2
Primary	0.4	42.9	6.4	17.2	10.7	12.5	0.0	5.9	0.7	3.2	0.5	43.7	6.8	18.4	11.5	12.4	0.0	3.1	0.8	2.8
Secondary 1 Cycle	0.0	33.5	2.9	11.3	5.9	11.7	0.0	21.4	0.0	13.2	0.0	35.8	4.3	12.6	7.3	16.3	0.0	9.1	0.0	14.7
Secondary 2 Cycles	0.0	17.6	4.4	9.3	8.8	10.4	0.8	32.3	2.2	14.3	<i>0.0</i>	<i>24.4</i>	<i>7.5</i>	<i>13.2</i>	<i>9.2</i>	<i>13.3</i>	<i>0.0</i>	<i>16.3</i>	<i>3.7</i>	<i>12.4</i>
Tertiary	0.0	18.4	8.9	1.6	3.9	12.3	8.0	30.2	1.3	15.5	<i>0.0</i>	<i>24.4</i>	<i>18.8</i>	<i>3.3</i>	<i>5.3</i>	<i>15.8</i>	<i>7.2</i>	<i>8.2</i>	<i>2.7</i>	<i>14.3</i>
<b>Wealth Quintile</b>																				
Lowest	0.0	61.7	0.9	13.5	9.1	7.7	0.0	2.3	0.0	4.9	0.0	64.1	1.0	13.8	9.6	7.5	0.0	0.5	0.0	3.5
Middle	0.5	48.1	2.5	19.2	12.1	9.2	0.0	4.8	1.1	2.6	0.5	49.4	2.7	19.1	12.7	9.2	0.0	3.4	1.2	1.9
Highest	0.6	29.5	6.4	13.7	8.4	15.1	0.7	15.8	0.8	9.0	0.8	30.8	8.2	16.8	9.8	16.5	0.3	6.8	1.1	8.9

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 3512)			Married Women <sup>1</sup> (N = 2629)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	15.4	3.4	18.8	18.6	4.1	22.7
<b>Age Group</b>						
15-19	10.5	0.4	10.8	20.3	0.0	20.3
20-24	22.5	0.1	22.6	27.3	0.1	27.4
25-29	24.9	0.7	25.6	26.4	0.7	27.2
30-34	18.9	2.0	21.0	19.9	2.1	22.0
35-39	13.4	7.3	20.7	14.2	7.6	21.9
40-44	6.9	11.1	18.0	7.2	12.2	19.4
45-49	0.0	12.5	12.5	0.0	11.9	11.9
<b>Marital Status</b>						
Married, or in union	18.6	4.1	22.7	na	na	na
Unmarried, sexually active	24.8	6.1	30.8	na	na	na
<b>Parity</b>						
0-1 children	11.2	0.5	11.8	18.1	0.1	18.2
2-3 children	23.7	0.7	24.4	24.6	0.6	25.2
4+ children	14.7	7.7	22.4	15.4	7.9	23.3
<b>Residence</b>						
Urban	10.0	2.2	12.2	13.9	3.6	17.4
Rural	16.9	3.7	20.7	19.5	4.2	23.8
<b>Education</b>						
Never	17.8	4.7	22.5	19.7	4.9	24.6
Primary	13.2	1.9	15.1	14.9	2.4	17.2
Secondary 1 Cycle	10.7	0.5	11.2	17.9	1.1	19.0
Secondary 2 Cycles	7.3	0.3	7.6	9.4	0.8	10.2
Tertiary	6.6	0.6	7.2	<i>11.2</i>	<i>0.0</i>	<i>11.2</i>
<b>Wealth Quintile</b>						
Lowest	17.4	3.8	21.1	19.8	4.3	24.1
Middle	17.4	3.8	21.2	20.2	4.3	24.5
Highest	11.2	2.5	13.7	14.7	3.8	18.5

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

### Background

#### Characteristics

Characteristics	All Women (N=3512)					Married Women <sup>2</sup> (N=2629)				
	Any Method	Modern <sup>1</sup> Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup> Method	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	28.0	26.4	18.8	46.8	56.3	31.7	30.1	22.7	54.4	55.4
<b>Age Group</b>										
15-19	12.4	11.2	10.8	23.3	48.0	22.8	21.7	20.3	43.1	50.3
20-24	31.9	29.4	22.6	54.5	54.0	30.6	28.4	27.4	57.9	49.1
25-29	34.0	32.2	25.6	59.6	54.1	33.6	32.1	27.2	60.8	52.8
30-34	37.6	36.7	21.0	58.5	62.8	36.4	35.6	22.0	58.4	60.9
35-39	36.5	35.1	20.7	57.2	61.4	37.1	35.9	21.9	58.9	60.9
40-44	31.7	30.0	18.0	49.7	60.2	33.6	31.6	19.4	53.0	59.7
45-49	13.8	11.9	12.5	26.3	45.1	13.7	11.5	11.9	25.5	44.9
<b>Marital Status</b>										
Married, or in union	31.7	30.1	22.7	54.4	55.4	na	na	na	na	na
Unmarried, sexually active	50.3	45.7	30.8	81.1	56.4	na	na	na	na	na
<b>Parity</b>										
0-1 children	18.9	16.8	11.8	30.7	54.8	23.7	21.5	18.2	41.8	51.4
2-3 children	35.4	33.4	24.4	59.8	55.8	35.3	33.3	25.2	60.5	55.0
4+ children	32.5	31.6	22.4	54.9	57.5	33.1	32.1	23.3	56.4	57.0
<b>Residence</b>										
Urban	36.9	32.6	12.2	49.1	66.4	44.4	39.0	17.4	61.8	63.1
Rural	25.5	24.7	20.7	46.2	53.4	29.2	28.4	23.8	53.0	53.7
<b>Education</b>										
Never	25.6	24.7	22.5	48.0	51.3	26.8	25.9	24.6	51.4	50.5
Primary	33.4	32.3	15.1	48.5	66.6	44.7	43.4	17.2	61.9	70.1
Secondary 1 Cycle	28.2	24.5	11.2	39.3	62.2	47.3	40.3	19.0	66.3	60.8
Secondary 2 Cycles	37.5	32.1	7.6	45.1	71.2	57.4	50.3	10.2	67.6	74.4
Tertiary	46.8	39.6	7.2	54.0	73.3	<i>56.4</i>	<i>48.4</i>	<i>11.2</i>	<i>67.7</i>	<i>71.5</i>
<b>Wealth Quintile</b>										
Lowest	24.6	23.4	21.1	45.7	51.1	27.4	26.5	24.1	51.5	51.4
Middle	25.8	25.1	21.2	47.1	53.4	29.3	28.7	24.5	53.7	53.5
Highest	34.1	31.1	13.7	47.9	64.9	41.0	37.3	18.5	59.5	62.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=2033)			Married <sup>1</sup> Women with 1 or More Births (N=1928)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	73.0	25.7	1.3	74.4	24.5	1.1
<b>Age Group</b>						
15-19	72.0	27.8	0.2	78.4	21.6	0.0
20-24	69.3	30.7	0.0	72.1	27.9	0.0
25-29	72.7	26.6	0.7	73.6	26.1	0.3
30-34	76.3	23.3	0.4	76.2	23.4	0.4
35-39	77.9	19.4	2.7	77.3	20.0	2.7
40-44	67.9	27.2	5.0	68.8	26.9	4.3
45-49	<i>75.7</i>	<i>11.2</i>	<i>13.1</i>	<i>77.3</i>	<i>12.2</i>	<i>10.5</i>
<b>Marital Status</b>						
Married, or in union	74.4	24.5	1.1	na	na	na
Unmarried, sexually active	48.2	47.3	4.5	na	na	na
<b>Parity</b>						
0-1 children	75.3	24.6	0.1	81.4	18.6	0.0
2-3 children	72.8	26.8	0.5	73.3	26.6	0.1
4+ children	72.1	25.5	2.5	72.2	25.6	2.2
<b>Residence</b>						
Urban	73.0	26.1	0.9	77.7	21.6	0.7
Rural	73.0	25.6	1.4	73.8	25.1	1.1
<b>Education</b>						
Never	73.5	24.9	1.6	73.9	24.7	1.4
Primary	74.1	25.6	0.4	75.3	24.3	0.4
Secondary 1 Cycle	66.2	33.4	0.4	75.5	24.5	0.0
Secondary 2 Cycles	73.9	26.1	0.0	75.1	24.9	0.0
Tertiary	<i>81.7</i>	<i>16.6</i>	<i>1.8</i>	<i>85.1</i>	<i>14.9</i>	<i>0.0</i>
<b>Wealth Quintile</b>						
Lowest	71.5	27.2	1.3	71.9	27.0	1.1
Middle	73.6	25.0	1.4	73.8	25.1	1.1
Highest	74.3	24.6	1.1	78.7	20.3	1.0

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 927)
<b>Total</b>				
All	59.9	29.9	10.1	
<b>Age Group</b>				
15-19	40.5	39.5	20.1	
20-24	55.1	33.5	11.4	
25-29	64.9	26.6	8.5	
30-34	61.8	27.7	10.5	
35-39	67.3	24.8	7.8	
40-44	58.1	35.6	6.3	
45-49	<i>73.8</i>	<i>18.7</i>	<i>7.5</i>	
<b>Marital Status</b>				
Married, or in union	61.4	29.9	8.7	
Unmarried, sexually active	56.4	22.0	21.6	
<b>Parity</b>				
0-1 children	47.6	36.5	15.9	
2-3 children	61.6	27.6	10.8	
4+ children	65.2	28.0	6.8	
<b>Residence</b>				
Urban	53.9	31.5	14.6	
Rural	62.2	29.3	8.5	
<b>Education</b>				
Never	62.8	28.9	8.2	
Primary	60.2	28.0	11.8	
Secondary 1 Cycle	52.1	35.6	12.3	
Secondary 2 Cycles	53.3	30.7	16.0	
Tertiary	<i>43.0</i>	<i>36.0</i>	<i>21.0</i>	
<b>Wealth Quintile</b>				
Lowest	59.7	33.6	6.7	
Middle	60.7	28.5	10.8	
Highest	59.5	28.0	12.4	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method<sup>1</sup> who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 925)	Married <sup>2</sup> Modern Contraceptive Users (N = 791)
<b>Total</b>		
All	84.2	83.5
<b>Age Group</b>		
15-19	87.0	<i>85.5</i>
20-24	85.7	85.7
25-29	85.6	84.9
30-34	79.1	77.8
35-39	89.5	89.1
40-44	80.7	80.2
45-49	<i>76.2</i>	<i>78.3</i>
<b>Marital Status</b>		
Married, or in union	83.5	na
Unmarried, sexually active	94.5	na
<b>Parity</b>		
0-1 children	90.2	91.9
2-3 children	86.6	86.2
4+ children	79.6	79.3
<b>Residence</b>		
Urban	88.1	88.7
Rural	82.7	82.1
<b>Education</b>		
Never	82.2	81.7
Primary	85.4	84.7
Secondary 1 Cycle	88.2	89.9
Secondary 2 Cycles	91.4	<i>93.3</i>
Tertiary	<i>86.4</i>	--
<b>Wealth Quintile</b>		
Lowest	80.7	80.0
Middle	85.1	83.8
Highest	86.3	86.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods <sup>2</sup>		Informed about side effects <sup>2</sup>		Told what to do if experienced side effects <sup>2</sup>	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(927)</b>	<b>(793)</b>	<b>(927)</b>	<b>(793)</b>	<b>(496)</b>	<b>(426)</b>
All	64.9	69.2	52.1	55.6	92.8	93.5
<b>Age Group</b>						
15-19	54.1	<i>75.6</i>	40.7	<i>52.9</i>	<i>95.7</i>	--
20-24	65.8	73.0	41.4	45.8	91.0	90.3
25-29	63.0	66.5	50.4	52.0	89.4	91.1
30-34	60.4	61.4	52.5	54.2	96.3	97.4
35-39	69.6	69.5	59.8	60.9	90.0	90.2
40-44	75.3	76.0	67.1	66.6	95.7	95.5
45-49	<i>71.1</i>	<i>80.8</i>	<i>63.6</i>	<i>72.9</i>	--	--
<b>Marital Status</b>						
Married, or in union	69.2	na	55.6	na	93.5	na
Unmarried, sexually active	32.8	na	31.8	na	86.7	na
<b>Parity</b>						
0-1 children	57.0	73.0	40.5	49.1	89.6	93.4
2-3 children	64.7	66.7	43.7	44.4	93.9	94.3
4+ children	69.1	69.6	63.1	64.2	93.4	93.2
<b>Residence</b>						
Urban	63.4	73.7	48.8	56.7	87.7	90.8
Rural	65.5	68.1	53.3	55.4	94.5	94.3
<b>Education</b>						
Never	64.4	66.2	56.5	58.0	92.6	92.6
Primary	72.7	75.2	50.7	52.7	97.1	97.0
Secondary 1 Cycle	60.2	74.7	39.3	47.5	88.5	92.7
Secondary 2 Cycles	57.6	<i>70.3</i>	41.4	<i>49.5</i>	<i>95.5</i>	--
Tertiary	<i>53.4</i>	--	<i>46.9</i>	--	--	--
<b>Wealth Quintile</b>						
Lowest	63.2	65.9	55.8	57.7	94.7	94.4
Middle	64.9	67.1	55.1	56.5	93.7	93.7
Highest	66.4	74.8	46.4	52.7	90.0	92.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 921)</b>	<b>(N = 921)</b>	<b>(N = 921)</b>
All	90.0	90.0	84.7
<b>Age Group</b>			
15-19	92.6	94.9	91.7
20-24	92.3	88.0	84.7
25-29	90.9	87.8	84.8
30-34	90.2	93.0	87.7
35-39	86.0	88.0	78.1
40-44	86.4	91.3	82.0
45-49	<i>95.7</i>	<i>88.6</i>	<i>87.3</i>
<b>Marital Status</b>			
Married, or in union	90.7	91.1	85.5
Unmarried, sexually active	84.3	84.9	79.9
<b>Parity</b>			
0-1 children	90.9	89.6	87.1
2-3 children	91.1	87.9	84.0
4+ children	88.9	91.5	83.8
<b>Residence</b>			
Urban	86.3	84.2	81.5
Rural	91.4	92.1	85.8
<b>Education</b>			
Never	91.2	91.0	85.2
Primary	89.5	89.3	84.5
Secondary 1 Cycle	85.8	87.6	81.8
Secondary 2 Cycles	91.6	92.5	88.8
Tertiary	<i>86.5</i>	<i>82.1</i>	<i>82.1</i>
<b>Wealth Quintile</b>			
Lowest	94.8	94.4	90.2
Middle	88.7	87.9	81.0
Highest	87.1	88.2	83.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(3512)</b>	<b>(2629)</b>	<b>(3512)</b>	<b>(2629)</b>	<b>(3512)</b>	<b>(2629)</b>
All	21.4	23.8	26.3	32.6	38.0	44.1
<b>Age Group</b>						
15-19	16.7	25.2	11.5	29.7	23.2	41.1
20-24	25.2	27.6	32.6	39.1	44.6	50.7
25-29	22.8	23.8	37.5	38.9	47.2	49.1
30-34	24.9	25.5	33.7	34.8	45.2	46.2
35-39	21.5	21.4	28.4	29.2	41.4	42.1
40-44	20.7	22.7	25.8	27.1	36.6	38.9
45-49	18.3	16.5	13.2	14.4	27.7	26.3
<b>Marital Status</b>						
Married, or in union	23.8	na	32.6	na	44.1	na
Unmarried, sexually active	19.8	na	11.5	na	27.0	na
<b>Parity</b>						
0-1 children	16.9	20.7	15.8	29.1	27.3	39.8
2-3 children	22.2	22.8	32.8	33.4	44.0	44.9
4+ children	25.3	25.8	32.7	33.7	44.7	45.6
<b>Residence</b>						
Urban	8.7	9.2	20.3	28.3	25.9	33.2
Rural	25.0	26.7	28.0	33.4	41.3	46.2
<b>Education</b>						
Never	23.8	25.0	30.6	33.3	42.4	45.2
Primary	17.8	22.1	24.0	32.7	33.5	42.9
Secondary 1 Cycle	18.2	21.6	14.9	27.9	28.4	40.6
Secondary 2 Cycles	16.9	9.9	13.4	22.0	28.0	29.2
Tertiary	4.9	5.3	15.8	28.2	19.5	30.3
<b>Wealth Quintile</b>						
Lowest	23.9	26.0	27.7	33.0	39.0	44.0
Middle	25.3	26.9	30.0	35.3	43.9	48.8
Highest	14.7	16.6	21.0	28.5	30.6	38.0

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	1436	1470	2906
Households Occupied	1406	1448	2854
Households Interviewed	1369	1442	2811
Household Response Rate <sup>1</sup>	97.37%	99.59%	98.49%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	1685	1906	3591
Number of Eligible Women Interviewed	1638	1874	3512
Eligible Woman Response Rate <sup>3</sup>	97.21%	98.32%	97.80%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.264	0.017	0.231	0.300	0.301	0.023	0.257	0.350
Currently using a traditional method	0.016	0.003	0.011	0.024	0.015	0.003	0.010	0.023
Currently using any contraceptive method	0.280	0.018	0.246	0.317	0.317	0.024	0.272	0.365
Currently using DMPA-IM	0.043	0.007	0.030	0.060	0.052	0.009	0.037	0.075
Currently using DMPA-SC	0.027	0.005	0.019	0.040	0.034	0.007	0.022	0.051
Currently using condoms	0.083	0.013	0.060	0.112	0.036	0.008	0.024	0.055
Currently using implants	0.126	0.012	0.105	0.151	0.152	0.015	0.125	0.183
Chose method by self or jointly in past 12 months	0.899	0.017	0.860	0.928	0.913	0.019	0.866	0.944
Paid fees for family planning services in past 12 months	0.842	0.020	0.799	0.877	0.835	0.021	0.790	0.871
Informed by provider about other methods	0.649	0.037	0.572	0.720	0.692	0.039	0.609	0.765
Informed by provider about side effects	0.521	0.027	0.466	0.575	0.556	0.029	0.498	0.613
Satisfied with provider: Would return and refer friend/relative to provider	0.847	0.027	0.785	0.893	0.855	0.029	0.788	0.904
Visited by health worker who talked about family planning in past 12 months	0.214	0.029	0.163	0.277	0.238	0.035	0.177	0.314

<sup>1</sup> Married includes married women and those who are living with a man