



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

## Democratic Republic of Congo (Kongo Central) Snapshot of Indicator Phase 1 (2020) Survey

Suggested citation: Tulane University School of Public Health, University of Kinshasa School of Public Health and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Survey Phase 1 Snapshot of Indicators, PMA/DRC-P1 (Kinshasa & Kongo Central) SOIs. 2020.* Kinshasa, DRC and Baltimore, Maryland, USA.

## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	1950	1950
<b>Age Group</b>			
15-19	21.3	414	427
20-24	16.4	321	327
25-29	15.8	307	292
30-34	14.4	281	288
35-39	13.4	262	268
40-44	10.4	203	193
45-49	8.3	162	155
<b>Marital Status</b>			
Married, or in union	63.6	1241	1188
Unmarried, sexually active	12.7	248	278
<b>Parity</b>			
0-1 children	39.4	767	805
2-3 children	26.1	509	510
4+ children	33.9	662	626
<b>Residence</b>			
Urban	100.0	1950	1950
<b>Education</b>			
Never	11.7	228	199
Primary	28.7	560	521
Secondary	56.4	1100	1150
Higher	3.1	60	76
<b>Wealth Quintile</b>			
Lowest	17.6	343	251
Lower	17.8	348	289
Middle	19.4	378	338
High	22.0	429	474
Highest	23.2	453	598
<b>Region</b>			
Kongo Central	100.0	1950	1950

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	36.1	40.3	22.8	23.8	13.3	16.5
<b>Age Group</b>						
15-19	22.4	38.5	15.2	24.1	7.2	14.4
20-24	38.6	33.9	25.4	20.7	13.2	13.2
25-29	49.7	48.8	32.3	27.8	17.4	21.0
30-34	45.5	45.7	25.9	24.9	19.6	20.8
35-39	44.8	46.9	27.5	28.7	17.4	18.2
40-44	30.9	35.2	20.8	23.4	10.1	11.8
45-49	16.4	18.6	8.3	10.1	8.2	8.5
<b>Marital Status</b>						
Married, or in union	40.3	na	23.8	na	16.5	na
Unmarried, sexually active	54.0	na	40.1	na	13.8	na
<b>Parity</b>						
0-1 children	28.1	31.1	19.2	19.8	8.9	11.3
2-3 children	41.8	43.7	27.2	26.3	14.6	17.4
4+ children	41.2	42.5	23.7	24.3	17.6	18.2
<b>Residence</b>						
Urban	36.1	40.3	22.8	23.8	13.3	16.5
<b>Education</b>						
Never	29.2	35.6	16.6	19.6	12.7	16.0
Primary	31.6	37.0	18.9	22.0	12.7	15.0
Secondary	38.8	43.8	25.3	26.2	13.4	17.6
Higher	53.6	37.2	35.1	24.6	18.5	12.5
<b>Wealth Quintile</b>						
Lowest	28.4	34.9	14.6	16.2	13.7	18.7
Lower	26.9	32.0	16.0	18.3	10.9	13.7
Middle	30.9	34.6	19.6	20.6	11.2	14.0
High	38.3	42.9	26.2	28.7	12.1	14.3
Highest	51.3	58.3	33.4	36.0	17.8	22.3
<b>Region</b>						
Kongo Central	36.1	40.3	22.8	23.8	13.3	16.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

	All Users (N = 704)										Married Users <sup>1</sup> (N = 500)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
<b>Total</b>																				
All	1.7	22.8	0.5	8.8	2.6	5.9	4.4	14.6	1.7	36.9	2.4	24.0	0.4	10.0	3.0	5.7	1.7	10.4	1.7	40.8
<b>Age Group</b>																				
15-19	0.0	12.6	0.0	1.8	1.2	1.0	12.4	37.8	1.0	32.1	<i>0.0</i>	<i>12.4</i>	<i>0.0</i>	<i>1.4</i>	<i>0.4</i>	<i>1.2</i>	<i>6.6</i>	<i>40.6</i>	<i>0.0</i>	<i>37.4</i>
20-24	0.0	17.5	1.7	4.5	2.8	12.1	4.7	18.4	4.1	34.2	0.0	20.6	1.2	3.7	4.9	8.6	1.0	13.8	7.4	38.9
25-29	0.9	33.0	0.0	3.0	3.1	1.6	5.4	16.2	1.8	35.0	1.2	34.8	0.0	3.1	2.6	1.8	2.0	10.3	1.1	43.0
30-34	0.6	22.8	0.0	15.0	4.5	4.5	1.5	7.0	1.0	43.1	0.7	23.2	0.0	12.6	5.3	3.0	1.0	7.9	0.9	45.6
35-39	1.6	27.2	0.3	15.6	1.7	6.1	1.1	6.4	1.3	38.7	1.8	24.5	0.3	17.9	1.9	6.7	1.3	5.9	0.8	38.8
40-44	9.4	18.4	2.1	11.9	0.9	16.7	3.4	3.9	0.7	32.7	10.2	15.9	1.7	12.9	0.9	18.1	1.8	4.3	0.8	33.4
45-49	<i>7.7</i>	<i>15.7</i>	<i>0.0</i>	<i>19.6</i>	<i>1.4</i>	<i>0.0</i>	<i>0.0</i>	<i>5.5</i>	<i>0.5</i>	<i>49.7</i>	<i>9.3</i>	<i>17.5</i>	<i>0.0</i>	<i>18.5</i>	<i>1.7</i>	<i>0.0</i>	<i>0.0</i>	<i>6.7</i>	<i>0.6</i>	<i>45.6</i>
<b>Marital Status</b>																				
Married, or in union	2.4	24.0	0.4	10.0	3.0	5.7	1.7	10.4	1.7	40.8	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	18.3	0.3	8.4	2.3	9.5	11.1	23.6	0.9	25.6	na	na	na	na	na	na	na	na	na	na
<b>Parity</b>																				
0-1 children	0.0	15.2	0.3	4.0	3.5	6.0	10.6	25.5	3.2	31.6	0.0	20.4	0.9	3.0	5.3	4.4	4.9	19.9	5.0	36.2
2-3 children	0.9	29.5	0.0	8.7	2.9	4.7	2.2	14.5	1.8	34.9	1.1	28.0	0.0	8.5	3.7	4.5	1.2	11.6	1.5	39.9
4+ children	3.7	23.8	0.6	12.8	1.6	6.9	1.3	6.3	0.6	42.6	4.1	22.5	0.5	13.4	1.7	7.0	0.9	6.3	0.6	42.9
<b>Residence</b>																				
Urban	1.7	22.8	0.5	8.8	2.6	5.9	4.4	14.6	1.7	36.9	2.4	24.0	0.4	10.0	3.0	5.7	1.7	10.4	1.7	40.8
<b>Education</b>																				
Never	2.0	25.3	0.0	13.6	0.0	12.5	0.0	3.3	0.0	43.3	2.2	25.7	0.0	12.7	0.0	13.4	0.0	1.2	0.0	44.9
Primary	3.7	26.9	0.4	10.1	1.3	5.6	0.9	9.7	1.1	40.3	4.2	25.5	0.2	11.2	1.5	5.4	1.0	9.1	1.2	40.6
Secondary	1.0	21.8	0.7	7.6	3.5	5.5	5.4	17.5	2.3	34.7	1.5	22.8	0.6	8.4	4.2	4.3	2.5	13.0	2.4	40.3
Higher	<i>0.0</i>	<i>8.5</i>	<i>0.0</i>	<i>7.2</i>	<i>2.7</i>	<i>0.0</i>	<i>19.8</i>	<i>26.2</i>	<i>1.1</i>	<i>34.5</i>	--	--	--	--	--	--	--	--	--	--
<b>Wealth Quintile</b>																				
Lowest	0.0	20.5	1.4	8.9	1.0	4.1	0.0	12.7	3.0	48.4	0.0	19.5	0.0	10.6	1.2	4.9	0.0	7.0	3.4	53.5
Lower	2.8	24.8	0.0	5.7	0.1	12.1	0.6	12.5	1.0	40.4	3.2	26.1	0.0	6.5	0.1	9.1	0.7	11.2	0.3	42.7
Middle	2.9	25.9	0.0	11.1	0.0	7.3	0.7	13.4	2.3	36.4	3.6	24.3	0.0	12.1	0.0	9.1	0.9	6.8	2.9	40.4
High	3.1	25.3	0.9	10.5	3.6	2.8	5.5	15.5	1.2	31.6	5.0	28.6	1.0	12.3	3.1	1.7	2.6	12.2	0.1	33.2
Highest	0.3	19.6	0.4	7.6	4.7	5.7	8.9	16.4	1.6	34.8	0.5	21.7	0.7	8.5	7.6	4.8	3.1	13.1	1.7	38.2
<b>Region</b>																				
Kongo Central	1.7	22.8	0.5	8.8	2.6	5.9	4.4	14.6	1.7	36.9	2.4	24.0	0.4	10.0	3.0	5.7	1.7	10.4	1.7	40.8

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

### Background

#### Characteristics

#### Short Acting Methods<sup>1</sup>

#### Long Acting Methods<sup>2</sup>

	All Women (N = 1950)	Married Women <sup>3</sup> (N = 1241)	All Women (N = 1950)	Married Women <sup>3</sup> (N = 1241)
<b>Total</b>				
All	13.7	13.1	9.0	10.8
<b>Age Group</b>				
15-19	12.4	19.4	2.8	4.8
20-24	18.0	13.3	7.4	7.4
25-29	15.5	10.2	16.8	17.6
30-34	15.2	14.0	10.6	10.9
35-39	14.4	16.2	13.0	12.5
40-44	11.6	13.6	9.2	9.8
45-49	4.4	5.1	3.8	5.0
<b>Marital Status</b>				
Married, or in union	13.1	na	10.8	na
Unmarried, sexually active	30.1	na	10.0	na
<b>Parity</b>				
0-1 children	14.8	13.2	4.4	6.6
2-3 children	14.5	13.5	12.7	12.7
4+ children	12.1	12.8	11.6	11.5
<b>Residence</b>				
Urban	13.7	13.1	9.0	10.8
<b>Education</b>				
Never	8.6	9.7	8.0	9.9
Primary	9.1	10.9	9.8	11.1
Secondary	16.2	15.3	9.1	10.9
Higher	30.6	16.3	4.6	8.3
<b>Wealth Quintile</b>				
Lowest	8.4	9.5	6.2	6.8
Lower	8.6	8.9	7.4	9.4
Middle	10.8	11.0	8.9	9.6
High	15.0	13.8	11.2	14.9
Highest	23.0	22.6	10.4	13.3
<b>Region</b>				
Kongo Central	13.7	13.1	9.0	10.8

<sup>1</sup> Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

<sup>2</sup> Long-acting methods include IUD, implants, and sterilization (male and female).

<sup>3</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

### Background Characteristics

	All Women (N = 1950)			Married Women <sup>1</sup> (N = 1241)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	17.8	5.7	23.5	20.0	7.7	27.7
<b>Age Group</b>						
15-19	21.7	2.8	24.5	41.8	5.7	47.5
20-24	27.1	6.6	33.7	30.8	10.0	40.8
25-29	21.3	4.2	25.5	25.0	5.0	30.0
30-34	16.9	8.0	24.9	18.6	8.7	27.2
35-39	15.8	7.2	23.0	18.1	8.6	26.7
40-44	6.6	7.2	13.8	8.2	8.4	16.5
45-49	2.0	5.8	7.8	0.6	5.7	6.4
<b>Marital Status</b>						
Married, or in union	20.0	7.7	27.7	na	na	na
Unmarried, sexually active	28.4	4.2	32.7	na	na	na
<b>Parity</b>						
0-1 children	20.4	2.4	22.8	30.9	4.1	35.0
2-3 children	18.9	6.7	25.6	19.7	7.5	27.1
4+ children	13.5	8.7	22.2	14.9	9.5	24.4
<b>Residence</b>						
Urban	17.8	5.7	23.5	20.0	7.7	27.7
<b>Education</b>						
Never	20.6	4.5	25.1	21.3	5.1	26.4
Primary	17.9	7.6	25.5	20.0	9.1	29.2
Secondary	17.7	5.2	23.0	19.9	7.7	27.5
Higher	8.7	0.0	8.7	<i>13.9</i>	<i>0.0</i>	<i>13.9</i>
<b>Wealth Quintile</b>						
Lowest	23.5	8.8	32.3	26.8	12.1	38.9
Lower	20.8	9.8	30.6	24.2	12.0	36.2
Middle	18.4	6.6	25.0	19.1	7.9	27.1
High	18.5	2.8	21.4	19.3	3.7	23.1
Highest	10.2	2.1	12.3	10.5	2.3	12.7
<b>Region</b>						
Kongo Central	17.8	5.7	23.5	20.0	7.7	27.7

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

### Background

#### Characteristics

Characteristics	All Women (N=1950)					Married Women <sup>2</sup> (N=1241)				
	Any Method	Modern Method <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	36.1	22.8	23.5	59.6	38.2	40.3	23.8	27.7	67.9	35.1
<b>Age Group</b>										
15-19	22.4	15.2	24.5	46.9	32.4	38.5	24.1	47.5	86.0	28.0
20-24	38.6	25.4	33.7	72.3	35.1	33.9	20.7	40.8	74.7	27.7
25-29	49.7	32.3	25.5	75.2	42.9	48.8	27.8	30.0	78.9	35.3
30-34	45.5	25.9	24.9	70.3	36.8	45.7	24.9	27.2	72.9	34.1
35-39	44.8	27.5	23.0	67.9	40.5	46.9	28.7	26.7	73.5	39.0
40-44	30.9	20.8	13.8	44.7	46.6	35.2	23.4	16.5	51.7	45.3
45-49	16.4	8.3	7.8	24.3	34.1	18.6	10.1	6.4	25.0	40.5
<b>Marital Status</b>										
Married, or in union	40.3	23.8	27.7	67.9	35.1	na	na	na	na	na
Unmarried, sexually active	54.0	40.1	32.7	86.6	46.3	na	na	na	na	na
<b>Parity</b>										
0-1 children	28.1	19.2	22.8	50.9	37.7	31.1	19.8	35.0	66.1	30.0
2-3 children	41.8	27.2	25.6	67.5	40.4	43.7	26.3	27.1	70.8	37.1
4+ children	41.2	23.7	22.2	63.5	37.3	42.5	24.3	24.4	67.0	36.3
<b>Residence</b>										
Urban	36.1	22.8	23.5	59.6	38.2	40.3	23.8	27.7	67.9	35.1
<b>Education</b>										
Never	29.2	16.6	25.1	54.4	30.5	35.6	19.6	26.4	62.0	31.6
Primary	31.6	18.9	25.5	57.2	33.1	37.0	22.0	29.2	66.1	33.2
Secondary	38.8	25.3	23.0	61.8	41.0	43.8	26.2	27.5	71.3	36.7
Higher	53.6	35.1	8.7	62.3	56.3	37.2	24.6	13.9	51.1	--
<b>Wealth Quintile</b>										
Lowest	28.4	14.6	32.3	60.7	24.1	34.9	16.2	38.9	73.8	22.0
Lower	26.9	16.0	30.6	57.5	27.9	32.0	18.3	36.2	68.2	26.9
Middle	30.9	19.6	25.0	55.9	35.1	34.6	20.6	27.1	61.7	33.4
High	38.3	26.2	21.4	59.6	43.9	42.9	28.7	23.1	66.0	43.5
Highest	51.3	33.4	12.3	63.6	52.6	58.3	36.0	12.7	71.0	50.7
<b>Region</b>										
Kongo Central	36.1	22.8	23.5	59.6	38.2	40.3	23.8	27.7	67.9	35.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1148)			Married <sup>1</sup> Women with 1 or More Births (N=931)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	37.0	52.0	10.9	40.4	48.5	11.1
<b>Age Group</b>						
15-19	23.1	68.3	8.5	24.7	64.5	10.9
20-24	24.2	67.3	8.6	27.0	63.6	9.5
25-29	38.9	53.7	7.4	42.4	49.3	8.2
30-34	38.7	51.0	10.3	39.7	49.6	10.6
35-39	48.4	36.5	15.1	51.2	35.9	12.9
40-44	50.5	29.8	19.6	50.7	31.7	17.6
45-49	56.3	19.4	24.4	--	--	--
<b>Marital Status</b>						
Married, or in union	40.4	48.5	11.1	na	na	na
Unmarried, sexually active	21.7	69.8	8.5	na	na	na
<b>Parity</b>						
0-1 children	30.5	62.7	6.8	34.8	57.6	7.6
2-3 children	36.4	55.8	7.8	40.6	50.7	8.6
4+ children	41.5	42.2	16.4	42.7	42.6	14.7
<b>Residence</b>						
Urban	37.0	52.0	10.9	40.4	48.5	11.1
<b>Education</b>						
Never	46.7	45.8	7.5	47.8	45.5	6.8
Primary	38.9	47.1	13.9	40.3	45.5	14.2
Secondary	33.2	56.7	10.1	37.8	51.6	10.6
Higher	44.0	50.5	5.5	--	--	--
<b>Wealth Quintile</b>						
Lowest	22.5	61.3	16.3	23.2	61.6	15.2
Lower	33.2	50.1	16.7	32.9	49.5	17.6
Middle	46.9	45.4	7.7	48.0	44.2	7.8
High	44.5	47.4	8.1	53.7	38.3	8.0
Highest	38.3	56.0	5.7	47.8	46.7	5.5
<b>Region</b>						
Kongo Central	37.0	52.0	10.9	40.4	48.5	11.1

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 436)
<b>Total</b>				
All	57.9	35.4	6.7	
<b>Age Group</b>				
15-19	65.0	28.6	6.4	
20-24	58.2	32.3	9.5	
25-29	53.9	38.8	7.3	
30-34	61.8	32.8	5.5	
35-39	57.9	39.5	2.6	
40-44	45.1	47.4	7.5	
45-49	--	--	--	
<b>Marital Status</b>				
Married, or in union	51.5	42.3	6.1	
Unmarried, sexually active	69.7	21.2	9.1	
<b>Parity</b>				
0-1 children	63.9	27.6	8.5	
2-3 children	52.1	41.7	6.2	
4+ children	57.3	37.1	5.6	
<b>Residence</b>				
Urban	57.9	35.4	6.7	
<b>Education</b>				
Never	50.1	47.9	2.0	
Primary	62.7	29.8	7.5	
Secondary	56.6	36.2	7.3	
Higher	--	--	--	
<b>Wealth Quintile</b>				
Lowest	43.7	52.8	3.5	
Lower	44.8	51.1	4.1	
Middle	49.9	43.8	6.3	
High	62.3	33.5	4.2	
Highest	68.6	20.4	11.0	
<b>Region</b>				
Kongo Central	57.9	35.4	6.7	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Method Information Index Components

Percentage of current modern contraceptive <sup>1</sup>users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other <sup>2</sup> methods		Informed about side <sup>2</sup> effects		Told what to do if experienced <sup>2</sup> side effects		Told about switching <sup>2</sup> methods in future	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(436)</b>	<b>(293)</b>	<b>(436)</b>	<b>(293)</b>	<b>(219)</b>	<b>(157)</b>	<b>(436)</b>	<b>(293)</b>
All	37.9	36.8	50.0	54.5	81.0	81.0	39.9	38.7
<b>Age Group</b>								
15-19	36.6	--	37.3	--	--	--	42.1	--
20-24	35.7	26.2	43.2	50.9	77.5	--	46.6	42.7
25-29	35.0	38.0	46.6	52.8	86.1	85.3	30.1	30.6
30-34	40.9	35.0	53.2	60.2	72.0	70.6	45.3	41.9
35-39	46.0	44.2	66.0	63.0	90.1	88.1	48.4	48.0
40-44	33.0	32.7	52.6	50.2	--	--	29.7	29.1
45-49	--	--	--	--	--	--	--	--
<b>Marital Status</b>								
Married, or in union	36.8	na	54.5	na	81.0	na	38.7	na
Unmarried, sexually active	38.0	na	35.3	na	75.0	na	37.5	na
<b>Parity</b>								
0-1 children	36.4	36.5	38.7	42.2	76.2	--	44.9	42.0
2-3 children	35.2	33.6	48.2	53.8	87.6	86.7	34.5	32.9
4+ children	41.2	39.3	61.5	59.7	78.9	78.2	40.6	41.6
<b>Residence</b>								
Urban	37.9	36.8	50.0	54.5	81.0	81.0	39.9	38.7
<b>Education</b>								
Never	43.2	40.0	73.1	70.3	--	--	33.1	32.2
Primary	39.4	36.4	55.3	54.6	76.1	74.0	37.0	38.5
Secondary	34.7	35.9	44.2	51.7	85.2	89.1	39.9	39.9
Higher	--	--	--	--	--	--	--	--
<b>Wealth Quintile</b>								
Lowest	46.1	30.8	76.5	71.1	--	--	39.3	34.1
Lower	41.0	39.6	53.9	55.7	--	--	43.5	44.3
Middle	34.5	37.7	50.7	52.7	94.7	--	44.4	45.8
High	34.3	33.7	45.8	53.2	88.0	91.9	37.2	37.4
Highest	38.4	40.0	42.2	48.6	76.7	78.9	38.6	34.1
<b>Region</b>								
Kongo Central	37.9	36.8	50.0	54.5	81.0	81.0	39.9	38.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 422)</b>	<b>(N = 422)</b>	<b>(N = 422)</b>
All	59.4	45.7	36.5
<b>Age Group</b>			
15-19	51.1	42.7	39.4
20-24	59.7	37.8	29.6
25-29	70.6	49.6	41.4
30-34	57.3	42.4	35.3
35-39	58.2	50.1	39.7
40-44	48.7	55.4	29.6
45-49	--	--	--
<b>Marital Status</b>			
Married, or in union	57.9	43.5	32.8
Unmarried, sexually active	66.0	52.1	45.7
<b>Parity</b>			
0-1 children	59.6	47.5	38.6
2-3 children	61.1	39.2	35.6
4+ children	57.3	50.3	35.8
<b>Residence</b>			
Urban	59.4	45.7	36.5
<b>Education</b>			
Never	40.6	56.2	28.1
Primary	61.6	47.2	38.1
Secondary	59.7	41.1	34.6
Higher	--	--	--
<b>Wealth Quintile</b>			
Lowest	76.6	61.9	52.9
Lower	53.5	39.2	32.7
Middle	62.4	39.0	33.5
High	57.5	49.3	38.6
Highest	56.2	43.8	32.8
<b>Region</b>			
Kongo Central	59.4	45.7	36.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
Total	(1950)	(1241)	(1950)	(1241)	(1950)	(1241)
All	10.5	11.2	11.8	13.6	18.0	20.2
<b>Age Group</b>						
15-19	4.8	7.4	3.9	9.6	7.8	12.8
20-24	12.9	11.1	16.5	14.2	23.0	21.1
25-29	12.7	12.7	14.5	14.4	20.3	20.1
30-34	17.2	15.8	16.4	16.5	25.6	25.0
35-39	11.6	11.2	16.2	17.9	24.0	24.5
40-44	6.1	5.1	12.1	13.1	16.5	16.9
45-49	8.6	10.0	2.1	1.3	9.4	11.0
<b>Marital Status</b>						
Married, or in union	11.2	na	13.6	na	20.2	na
Unmarried, sexually active	9.9	na	10.1	na	16.5	na
<b>Parity</b>						
0-1 children	8.2	10.4	8.6	10.9	12.9	16.3
2-3 children	13.4	11.8	11.8	12.3	21.2	20.1
4+ children	11.2	11.2	15.7	15.9	21.8	22.3
<b>Residence</b>						
Urban	10.5	11.2	11.8	13.6	18.0	20.2
<b>Education</b>						
Never	12.3	12.3	11.2	11.7	17.5	19.1
Primary	8.0	7.9	10.8	12.5	15.7	17.0
Secondary	11.1	12.9	11.8	14.8	18.6	22.4
Higher	15.4	11.6	22.3	13.0	28.6	24.6
<b>Wealth Quintile</b>						
Lowest	12.6	13.9	16.5	19.9	20.6	24.7
Lower	9.2	9.5	10.7	11.4	16.8	18.2
Middle	8.1	8.8	10.4	12.4	15.5	17.7
High	7.6	8.7	9.5	10.2	15.0	16.4
Highest	14.7	15.5	12.5	14.7	22.1	24.5
<b>Region</b>						
Kongo Central	10.5	11.2	11.8	13.6	18.0	20.2

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	N/A	N/A	1995
Households Occupied	N/A	N/A	1986
Households Interviewed	N/A	N/A	1965
Household Response Rate <sup>1</sup>	0.00%	0.00%	98.94%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	N/A	N/A	1975
Number of Eligible Women Interviewed	N/A	N/A	1950
Eligible Woman Response Rate <sup>3</sup>	0.00%	0.00%	98.73%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

## Sample Error Estimates

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.228	0.021	0.189	0.271	0.238	0.023	0.195	0.288
Currently using a traditional method	0.133	0.016	0.104	0.169	0.165	0.021	0.127	0.210
Currently using any contraceptive method	0.361	0.029	0.306	0.420	0.403	0.035	0.336	0.474
Currently using DMPA-IM	0.032	0.007	0.021	0.048	0.040	0.008	0.026	0.061
Currently using DMPA-SC	0.009	0.003	0.005	0.017	0.012	0.004	0.006	0.024
Currently using condoms	0.146	0.024	0.105	0.200	0.104	0.025	0.064	0.164
Currently using implants	0.082	0.013	0.059	0.113	0.096	0.018	0.066	0.139
Chose method by self or jointly in past 12 months	0.933	0.015	0.897	0.957	0.939	0.018	0.893	0.966
Informed by provider about other methods	0.379	0.044	0.296	0.471	0.368	0.045	0.284	0.461
Informed by provider about side effects	0.500	0.053	0.395	0.605	0.545	0.054	0.435	0.650
Satisfied with provider: Would return and refer friend/relative to provider	0.365	0.050	0.271	0.470	0.328	0.053	0.232	0.442
Visited by health worker who talked about family planning in past 12 months	0.105	0.027	0.063	0.171	0.112	0.031	0.063	0.190

<sup>1</sup> Married includes married women and those who are living with a man