

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Kenya (Nairobi) Snapshot of Indicators Phase 1 (2019) Cross-sectional Survey

Suggested citation: International Centre for Reproductive Health Kenya (ICRHK) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Kenya (Nairobi) Phase 1 Cross-sectional Survey Snapshot of Indicators, PMA/Kenya-Nairobi-P1-CS SOIs. 2019.* Kenya and Baltimore, Maryland, USA.

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	847	847
Age Group			
15-19	12.1	103	107
20-24	21.9	185	188
25-29	23.2	197	187
30-34	15.4	130	129
35-39	14.0	119	118
40-44	7.1	60	64
45-49	6.3	53	54
Marital Status			
Married, or in union	55.1	466	463
Unmarried, sexually active	13.7	116	110
Parity			
0-1 children	24.1	204	206
2-3 children	37.4	317	312
4+ children	7.5	64	67
Residence			
Urban	100.0	847	847
Education			
Never	0.9	7	8
Primary	25.0	212	211
Post Primary Vocational	1.7	14	14
Secondary	44.7	379	375
College	19.5	165	156
University	8.3	70	83
Wealth Quintile			
Lowest	16.2	138	127
Lower	18.5	157	149
Middle	19.9	168	174
Higher	23.0	195	191
Highest	22.4	190	206

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	52.4	66.6	47.0	59.6	5.3	7.0
Age Group						
15-19	16.0	--	14.6	--	1.4	--
20-24	50.5	66.1	47.0	63.6	3.4	2.6
25-29	64.8	70.1	59.1	62.9	5.7	7.2
30-34	56.2	63.8	50.4	58.6	5.8	5.2
35-39	64.5	68.8	57.0	58.7	7.5	10.0
40-44	56.5	<i>66.2</i>	47.3	<i>54.4</i>	9.2	<i>11.8</i>
45-49	42.3	<i>65.8</i>	34.1	<i>54.1</i>	8.2	<i>11.7</i>
Marital Status						
Married, or in union	66.6	na	59.6	na	7.0	na
Unmarried, sexually active	69.5	na	64.0	na	5.5	na
Parity						
0-1 children	57.5	64.6	51.9	59.4	5.6	5.2
2-3 children	70.2	74.3	62.9	65.2	7.2	9.1
4+ children	65.2	80.6	59.1	74.1	6.1	6.5
Residence						
Urban	52.4	66.6	47.0	59.6	5.3	7.0
Education						
Never	--	--	--	--	--	--
Primary	52.7	68.7	47.8	61.9	4.9	6.9
Post Primary Vocational	--	--	--	--	--	--
Secondary	52.2	65.8	46.2	58.7	6.0	7.1
College	56.9	67.2	50.1	58.4	6.8	8.8
University	42.1	<i>65.7</i>	42.1	<i>65.7</i>	0.0	<i>0.0</i>
Wealth Quintile						
Lowest	50.5	63.3	46.4	55.7	4.1	7.6
Lower	46.6	57.7	43.9	52.5	2.7	5.2
Middle	55.1	69.8	49.2	64.1	5.9	5.7
Higher	55.0	68.3	49.3	61.4	5.8	6.9
Highest	53.3	71.0	45.9	61.6	7.5	9.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 433)

Married Users¹ (N = 306)

	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	
Total																					
All	1.7	22.3	9.5	23.3	2.4	13.7	3.7	11.9	1.3	10.2	2.4	26.1	11.6	27.3	2.0	13.1	1.5	4.0	1.5	10.5	
Age Group																					
15-19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
20-24	0.0	23.5	2.5	32.0	1.6	11.7	4.3	16.4	1.1	6.8	0.0	30.8	3.9	39.8	2.5	10.4	3.0	5.8	0.0	3.9	
25-29	0.0	21.4	8.1	26.3	2.5	12.9	6.5	12.5	1.0	8.8	0.0	24.6	9.6	34.8	0.0	9.6	3.4	6.2	1.5	10.3	
30-34	0.0	28.4	12.7	19.3	2.0	18.6	1.1	5.5	2.0	10.3	0.0	27.2	13.2	20.3	2.5	21.0	0.0	5.1	2.4	8.2	
35-39	3.8	19.8	12.1	21.7	5.9	19.1	0.0	3.4	2.8	11.6	4.8	23.0	10.7	21.5	5.2	16.7	0.0	0.0	3.5	14.6	
40-44	2.2	26.0	15.6	9.8	0.0	10.0	2.1	17.9	0.0	16.3	3.2	37.0	22.2	7.9	0.0	8.1	0.0	3.8	0.0	17.9	
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Marital Status																					
Married, or in union	2.4	26.1	11.6	27.3	2.0	13.1	1.5	4.0	1.5	10.5	na	na	na	na	na	na	na	na	na	na	
Unmarried, sexually active	0.0	15.1	4.4	12.4	3.9	18.3	1.9	35.0	1.3	7.9	na	na	na	na	na	na	na	na	na	na	
Parity																					
0-1 children	0.0	25.3	7.5	28.3	2.8	12.1	5.3	8.8	0.0	9.8	0.0	26.5	7.2	35.7	1.8	14.5	1.3	5.0	0.0	8.1	
2-3 children	2.4	26.1	9.9	24.7	3.0	14.8	1.0	6.7	1.1	10.3	2.9	28.0	10.7	25.3	2.2	13.7	0.7	3.4	0.8	12.2	
4+ children	5.2	19.1	23.5	18.7	1.5	10.2	0.0	4.4	8.1	9.4	5.8	21.3	26.2	14.1	1.7	11.3	0.0	2.4	9.0	8.0	
Residence																					
Urban	1.7	22.3	9.5	23.3	2.4	13.7	3.7	11.9	1.3	10.2	2.4	26.1	11.6	27.3	2.0	13.1	1.5	4.0	1.5	10.5	
Education																					
Never	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Primary	1.0	25.1	7.9	30.1	4.3	9.3	0.0	10.1	2.9	9.2	1.4	29.3	9.4	33.0	2.6	7.9	0.0	4.0	2.6	10.0	
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Secondary	0.3	20.6	6.9	24.9	1.1	15.2	5.3	13.5	0.7	11.5	0.5	24.4	7.1	30.3	1.6	17.2	2.3	4.7	1.1	10.8	
College	3.6	22.3	11.4	12.3	3.9	16.9	2.9	14.7	0.0	12.0	5.1	28.4	15.3	16.8	2.8	14.0	0.0	4.5	0.0	13.1	
University	6.2	28.1	21.2	12.1	0.0	13.9	11.2	3.4	3.9	0.0	9.4	25.7	28.0	16.5	0.0	6.9	7.7	0.0	5.9	0.0	
Wealth Quintile																					
Lowest	0.0	25.9	8.9	29.0	5.3	9.8	1.9	11.0	0.0	8.2	0.0	26.3	9.4	33.3	5.0	6.1	2.8	5.0	0.0	12.0	
Lower	0.0	23.8	3.7	26.5	1.8	8.7	5.5	21.4	2.8	5.8	0.0	25.7	4.7	34.0	0.0	10.8	5.4	8.3	2.1	9.0	
Middle	0.0	21.2	7.6	27.8	1.4	15.0	4.5	10.5	1.3	10.7	0.0	23.1	9.0	32.7	1.8	17.3	1.0	5.3	1.7	8.2	
Higher	1.1	19.7	9.4	23.1	4.0	16.7	3.5	10.6	1.4	10.5	1.6	26.5	10.1	28.9	3.3	15.2	0.0	2.4	2.0	10.1	
Highest	6.1	22.5	16.2	13.0	0.0	15.6	3.2	8.2	1.1	14.0	9.1	29.2	22.2	10.9	0.0	12.9	0.0	0.9	1.7	13.2	

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 847)	Married Women ³ (N = 463)	All Women (N = 847)	Married Women ³ (N = 463)
Total				
All	29.5	32.9	17.6	26.7
Age Group				
15-19	10.8	--	3.8	--
20-24	33.9	40.6	13.1	22.9
25-29	40.0	38.9	19.2	24.0
30-34	27.3	32.8	23.1	25.8
35-39	34.0	32.2	23.0	26.5
40-44	22.5	<i>13.1</i>	24.8	<i>41.3</i>
45-49	14.3	<i>18.3</i>	19.9	<i>35.8</i>
Marital Status				
Married, or in union	32.9	na	26.7	na
Unmarried, sexually active	50.5	na	13.5	na
Parity				
0-1 children	33.0	37.6	18.9	21.8
2-3 children	36.0	34.3	26.9	30.9
4+ children	27.9	31.1	31.1	43.0
Residence				
Urban	29.5	32.9	17.6	26.7
Education				
Never	--	--	--	--
Primary	29.9	34.4	17.9	27.5
Post Primary Vocational	--	--	--	--
Secondary	31.7	37.6	14.5	21.1
College	28.8	25.6	21.2	32.8
University	18.8	<i>24.3</i>	23.4	<i>41.4</i>
Wealth Quintile				
Lowest	28.8	33.1	17.6	22.7
Lower	31.1	35.0	12.8	17.6
Middle	33.3	41.7	15.9	22.4
Higher	32.6	35.3	16.6	26.1
Highest	22.0	18.7	23.9	42.9

¹ Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

² Long-acting methods include IUD, implants, and sterilization (male and female).

³ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 847)			Married Women ¹ (N = 463)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	4.1	3.3	7.4	4.8	4.8	9.6
Age Group						
15-19	4.1	1.3	5.4	--	--	--
20-24	7.6	1.8	9.5	7.2	2.4	9.6
25-29	3.9	2.4	6.3	4.8	3.3	8.1
30-34	3.7	5.0	8.7	4.4	6.9	11.3
35-39	1.3	5.1	6.4	1.8	6.8	8.6
40-44	3.3	8.3	11.6	<i>5.4</i>	<i>7.5</i>	<i>13.0</i>
45-49	0.0	2.1	2.1	<i>0.0</i>	<i>3.7</i>	<i>3.7</i>
Marital Status						
Married, or in union	4.8	4.8	9.6	na	na	na
Unmarried, sexually active	9.4	3.1	12.4	na	na	na
Parity						
0-1 children	5.9	1.2	7.1	6.8	2.0	8.7
2-3 children	2.6	5.5	8.1	3.4	6.4	9.7
4+ children	2.7	7.1	9.8	3.7	7.7	11.4
Residence						
Urban	4.1	3.3	7.4	4.8	4.8	9.6
Education						
Never	--	--	--	--	--	--
Primary	4.3	5.3	9.6	6.6	7.2	13.7
Post Primary Vocational	--	--	--	--	--	--
Secondary	3.6	3.5	7.0	4.1	5.2	9.3
College	6.2	2.1	8.3	4.9	2.7	7.6
University	1.0	0.0	1.0	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
Wealth Quintile						
Lowest	4.8	3.5	8.2	4.9	4.6	9.5
Lower	5.1	6.1	11.2	7.3	11.7	19.1
Middle	4.2	4.5	8.7	5.5	5.0	10.5
Higher	2.9	3.2	6.1	4.5	3.9	8.4
Highest	3.8	0.0	3.8	1.9	0.0	1.9

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

All Women (N=847)

Married Women² (N=463)

	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	52.4	47.0	7.4	59.8	78.7	66.6	59.6	9.6	76.1	78.3
Age Group										
15-19	16.0	14.6	5.4	21.3	--	--	--	--	--	--
20-24	50.5	47.0	9.5	59.9	78.5	66.1	63.6	9.6	75.7	84.0
25-29	64.8	59.1	6.3	71.1	83.1	70.1	62.9	8.1	78.2	80.4
30-34	56.2	50.4	8.7	64.9	77.6	63.8	58.6	11.3	75.1	78.0
35-39	64.5	57.0	6.4	70.9	80.4	68.8	58.7	8.6	77.4	75.9
40-44	56.5	47.3	11.6	68.0	<i>69.5</i>	<i>66.2</i>	<i>54.4</i>	<i>13.0</i>	<i>79.2</i>	<i>68.7</i>
45-49	42.3	34.1	2.1	44.4	<i>76.9</i>	<i>65.8</i>	<i>54.1</i>	<i>3.7</i>	<i>69.5</i>	--
Marital Status										
Married, or in union	66.6	59.6	9.6	76.1	78.3	na	na	na	na	na
Unmarried, sexually active	69.5	64.0	12.4	81.9	78.2	na	na	na	na	na
Parity										
0-1 children	57.5	51.9	7.1	64.6	80.3	64.6	59.4	8.7	73.3	81.0
2-3 children	70.2	62.9	8.1	78.3	80.4	74.3	65.2	9.7	84.0	77.6
4+ children	65.2	59.1	9.8	75.0	78.8	80.6	74.1	11.4	92.0	<i>80.6</i>
Residence										
Urban	52.4	47.0	7.4	59.8	78.7	66.6	59.6	9.6	76.1	78.3
Education										
Never	--	--	--	--	--	--	--	--	--	--
Primary	52.7	47.8	9.6	62.2	76.8	68.7	61.9	13.7	82.4	75.0
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--
Secondary	52.2	46.2	7.0	59.2	78.0	65.8	58.7	9.3	75.1	78.1
College	56.9	50.1	8.3	65.2	76.9	67.2	58.4	7.6	74.8	78.1
University	42.1	42.1	1.0	43.1	<i>97.7</i>	<i>65.7</i>	<i>65.7</i>	<i>0.0</i>	<i>65.7</i>	<i>100.0</i>
Wealth Quintile										
Lowest	50.5	46.4	8.2	58.8	78.9	63.3	55.7	9.5	72.9	<i>76.5</i>
Lower	46.6	43.9	11.2	57.7	76.0	57.7	52.5	19.1	76.8	68.4
Middle	55.1	49.2	8.7	63.8	77.1	69.8	64.1	10.5	80.3	79.8
Higher	55.0	49.3	6.1	61.1	80.6	68.3	61.4	8.4	76.7	80.1
Highest	53.3	45.9	3.8	57.1	80.3	71.0	61.6	1.9	72.9	84.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=324)			Married ¹ Women with 1 or More Births (N=257)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	68.5	22.9	8.6	71.7	22.6	5.7
Age Group						
15-19	--	--	--	--	--	--
20-24	57.2	31.2	11.6	61.1	33.3	5.6
25-29	65.2	28.0	6.8	71.0	24.0	5.0
30-34	79.2	16.3	4.5	78.5	17.4	4.1
35-39	<i>77.0</i>	<i>11.5</i>	<i>11.5</i>	<i>77.2</i>	<i>13.3</i>	<i>9.5</i>
40-44	--	--	--	--	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	71.7	22.6	5.7	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	64.5	25.3	10.2	70.7	23.0	6.3
2-3 children	72.5	20.6	6.9	73.9	22.0	4.1
4+ children	<i>63.3</i>	<i>25.1</i>	<i>11.6</i>	<i>62.4</i>	<i>24.2</i>	<i>13.5</i>
Residence						
Urban	68.5	22.9	8.6	71.7	22.6	5.7
Education						
Never	--	--	--	--	--	--
Primary	64.8	24.2	11.0	63.9	24.9	11.2
Post Primary Vocational	--	--	--	--	--	--
Secondary	67.9	22.7	9.3	71.0	25.6	3.4
College	73.5	19.9	6.6	81.8	12.2	6.0
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	<i>47.7</i>	<i>38.5</i>	<i>13.8</i>	<i>51.7</i>	<i>38.0</i>	<i>10.3</i>
Lower	55.4	30.4	14.3	59.8	29.4	10.8
Middle	76.1	20.1	3.8	76.9	21.7	1.4
Higher	71.2	18.3	10.5	74.5	18.2	7.3
Highest	89.2	9.5	1.3	<i>91.9</i>	<i>8.1</i>	<i>0.0</i>

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 379)
Total				
All	54.8	39.7	5.5	
Age Group				
15-19	--	--	--	
20-24	49.9	47.7	2.4	
25-29	54.4	42.9	2.7	
30-34	61.8	32.6	5.6	
35-39	59.8	36.6	3.6	
40-44	45.7	40.9	13.5	
45-49	--	--	--	
Marital Status				
Married, or in union	54.8	41.8	3.4	
Unmarried, sexually active	54.8	32.5	12.7	
Parity				
0-1 children	63.6	32.2	4.2	
2-3 children	55.0	40.6	4.3	
4+ children	63.3	33.0	3.7	
Residence				
Urban	54.8	39.7	5.5	
Education				
Never	--	--	--	
Primary	59.6	36.0	4.4	
Post Primary Vocational	--	--	--	
Secondary	55.8	37.6	6.5	
College	48.5	47.6	3.9	
University	53.0	37.7	9.2	
Wealth Quintile				
Lowest	55.3	36.5	8.2	
Lower	47.2	47.9	4.9	
Middle	71.9	25.2	2.9	
Higher	53.3	41.8	4.9	
Highest	46.2	47.0	6.8	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(379)	(270)	(379)	(270)	(254)	(195)	(379)	(270)
All	70.2	76.2	64.3	70.7	86.4	88.2	71.2	76.7
Age Group								
15-19	--	--	--	--	--	--	--	--
20-24	65.0	75.2	49.6	58.6	<i>86.6</i>	<i>90.6</i>	72.0	84.4
25-29	69.6	70.6	65.6	67.6	86.8	<i>88.4</i>	71.4	74.5
30-34	82.2	80.9	66.7	66.0	<i>81.9</i>	<i>86.5</i>	74.3	71.6
35-39	73.6	79.6	84.0	87.0	89.3	<i>90.1</i>	76.6	79.0
40-44	<i>71.0</i>	--	<i>63.6</i>	--	--	--	<i>69.9</i>	--
45-49	--	--	--	--	--	--	--	--
Marital Status								
Married, or in union	76.2	na	70.7	na	88.2	na	76.7	na
Unmarried, sexually active	54.3	na	47.4	na	<i>77.6</i>	na	56.0	na
Parity								
0-1 children	73.5	76.4	64.7	66.2	89.4	<i>87.9</i>	77.0	80.0
2-3 children	76.0	78.1	72.3	73.0	85.6	89.2	76.0	76.2
4+ children	<i>67.0</i>	<i>69.0</i>	<i>68.5</i>	<i>70.6</i>	<i>81.5</i>	<i>80.2</i>	<i>72.4</i>	<i>74.2</i>
Residence								
Urban	70.2	76.2	64.3	70.7	86.4	88.2	71.2	76.7
Education								
Never	--	na	--	na	--	na	--	na
Primary	61.9	63.3	67.1	71.9	86.6	86.9	66.2	69.2
Post Primary Vocational	--	--	--	--	--	--	--	--
Secondary	69.8	76.5	59.6	64.3	82.6	86.2	73.3	81.0
College	75.3	87.1	65.4	79.2	<i>91.4</i>	<i>89.9</i>	73.7	82.2
University	<i>88.5</i>	<i>100.0</i>	<i>71.6</i>	<i>78.3</i>	<i>95.5</i>	--	<i>65.1</i>	<i>66.7</i>
Wealth Quintile								
Lowest	62.0	<i>61.2</i>	63.8	<i>68.3</i>	<i>88.3</i>	<i>86.4</i>	69.7	<i>73.3</i>
Lower	70.3	<i>78.8</i>	70.6	<i>76.0</i>	<i>81.6</i>	<i>83.6</i>	73.4	<i>86.5</i>
Middle	63.4	66.5	57.5	62.1	84.7	<i>85.2</i>	68.9	70.9
Higher	77.6	85.3	62.8	67.9	93.1	<i>99.0</i>	79.1	84.0
Highest	74.8	85.7	67.7	81.3	83.9	84.8	64.3	70.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 378)	(N = 378)	(N = 378)
All	94.6	93.0	91.2
Age Group			
15-19	--	--	--
20-24	95.9	92.2	92.2
25-29	90.9	93.8	88.2
30-34	94.6	91.7	91.7
35-39	96.9	90.0	90.0
40-44	<i>96.8</i>	<i>94.6</i>	<i>94.6</i>
45-49	--	--	--
Marital Status			
Married, or in union	94.3	92.1	90.7
Unmarried, sexually active	95.9	95.6	94.3
Parity			
0-1 children	94.0	91.0	88.8
2-3 children	95.7	93.2	91.9
4+ children	<i>92.0</i>	<i>93.1</i>	<i>90.8</i>
Residence			
Urban	94.6	93.0	91.2
Education			
Never	--	--	--
Primary	93.9	92.9	91.0
Post Primary Vocational	--	--	--
Secondary	94.3	92.9	91.4
College	96.8	93.3	90.1
University	<i>90.1</i>	<i>90.1</i>	<i>90.1</i>
Wealth Quintile			
Lowest	94.5	94.7	93.0
Lower	93.8	87.0	87.0
Middle	92.8	94.7	90.4
Higher	95.4	96.9	94.0
Highest	96.2	90.7	90.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(847)	(463)	(847)	(463)	(847)	(463)
All	8.1	9.6	23.6	31.2	27.3	34.5
Age Group						
15-19	8.5	--	8.7	--	14.7	--
20-24	7.2	9.4	29.6	42.9	33.5	47.2
25-29	10.6	12.8	32.0	36.8	35.2	40.4
30-34	10.0	12.9	22.0	28.7	26.4	33.7
35-39	3.3	3.8	23.6	23.3	25.1	25.2
40-44	11.0	<i>10.3</i>	19.9	<i>27.2</i>	25.5	<i>28.5</i>
45-49	3.3	<i>1.5</i>	7.8	<i>8.6</i>	10.2	<i>8.6</i>
Marital Status						
Married, or in union	9.6	na	31.2	na	34.5	na
Unmarried, sexually active	4.7	na	17.3	na	19.8	na
Parity						
0-1 children	9.5	10.0	31.4	35.8	34.3	38.8
2-3 children	8.1	9.0	24.6	28.0	27.9	31.3
4+ children	14.2	17.5	24.7	28.0	30.5	34.0
Residence						
Urban	8.1	9.6	23.6	31.2	27.3	34.5
Education						
Never	--	--	--	--	--	--
Primary	10.5	14.1	19.2	23.7	23.2	27.1
Post Primary Vocational	--	--	--	--	--	--
Secondary	9.3	9.7	25.3	35.6	30.6	39.7
College	5.0	7.4	26.0	33.8	27.6	36.5
University	2.9	<i>0.0</i>	23.1	<i>25.1</i>	24.5	<i>25.1</i>
Wealth Quintile						
Lowest	10.3	15.5	36.7	51.3	39.3	54.4
Lower	12.0	12.5	24.9	33.4	32.0	37.2
Middle	9.0	12.1	20.9	26.3	26.0	33.5
Higher	8.0	5.0	24.0	29.3	27.6	29.7
Highest	2.4	4.8	14.8	21.4	15.7	23.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1120	N/A	1120
Households Occupied	1098	N/A	1098
Households Interviewed	1047	N/A	1047
Household Response Rate ¹	95.36%	0.00%	95.36%
Interviews with Women			
Number of Eligible Women ²	865	N/A	865
Number of Eligible Women Interviewed	847	N/A	847
Eligible Woman Response Rate ³	97.92%	0.00%	97.92%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.470	0.027	0.415	0.526	0.596	0.025	0.545	0.645
Currently using a traditional method	0.053	0.011	0.035	0.082	0.070	0.016	0.044	0.108
Currently using any contraceptive method	0.524	0.028	0.467	0.580	0.666	0.020	0.623	0.706
Currently using DMPA-IM	0.233	0.023	0.189	0.283	0.273	0.027	0.221	0.332
Currently using DMPA-SC	0.024	0.011	0.010	0.058	0.020	0.008	0.009	0.044
Currently using condoms	0.119	0.020	0.085	0.164	0.040	0.017	0.017	0.092
Currently using implants	0.223	0.021	0.184	0.268	0.261	0.023	0.217	0.310
Chose method by self or jointly in past 12 months	0.945	0.018	0.895	0.972	0.966	0.017	0.906	0.988
Informed by provider about other methods	0.702	0.027	0.645	0.753	0.762	0.035	0.684	0.826
Informed by provider about side effects	0.643	0.033	0.573	0.707	0.707	0.036	0.630	0.774
Satisfied with provider: Would return and refer friend/relative to provider	0.912	0.022	0.856	0.947	0.907	0.022	0.852	0.943
Visited by health worker who talked about family planning in past 12 months	0.081	0.017	0.052	0.122	0.096	0.023	0.059	0.152

¹ Married includes married women and those who are living with a man