



Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	1321	1668
Age Group			
15-19	23.0	304	401
20-24	15.9	210	265
25-29	13.7	181	231
30-34	15.5	205	256
35-39	13.4	178	212
40-44	11.1	146	181
45-49	7.4	98	122
Marital Status			
Married, or in union	59.9	792	978
Unmarried, sexually active	14.3	189	240
Parity			
0-1 children	42.6	563	725
2-3 children	27.8	368	447
4+ children	29.5	390	496
Residence			
Urban	100.0	1321	1668
Education			
Never	13.1	173	186
Primary	34.8	460	541
Secondary	50.6	669	907
Tertiary	1.4	19	33
Wealth Quintile			
Lowest	17.9	236	236
Lower	18.4	243	232
Middle	19.9	264	300
High	20.4	269	390
Highest	23.4	310	510
Region			
2.0	100.0	1321	1668

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	30.0	33.0	16.6	18.1	13.4	14.9
Age Group						
15-19	18.0	30.8	9.5	12.4	8.5	18.3
20-24	38.5	32.5	21.0	18.4	17.4	14.1
25-29	39.3	39.9	24.1	24.1	15.1	15.9
30-34	34.2	34.9	19.0	17.6	15.2	17.4
35-39	34.7	35.5	18.0	20.8	16.7	14.7
40-44	27.7	29.3	15.2	15.1	12.5	14.2
45-49	18.3	20.3	9.7	11.6	8.6	8.7
Marital Status						
Married, or in union	33.0	na	18.1	na	14.9	na
Unmarried, sexually active	43.2	na	25.6	na	17.7	na
Parity						
0-1 children	25.4	28.3	13.5	14.1	11.9	14.1
2-3 children	31.6	31.5	19.8	19.8	11.8	11.7
4+ children	35.2	36.6	18.1	18.8	17.1	17.8
Residence						
Urban	30.0	33.0	16.6	18.1	13.4	14.9
Education						
Never	11.7	13.6	4.7	4.6	7.1	9.0
Primary	27.0	32.1	14.5	17.7	12.5	14.3
Secondary	35.5	40.2	20.2	22.9	15.4	17.3
Tertiary	<i>75.3</i>	--	<i>48.8</i>	--	<i>26.4</i>	--
Wealth Quintile						
Lowest	15.5	16.3	6.5	6.5	9.0	9.7
Lower	23.9	28.1	15.9	17.8	8.0	10.3
Middle	28.1	31.6	15.4	14.5	12.8	17.2
High	37.3	40.5	19.0	24.9	18.2	15.6
Highest	41.2	45.1	23.8	24.7	17.4	20.4
Region						
2.0	30.0	33.0	16.6	18.1	13.4	14.9

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method
- 2 Married includes married women and those who are living with a man

- na Not applicable
- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

Background Characteristics	All Users (N = 400)										Married Users ¹ (N = 264)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	3.4	3.9	1.6	6.1	3.6	12.3	0.8	22.9	1.0	44.4	5.0	3.9	1.5	6.4	4.4	14.6	0.7	18.5	0.6	44.5
Age Group																				
15-19	0.0	0.6	2.2	2.6	0.0	5.1	1.7	39.6	0.8	47.4	--	--	--	--	--	--	--	--	--	--
20-24	0.0	2.3	2.1	4.2	2.1	13.0	0.7	29.3	0.9	45.3	0.0	3.0	3.5	8.3	2.5	19.8	0.0	19.6	0.0	43.4
25-29	0.0	6.7	2.3	11.8	1.4	12.7	0.3	25.5	0.8	38.5	0.0	6.6	1.6	9.6	1.9	12.7	0.0	27.3	0.6	39.7
30-34	1.5	4.1	0.7	4.9	5.3	12.8	2.0	22.8	1.5	44.4	1.1	1.9	0.8	3.7	2.8	15.1	2.0	21.1	1.8	49.7
35-39	7.5	5.3	0.8	6.5	8.6	15.8	0.0	8.6	0.0	46.8	8.8	5.1	1.0	7.6	10.1	17.1	0.0	10.1	0.0	40.2
40-44	2.8	5.7	2.0	4.7	6.6	15.6	0.0	14.1	3.5	45.0	<i>3.2</i>	<i>5.4</i>	<i>2.3</i>	<i>2.3</i>	<i>7.6</i>	<i>16.5</i>	<i>0.0</i>	<i>13.6</i>	<i>0.7</i>	<i>48.5</i>
45-49	<i>34.0</i>	<i>0.0</i>	<i>0.0</i>	<i>9.6</i>	<i>0.0</i>	<i>7.2</i>	<i>0.0</i>	<i>5.8</i>	<i>0.0</i>	<i>43.5</i>	<i>36.5</i>	<i>0.0</i>	<i>0.0</i>	<i>10.3</i>	<i>0.0</i>	<i>7.7</i>	<i>0.0</i>	<i>6.2</i>	<i>0.0</i>	<i>39.2</i>
Marital Status																				
Married, or in union	5.0	3.9	1.5	6.4	4.4	14.6	0.7	18.5	0.6	44.5	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	3.5	1.0	4.2	2.3	10.2	0.5	35.9	1.5	40.9	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	2.2	1.2	4.4	2.3	5.6	1.1	35.5	0.8	47.0	0.0	3.6	0.0	5.9	4.8	5.9	1.2	28.5	0.0	50.1
2-3 children	1.9	4.8	2.5	9.3	2.8	17.5	0.4	22.9	0.7	37.3	2.5	3.6	2.3	8.6	2.6	18.5	0.0	24.1	0.6	37.2
4+ children	8.0	4.8	1.3	5.3	5.7	14.6	0.8	10.2	1.6	47.6	8.6	4.2	1.4	5.0	5.5	15.4	0.9	10.7	0.8	47.4
Residence																				
Urban	3.4	3.9	1.6	6.1	3.6	12.3	0.8	22.9	1.0	44.4	5.0	3.9	1.5	6.4	4.4	14.6	0.7	18.5	0.6	44.5
Education																				
Never	<i>0.0</i>	<i>3.2</i>	<i>4.0</i>	<i>0.0</i>	<i>0.0</i>	<i>10.8</i>	<i>0.0</i>	<i>21.9</i>	<i>0.0</i>	<i>60.1</i>	<i>0.0</i>	<i>3.6</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>11.9</i>	<i>0.0</i>	<i>18.4</i>	<i>0.0</i>	<i>66.2</i>
Primary	5.9	3.4	0.0	6.8	2.6	14.0	0.0	21.7	0.0	45.6	7.3	3.2	0.0	6.2	3.2	15.9	0.0	20.2	0.0	43.9
Secondary	2.5	4.2	2.3	6.6	4.5	12.1	0.7	22.3	1.8	43.0	4.2	4.5	2.8	7.5	5.8	15.0	0.5	15.8	1.2	42.6
Tertiary	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Wealth Quintile																				
Lowest	2.3	0.0	3.2	3.0	1.2	11.5	0.0	22.0	0.0	56.8	3.7	0.0	0.0	0.0	2.0	13.6	0.0	23.0	0.0	57.6
Lower	0.0	0.8	2.1	9.3	0.9	15.1	1.1	36.7	0.4	33.6	0.0	1.0	2.6	7.6	1.2	19.3	1.4	29.8	0.5	36.6
Middle	7.6	6.4	1.1	3.5	2.4	11.5	0.0	22.5	0.0	44.8	10.9	1.8	1.6	2.3	1.8	13.4	0.0	14.7	0.0	53.4
High	5.8	0.9	3.0	7.5	4.9	11.7	0.4	15.7	1.7	48.4	8.2	0.7	2.7	9.6	7.5	15.6	0.0	16.7	1.2	37.8
Highest	0.9	7.3	0.0	6.0	5.3	12.1	1.7	22.9	1.7	42.1	1.4	10.9	0.0	7.5	6.1	12.2	1.5	14.6	0.7	45.0
Region																				
2.0	3.4	3.9	1.6	6.1	3.6	12.3	0.8	22.9	1.0	44.4	5.0	3.9	1.5	6.4	4.4	14.6	0.7	18.5	0.6	44.5

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1321)			Married Women ¹ (N = 792)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	18.6	8.9	27.5	23.0	10.2	33.2
Age Group						
15-19	18.7	6.6	25.2	52.0	0.0	52.0
20-24	23.0	8.1	31.1	37.6	9.6	47.2
25-29	24.8	9.5	34.3	27.1	10.7	37.8
30-34	26.1	6.5	32.6	26.6	7.2	33.8
35-39	11.3	11.4	22.7	13.5	12.4	25.9
40-44	10.7	14.5	25.2	12.6	15.1	27.7
45-49	7.2	8.2	15.3	8.4	9.8	18.2
Marital Status						
Married, or in union	23.0	10.2	33.2	na	na	na
Unmarried, sexually active	25.8	17.8	43.6	na	na	na
Parity						
0-1 children	16.8	7.4	24.2	27.6	7.6	35.2
2-3 children	21.8	8.9	30.7	23.8	10.4	34.2
4+ children	18.2	10.8	29.1	19.9	11.3	31.2
Residence						
Urban	18.6	8.9	27.5	23.0	10.2	33.2
Education						
Never	27.2	9.2	36.4	30.1	10.5	40.6
Primary	22.8	9.0	31.8	26.5	9.1	35.6
Secondary	13.8	8.9	22.7	17.2	11.5	28.7
Tertiary	<i>9.3</i>	<i>0.0</i>	<i>9.3</i>	--	--	--
Wealth Quintile						
Lowest	25.1	13.8	38.9	32.8	17.9	50.7
Lower	23.3	9.8	33.1	29.0	9.7	38.7
Middle	18.9	5.3	24.2	21.9	6.9	28.8
High	17.8	6.2	24.0	22.3	5.3	27.6
Highest	10.4	9.7	20.1	11.0	12.2	23.2
Region						
2.0	18.6	8.9	27.5	23.0	10.2	33.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=1321)					Married Women ² (N=792)				
	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	30.0	16.6	27.5	57.5	28.9	33.0	18.1	33.2	66.1	27.4
Age Group										
15-19	18.0	9.5	25.2	43.2	21.9	30.8	12.4	52.0	82.8	<i>15.0</i>
20-24	38.5	21.0	31.1	69.5	30.2	32.5	18.4	47.2	79.7	23.1
25-29	39.3	24.1	34.3	73.5	32.8	39.9	24.1	37.8	77.7	31.0
30-34	34.2	19.0	32.6	66.8	28.5	34.9	17.6	33.8	68.8	25.6
35-39	34.7	18.0	22.7	57.5	31.3	35.5	20.8	25.9	61.4	33.8
40-44	27.7	15.2	25.2	52.9	28.8	29.3	15.1	27.7	57.0	26.5
45-49	18.3	9.7	15.3	33.6	<i>28.8</i>	20.3	11.6	18.2	38.5	<i>30.2</i>
Marital Status										
Married, or in union	33.0	18.1	33.2	66.1	27.4	na	na	na	na	na
Unmarried, sexually active	43.2	25.6	43.6	86.8	29.4	na	na	na	na	na
Parity										
0-1 children	25.4	13.5	24.2	49.6	27.1	28.3	14.1	35.2	63.4	22.2
2-3 children	31.6	19.8	30.7	62.4	31.8	31.5	19.8	34.2	65.8	30.1
4+ children	35.2	18.1	29.1	64.3	28.1	36.6	18.8	31.2	67.8	27.7
Residence										
Urban	30.0	16.6	27.5	57.5	28.9	33.0	18.1	33.2	66.1	27.4
Education										
Never	11.7	4.7	36.4	48.1	9.7	13.6	4.6	40.6	54.2	8.5
Primary	27.0	14.5	31.8	58.8	24.7	32.1	17.7	35.6	67.7	26.2
Secondary	35.5	20.2	22.7	58.2	34.6	40.2	22.9	28.7	68.9	33.2
Tertiary	<i>75.3</i>	<i>48.8</i>	<i>9.3</i>	<i>84.5</i>	<i>57.8</i>	--	--	--	--	--
Wealth Quintile										
Lowest	15.5	6.5	38.9	54.4	11.9	16.3	6.5	50.7	67.0	9.8
Lower	23.9	15.9	33.1	57.0	27.8	28.1	17.8	38.7	66.8	26.7
Middle	28.1	15.4	24.2	52.4	29.4	31.6	14.5	28.8	60.5	23.9
High	37.3	19.0	24.0	61.3	31.1	40.5	24.9	27.6	68.1	36.6
Highest	41.2	23.8	20.1	61.3	38.8	45.1	24.7	23.2	68.3	36.2
Region										
2.0	30.0	16.6	27.5	57.5	28.9	33.0	18.1	33.2	66.1	27.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=719)			Married ¹ Women with 1 or More Births (N=556)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	34.9	50.9	14.3	37.4	48.2	14.4
Age Group						
15-19	13.8	79.6	6.6	<i>19.9</i>	<i>74.1</i>	<i>5.9</i>
20-24	30.7	61.0	8.3	32.8	59.8	7.4
25-29	34.2	57.8	8.0	35.2	59.2	5.6
30-34	41.3	49.9	8.8	42.8	50.5	6.6
35-39	46.2	33.8	20.0	46.3	32.6	21.1
40-44	32.9	29.7	37.4	35.0	27.5	37.5
45-49	<i>26.5</i>	<i>20.0</i>	<i>53.5</i>	--	--	--
Marital Status						
Married, or in union	37.4	48.2	14.4	na	na	na
Unmarried, sexually active	22.5	64.7	12.8	na	na	na
Parity						
0-1 children	25.8	66.3	7.9	32.9	61.8	5.3
2-3 children	42.2	50.4	7.4	44.6	48.6	6.8
4+ children	33.2	42.1	24.8	33.1	42.0	24.9
Residence						
Urban	34.9	50.9	14.3	37.4	48.2	14.4
Education						
Never	45.1	46.5	8.4	46.0	44.4	9.7
Primary	36.6	49.3	14.1	39.3	46.0	14.7
Secondary	29.5	54.4	16.1	31.7	52.6	15.6
Tertiary	--	--	--	--	--	--
Wealth Quintile						
Lowest	37.1	53.0	9.9	34.6	53.3	12.1
Lower	34.1	53.9	12.0	35.9	51.3	12.8
Middle	33.2	45.7	21.1	39.3	38.8	21.9
High	30.6	58.1	11.3	33.5	53.9	12.6
Highest	38.9	44.8	16.3	43.2	44.7	12.1
Region						
2.0	34.9	50.9	14.3	37.4	48.2	14.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 219)
Total				
All	50.5	45.5	4.0	
Age Group				
15-19	<i>61.7</i>	<i>25.3</i>	<i>13.0</i>	
20-24	47.3	49.9	2.8	
25-29	43.1	52.6	4.3	
30-34	57.5	40.3	2.2	
35-39	<i>44.7</i>	<i>55.3</i>	<i>0.0</i>	
40-44	<i>53.6</i>	<i>41.7</i>	<i>4.6</i>	
45-49	--	--	--	
Marital Status				
Married, or in union	44.2	51.3	4.6	
Unmarried, sexually active	58.1	39.2	2.7	
Parity				
0-1 children	54.5	38.4	7.2	
2-3 children	46.0	50.9	3.1	
4+ children	50.8	47.7	1.5	
Residence				
Urban	50.5	45.5	4.0	
Education				
Never	--	--	--	
Primary	50.2	47.5	2.2	
Secondary	49.7	45.1	5.2	
Tertiary	--	--	--	
Wealth Quintile				
Lowest	--	--	--	
Lower	<i>57.3</i>	<i>41.5</i>	<i>1.2</i>	
Middle	<i>55.5</i>	<i>42.4</i>	<i>2.1</i>	
High	49.1	43.0	7.9	
Highest	41.8	53.6	4.6	
Region				
2.0	50.5	45.5	4.0	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method¹ who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 219)	Married ² Modern Contraceptive Users (N = 143)
Total		
All	58.1	55.3
Age Group		
15-19	<i>61.0</i>	--
20-24	55.7	49.8
25-29	59.6	52.7
30-34	58.6	53.2
35-39	58.7	56.8
40-44	61.3	--
45-49	--	--
Marital Status		
Married, or in union	55.3	na
Unmarried, sexually active	66.7	na
Parity		
0-1 children	58.8	59.3
2-3 children	59.9	52.6
4+ children	55.7	56.0
Residence		
Urban	58.1	55.3
Education		
Never	--	--
Primary	42.8	40.8
Secondary	63.5	61.9
Tertiary	--	--
Wealth Quintile		
Lowest	--	--
Lower	39.1	36.6
Middle	53.2	44.4
High	65.4	70.0
Highest	66.2	61.3
Region		
2.0	58.1	55.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(219)	(143)	(218)	(143)	(100)	(77)
All	25.5	30.8	31.9	37.5	70.9	68.8
Age Group						
15-19	<i>11.9</i>	--	<i>18.6</i>	--	--	na
20-24	21.8	<i>32.7</i>	23.6	<i>31.7</i>	--	--
25-29	24.9	<i>26.3</i>	35.5	<i>42.2</i>	<i>73.0</i>	--
30-34	24.5	<i>24.0</i>	30.6	<i>33.0</i>	--	--
35-39	<i>36.6</i>	<i>38.4</i>	<i>36.4</i>	<i>36.1</i>	--	--
40-44	<i>34.7</i>	--	<i>47.6</i>	--	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	30.8	na	37.5	na	68.8	na
Unmarried, sexually active	16.4	na	22.3	na	--	na
Parity						
0-1 children	23.5	<i>45.9</i>	22.4	<i>30.8</i>	<i>81.4</i>	--
2-3 children	25.6	27.3	36.5	40.5	<i>65.0</i>	<i>61.7</i>
4+ children	27.6	28.0	37.5	37.6	<i>70.0</i>	<i>67.3</i>
Residence						
Urban	25.5	30.8	31.9	37.5	70.9	68.8
Education						
Never	--	--	--	--	--	--
Primary	24.8	23.6	33.2	33.7	<i>61.6</i>	<i>54.3</i>
Secondary	24.9	34.3	31.8	41.0	<i>79.4</i>	<i>80.6</i>
Tertiary	--	--	--	--	--	--
Wealth Quintile						
Lowest	--	--	--	--	--	--
Lower	<i>23.3</i>	<i>27.9</i>	<i>17.4</i>	<i>20.3</i>	--	--
Middle	<i>19.6</i>	<i>18.1</i>	<i>48.3</i>	<i>51.3</i>	--	--
High	26.1	23.8	34.3	36.6	--	--
Highest	31.2	47.4	29.3	42.7	<i>67.8</i>	<i>70.1</i>
Region						
2.0	25.5	30.8	31.9	37.5	70.9	68.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 218)	(N = 218)	(N = 218)
All	53.3	47.5	34.3
Age Group			
15-19	<i>48.2</i>	<i>36.6</i>	<i>27.8</i>
20-24	37.9	48.4	28.8
25-29	62.0	53.0	35.2
30-34	57.4	50.1	44.0
35-39	<i>54.0</i>	<i>49.5</i>	<i>34.7</i>
40-44	<i>63.0</i>	<i>49.4</i>	<i>39.1</i>
45-49	--	--	--
Marital Status			
Married, or in union	54.8	48.8	34.4
Unmarried, sexually active	55.3	52.7	39.1
Parity			
0-1 children	48.7	48.5	35.2
2-3 children	51.2	40.5	26.2
4+ children	60.5	53.6	41.7
Residence			
Urban	53.3	47.5	34.3
Education			
Never	--	--	--
Primary	56.6	39.1	29.7
Secondary	52.8	52.1	37.0
Tertiary	--	--	--
Wealth Quintile			
Lowest	--	--	--
Lower	<i>51.7</i>	<i>35.7</i>	<i>32.1</i>
Middle	<i>60.3</i>	<i>53.4</i>	<i>41.7</i>
High	55.1	39.6	28.8
Highest	48.3	54.3	33.8
Region			
2.0	53.3	47.5	34.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(1321)	(792)	(1321)	(792)	(1321)	(792)
All	6.4	6.7	6.0	7.3	10.6	11.9
Age Group						
15-19	3.0	3.8	2.1	2.2	5.0	5.2
20-24	6.8	6.6	6.6	8.3	11.7	13.4
25-29	6.0	6.6	6.0	7.8	10.2	12.1
30-34	7.8	6.6	8.2	6.8	11.8	10.9
35-39	6.9	6.1	8.7	9.2	13.8	13.2
40-44	10.7	9.5	8.7	8.9	15.9	14.9
45-49	6.9	5.3	3.8	2.6	10.7	8.0
Marital Status						
Married, or in union	6.7	na	7.3	na	11.9	na
Unmarried, sexually active	6.4	na	3.7	na	8.7	na
Parity						
0-1 children	4.4	3.8	3.3	5.5	6.9	8.1
2-3 children	7.5	7.3	7.5	6.9	12.9	12.2
4+ children	8.4	7.7	8.6	8.5	13.9	13.6
Residence						
Urban	6.4	6.7	6.0	7.3	10.6	11.9
Education						
Never	1.4	1.8	1.4	1.8	2.0	2.6
Primary	5.2	5.6	4.4	4.6	8.1	8.5
Secondary	8.5	9.5	8.4	12.1	14.6	18.7
Tertiary	10.2	--	1.6	--	10.2	--
Wealth Quintile						
Lowest	3.8	5.7	2.5	2.4	4.5	5.7
Lower	4.9	4.8	5.6	6.1	7.6	7.8
Middle	8.2	7.8	3.5	5.3	10.5	11.5
High	4.6	5.0	4.1	4.5	8.3	9.3
Highest	9.8	9.8	13.0	16.8	19.8	23.4
Region						
2.0	6.4	6.7	6.0	7.3	10.6	11.9

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	N/A	N/A	1715
Households Occupied	N/A	N/A	1641
Households Interviewed	N/A	N/A	1575
Household Response Rate ¹			95.98%
Interviews with Women			
Number of Eligible Women ²	N/A	N/A	1722
Number of Eligible Women Interviewed	N/A	N/A	1668
Eligible Woman Response Rate ³			96.86%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.166	0.020	0.130	0.210	0.181	0.023	0.139	0.233
Currently using a traditional method	0.134	0.023	0.095	0.186	0.149	0.026	0.103	0.209
Currently using any contraceptive method	0.300	0.037	0.232	0.379	0.330	0.043	0.250	0.420
Currently using DMPA-IM	0.018	0.005	0.011	0.031	0.021	0.006	0.012	0.037
Currently using DMPA-SC	0.011	0.004	0.005	0.023	0.015	0.005	0.007	0.030
Currently using condoms	0.229	0.029	0.176	0.292	0.184	0.031	0.129	0.256
Currently using implants	0.012	0.003	0.007	0.020	0.013	0.005	0.006	0.028
Chose method by self or jointly in past 12 months	0.960	0.013	0.923	0.980	0.954	0.019	0.897	0.980
Paid fees for family planning services in past 12 months	0.355	0.041	0.277	0.443	0.329	0.047	0.242	0.430
Informed by provider about other methods	0.234	0.037	0.167	0.317	0.268	0.047	0.185	0.371
Informed by provider about side effects	0.300	0.043	0.220	0.394	0.356	0.054	0.255	0.470
Satisfied with provider: Would return and refer friend/relative to provider	0.322	0.053	0.226	0.437	0.319	0.060	0.212	0.450
Visited by health worker who talked about family planning in past 12 months	0.064	0.020	0.034	0.118	0.067	0.020	0.036	0.120

¹ Married includes married women and those who are living with a man