

Measuring Performance, Informing Policy, Empowering Communities.



Ethiopia Round 2: Snapshot of Indicators (SOIs)

Suggested citation: Addis Ababa University School of Public Health and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 2, PMA2014/Ethiopia-R2 Snapshot of Indicators. 2014. Ethiopia and Baltimore, Maryland, USA.

www.pma2020.org

facebook.com/GATES.PMA2020

Twitter: @PMA2020JHU



Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Packground	Dorocutoss	Moightad	Unweighted
Background Characteristics	Percentage of Sample	Weighted Number	Number
Total	or campic	Number	Number
All	100.0	6665	6648
Age Group			
15-19	23.4	1562	1604
20-24	18.3	1221	1296
25-29	20.0	1335	1351
30-34	13.0	867	820
35-39	12.5	832	759
40-44	7.2	483	463
45-49	5.5	364	355
Marital Status			
Married, or in union	65.1	4339	3769
Unmarried, sexually active	1.9	129	228
Parity			
0-1 children	45.5	2025	3591
2-3 children	45.5 20.4	3035 1362	1392
4+ children	34.0	2266	1661
	34.0	2200	1001
Residence			
Urban 	23.1	1539	3529
Rural	76.9	5127	3119
Education			
Never	44.2	2945	2220
Primary	37.1	2476	2351
Secondary	14.8	984	1503
Technical & vocational	2.2	147	309
Higher	1.6	106	255
Wealth Quintile			
Lowest	17.3	1155	699
Lower	19.1	1272	883
Middle	20.4	1358	863
High	20.3	1353	1069
Highest	22.9	1528	3134
Region			
Addis	5.3	352	854
Amhara	22.5	1501	1256
Oromiya	38.7	2582	1018
SNNP	21.8	1456	1570
Tigray	6.9	461	1144
Other	4.7	313	806



Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

	Any M	Any Method		Modern Method ¹		Traditional Method		
Background Characteristics	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women		
Total								
All	24.4	35.0	23.8	34.2	0.6	0.8		
Age Group								
15-19	7.6	31.0	7.6	31.0	0.0	0.0		
20-24	27.4	38.2	26.4	36.7	1.1	1.5		
25-29	34.1	39.3	33.5	38.7	0.6	0.6		
30-34	36.5	39.1	35.9	38.4	0.6	0.6		
35-39	30.2	34.1	29.7	33.5	0.5	0.6		
40-44	22.5	28.2	21.3	26.8	1.2	1.4		
45-49	11.4	14.1	10.6	12.9	0.9	1.2		
Marital Status								
Married, or in union	35.0	na	34.2	na	0.8	na		
Unmarried, sexually active	43.0	na	41.4	na	1.6	na		
Parity								
0-1 children	15.1	35.2	14.8	34.4	0.4	0.9		
2-3 children	38.1	41.3	37.0	40.1	1.1	1.3		
4+ children	28.6	31.2	28.1	30.6	0.5	0.6		
	20.0	31.2	20.1	30.0	0.5	0.0		
Residence	27.0	10.0	26.0	47.0	4.0	4.0		
Urban	27.9	49.0	26.9	47.2	1.0	1.8		
Rural	23.4	32.1	22.9	31.5	0.4	0.6		
Education								
Never	26.4	30.0	26.1	29.7	0.3	0.3		
Primary	23.0	38.3	22.5	37.5	0.5	0.8		
Secondary	20.8	51.3	20.1	49.8	0.7	1.5		
Technical & vocational	33.5	55.2	29.9	48.4	3.7	6.9		
Higher	22.0	44.0	15.7	29.9	6.3	14.1		
Wealth Quintile								
Lowest	19.3	26.1	19.3	26.1	0.0	0.0		
Lower	19.3	25.8	19.3	25.8	0.0	0.0		
Middle	25.1	34.5	24.4	33.4	0.8	1.1		
High	27.7	40.2	27.0	39.1	0.7	1.1		
Highest	29.0	49.9	27.8	47.9	1.2	2.0		
Region								
Addis	24.2	48.4	23.1	47.2	1.0	1.2		
Amhara	34.3	48.6	34.2	48.3	0.2	0.3		
Oromiya	21.2	28.5	20.5	27.5	0.7	1.0		
SNNP	23.1	36.4	22.2	35.0	0.9	1.5		
Tigray	21.9	33.5	21.7	33.1	0.3	0.4		
Other	13.4	17.3	13.4	17.3	0.0	0.0		

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 1626)

Married Users¹ (N = 1520)

Cital acteristics						•									_			
S	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional
Total																		
All	0.9	20.4	2.0	67.2	4.5	0.6	1.0	1.0	2.4	1.0	20.5	2.0	68.0	4.5	0.1	0.5	1.1	2.4
Age Group																		
15-19	0.0	9.5	1.0	75.1	10.5	3.3	0.7	0.0	0.0	0.0	5.8	0.4	82.3	11.3	0.0	0.2	0.0	0.0
20-24	0.0	21.4	2.4	66.3	4.5	0.8	0.7	0.1	3.9	0.0	22.1	2.4	66.6	4.6	0.3	0.0	0.1	4.0
25-29	0.0	20.5	1.2	67.8	4.4	0.5	0.7	3.3	1.6	0.0	20.7	1.1	68.5	4.4	0.1	0.3	3.5	1.5
30-34	0.1	23.0	2.9	67.5	3.3	0.2	1.1	0.3	1.6	0.1	22.3	3.0	68.8	3.3	0.2	0.3	0.2	1.7
35-39	2.1	22.6	2.1	65.9	4.2	0.0	1.2	0.1	1.8	2.0	23.7	2.1	65.3	4.4	0.0	0.7	0.1	1.7
40-44	6.6	15.7	3.1	64.1	2.4	0.0	2.9	0.1	5.2	6.6	15.5	3.1	64.5	2.4	0.0	2.8	0.1	5.0
45-49	6.0	21.1	1.6	58.1	3.6	0.0	2.0	0.0	7.6	6.5	22.8	1.7	56.5	3.9	0.0	0.4	0.0	8.2
Marital Status																		
Married, or in union	1.0	20.5	2.0	68.0	4.5	0.1	0.5	1.1	2.4	na	na	na	na	na	na	na	na	na
Unmarried, sexually act	ive ^{1.2}	10.9	2.2	59.4	4.2	7.1	11.3	0.0	3.7	na	na	na	na	na	na	na	na	na
Parity																		
0-1 children	0.0	16.6	3.2	65.1	7.8	2.0	2.3	0.5	2.5	0.0	16.1	3.2	68.4	8.5	0.4	0.3	0.6	2.4
2-3 children	0.7	21.5	1.8	67.4	3.6	0.1	0.6	1.3	2.9	0.8	21.9	1.8	66.8	3.7	0.1	0.6	1.3	3.0
4+ children	1.8	22.2	1.4	68.5	2.7	0.0	0.5	1.1	1.8	1.7	22.0	1.4	68.7	2.8	0.0	0.5	1.1	1.9
Residence																		
Urban	1.3	19.8	5.0	54.1	10.7	1.8	3.4	0.2	3.7	1.5	20.4	5.1	55.4	11.8	0.5	1.4	0.2	3.8
Rural	0.8	20.6	1.0	71.9	2.2	0.1	0.2	1.3	1.9	0.8	20.5	1.0	72.0	2.2	0.0	0.2	1.3	2.0
Education																		
Never	1.4	21.0	2.0	70.8	1.8	0.0	0.4	1.7	1.0	1.3	21.2	2.1	70.6	1.7	0.0	0.3	1.8	1.0
Primary	0.4	18.6	1.3	71.0	5.6	0.1	0.4	0.5	2.1	0.4	18.3	1.1	71.6	5.7	0.0	0.2	0.5	2.1
Secondary	1.0	23.9	1.9	55.0	8.3	3.2	3.2	0.1	3.3	1.2	24.5	1.6	59.0	9.3	0.2	1.3	0.1	2.9
Technical & vocational	0.0	15.4	5.6	43.7	15.6	2.6	6.0	0.0	11.0	0.0	17.1	6.4	44.3	16.0	2.0	1.8	0.0	12.4
Higher	2.5	11.1	15.0	20.2	8.5	4.5	9.4	0.0	28.7	2.8	11.9	16.7	21.6	8.2	2.4	4.4	0.0	32.0
Wealth Quintile																		
Lowest	0.0	19.9	2.7	70.7	6.6	0.0	0.0	0.1	0.0	0.0	19.6	2.8	70.6	6.9	0.0	0.0	0.1	0.0
Lower	0.7	23.0	0.0	74.9	0.3	0.7	0.0	0.5	0.0	0.7	24.0	0.0	74.7	0.2	0.0	0.0	0.4	0.0
Middle	0.5	19.8	1.0	72.1	1.1	0.0	0.0	2.4	3.2	0.5	19.5	1.0	72.2	1.1	0.0	0.0	2.5	3.2
High	2.1	21.3	1.2	69.1	1.6	0.5	0.1	1.6	2.5	2.1	21.3	1.2	69.1	1.6	0.0	0.1	1.8	2.8
Highest	1.0	18.9	4.4	55.8	10.7	1.4	3.7	0.1	4.2	1.1	18.9	4.3	58.3	11.1	0.4	1.7	0.2	4.1
Region																		
Addis	2.7	21.8	11.2	29.8	16.5	4.3	9.3	0.0	4.3	3.4	25.5	13.6	32.2	19.6	0.7	2.6	0.0	2.4
Amhara	0.7	15.3	1.4	79.2	2.8	0.0	0.0	0.0	0.5	0.8	15.7	1.1	78.8	3.1	0.0	0.0	0.0	0.6
Oromiya	1.4	27.1	2.1	59.4	3.8	0.5	0.2	2.2	3.3	1.5	26.6	2.2	59.9	3.9	0.2	0.1	2.3	3.4
SNNP	0.1	14.5	1.1	73.9	3.5	0.8	1.4	0.9	3.9	0.1	14.3	1.1	75.0	3.6	0.0	1.2	0.8	4.0
Tigray	1.2	29.4	1.0	58.3	5.6	0.5	2.6	0.2	1.3	0.7	30.3	0.9	60.0	5.0	0.3	1.4	0.2	1.2
Other	0.0	18.2	0.7	64.9	13.3	0.0	0.0	2.8	0.0	0.0	17.4	0.8	66.7	12.0	0.0	0.0	3.1	0.0

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background
Characteristics All Women (N = 6665)

Married Women¹ (N = 4339)

Characteristics	All V	vomen (N = 66	05)	Married Women (N = 4339)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	10.1	6.1	16.2	15.1	9.1	24.1
Age Group						
15-19	4.0	0.6	4.6	15.9	2.6	18.4
20-24	14.6	1.8	16.4	21.2	1.9	23.1
25-29	13.9	4.3	18.2	17.1	5.2	22.3
30-34	14.0	8.5	22.5	15.7	9.0	24.8
35-39	10.1	14.0	24.1	12.0	16.7	28.8
40-44	6.3	17.1	23.4	8.0	21.8	29.8
45-49	2.2	12.5	14.8	3.0	16.5	19.5
Marital Status						
Married, or in union	15.1	9.1	24.1	na	na	na
Unmarried, sexually active	13.4	5.1	18.5	na	na	na
Parity						
0-1 children	5.7	0.8	6.5	14.3	1.5	15.8
2-3 children	15.3	4.4	19.7	17.2	4.7	21.9
4+ children	12.9	14.2	27.1	14.2	15.6	29.8
Residence						
Urban	4.5	3.9	8.4	8.0	7.5	15.5
Rural	11.7	6.8	18.5	16.5	9.4	25.9
Education						
Never	13.7	9.3	23.0	16.2	10.7	26.9
Primary	8.1	4.3	12.4	14.2	7.4	21.6
Secondary	5.1	2.3	7.4	11.9	6.2	18.1
Technical & vocational	6.9	2.1	9.1	12.3	4.0	16.3
Higher	5.3	0.9	6.2	7.9	1.3	9.2
Wealth Quintile						
Lowest	14.2	6.0	20.2	19.1	7.9	27.0
Lower	12.0	7.8	19.8	16.5	10.3	26.8
Middle	13.5	6.1	19.6	19.0	8.7	27.6
High	7.9	7.2	15.1	12.3	11.4	23.8
Highest	4.3	3.8	8.0	7.4	6.8	14.2
Region						
Addis	3.8	2.1	5.9	7.6	4.4	12.0
Amhara	7.0	5.1	12.1	10.5	7.1	17.6
Oromiya	14.5	8.5	23.0	20.0	11.6	31.6
SNNP	7.5	5.0	12.6	11.4	8.2	19.6
Tigray	7.3	3.6	10.9	12.7	6.2	18.9
Other	11.5	4.3	15.8	16.0	6.0	22.1
Other	11.5	4.3	15.8	16.0	6.0	

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Background

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Characteristics All Women (N=6665) Married Women ² (N=4339)

Characteristics		All W	omen (i	V-0003)			iviarried	women	(14-4559)
	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	24.4	23.8	16.2	40.6	58.7	35.0	34.2	24.1	59.2	57.8
Age Group										
15-19	7.6	7.6	4.6	12.2	62.2	31.0	31.0	18.4	49.4	62.7
20-24	27.4	26.4	16.4	43.9	60.1	38.2	36.7	23.1	61.3	59.8
25-29	34.1	33.5	18.2	52.3	64.2	39.3	38.7	22.3	61.6	62.9
30-34	36.5	35.9	22.5	59.0	60.9	39.1	38.4	24.8	63.8	60.2
35-39	30.2	29.7	24.1	54.3	54.6	34.1	33.5	28.8	62.9	53.3
40-44	22.5	21.3	23.4	45.9	46.4	28.2	26.8	29.8	58.0	46.2
45-49	11.4	10.6	14.8	26.2	40.3	14.1	12.9	19.5	33.6	38.6
Marital Status										
Married, or in union	35.0	34.2	24.1	59.2	57.8	na	na	na	na	na
Unmarried, sexually active	43.0	41.4	18.5	61.5	67.3	na	na	na	na	na
Parity										
0-1 children	15.1	14.8	6.5	21.6	68.3	35.2	34.4	15.8	51.1	67.3
2-3 children	38.1	37.0	19.7	57.8	64.0	41.3	40.1	21.9	63.2	63.4
4+ children	28.6	28.1	27.1	55.7	50.4	31.2	30.6	29.8	61.0	50.2
Residence										
	27.0	26.0	0.4	26.2	74.4	40.0	47.0	45.5	C4 F	72.4
Urban	27.9	26.9 22.9	8.4	36.3	74.1 54.7	49.0 32.1	47.2 31.5	15.5	64.5 58.0	73.1
Rural	23.4	22.9	18.5	41.9	54.7	32.1	31.5	25.9	58.0	54.3
Education										
Never	26.4	26.1	23.0	49.3	52.9	30.0	29.7	26.9	57.0	52.1
Primary	23.0	22.5	12.4	35.4	63.5	38.3	37.5	21.6	59.9	62.6
Secondary	20.8	20.1	7.4	28.2	71.3	51.3	49.8	18.1	69.4	71.7
Technical & vocational	33.5	29.9	9.1	42.6	70.1	55.2	48.4	16.3	71.6	67.6
Higher	22.0	15.7	6.2	28.2	55.5	44.0	29.9	9.2	53.3	56.2
Wealth Quintile										
Lowest	19.3	19.3	20.2	39.4	48.8	26.1	26.1	27.0	53.1	49.1
Lower	19.3	19.3	19.8	39.1	49.4	25.8	25.8	26.8	52.6	49.0
Middle	25.1	24.4	19.6	44.7	54.4	34.5	33.4	27.6	62.2	53.7
High	27.7	27.0	15.1	42.8	63.0	40.2	39.1	23.8	64.0	61.1
Highest	29.0	27.8	8.0	37.0	75.0	49.9	47.9	14.2	64.1	74.7
Region										
Addis	24.2	23.1	5.9	30.1	76.9	48.4	47.2	12.0	60.4	78.2
Amhara	34.3	34.2	12.1	46.4	73.6	48.6	48.3	17.6	66.2	73.0
Oromiya	21.2	20.5	23.0	44.2	46.4	28.5	27.5	31.6	60.1	45.8
SNNP	23.1	22.2	12.6	35.6	62.2	36.4	35.0	19.6	56.0	62.4
Tigray	21.9	21.7	10.9	32.8	66.0	33.5	33.1	18.9	52.4	63.2
Other	13.4	13.4	15.8	29.2	45.9	17.3	17.3	22.1	39.4	43.9

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy IntentionsUnintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background	All Wom	en with 1 or N	1ore Births	Married Women with 1 or More Bir			
Characteristics		(N=3308)			Wanted Later Not At All 27.5 11.0 27.5 11.0 32.1 4.1 31.6 5.8 31.1 7.2 22.1 13.5 22.9 20.8 16.3 22.9 29.9 25.7 25.7 26.0 27.1 17.5 17.8 8.5 29.1 11.4 27.3 11.2 29.2 11.7 26.0 9.5 17.5 1.8 9.0 4.5 29.5 17.5 1.8 9.0 4.5 29.5 12.4 27.5 10.1 30.0 10.3 27.3 13.2 21.5 8.8 21.6 7.9 39.1 11.1 15.2 18.2		
	Wanted Then	Wanted Later	Not At All	Wanted Then		Not At All	
Total							
All	61.0	27.3	11.7	61.5	27.5	11.0	
Age Group							
15-19	60.9	35.2	4.0	63.8	32.1	4.1	
20-24	61.3	31.0	7.6	62.5			
25-29	61.3	30.8	8.0	61.7			
30-34	64.1	22.4	13.4	64.5			
35-39	57.3	22.3	20.4	56.3			
40-44	60.4	14.8	24.8	60.9			
45-49	46.0	29.0	24.9	44.4			
Marital Status							
	C4 F	27.5	44.0				
Married, or in union	61.5	27.5	11.0	na			
Unmarried, sexually active	53.0	25.4	21.6	na	na	na	
Parity							
0-1 children	70.8	24.4	4.8	74.3	22.9	2.8	
2-3 children	62.0	30.5	7.5	62.0	31.1	6.9	
4+ children	55.5	26.5	17.9	55.4	27.1	17.5	
Residence							
Urban	70.3	18.8	10.8	73.7	17.8	8.5	
Rural	59.4	28.8	11.8	59.5			
Education							
Never	61.6	26.5	11.9	61.4			
Primary	58.4	29.2	12.4	59.1			
Secondary	61.7	28.2	10.0	64.5			
Technical & vocational	80.6	17.6	1.7	80.8			
Higher	76.4	19.6	4.0	86.4	9.0	4.5	
Wealth Quintile							
Lowest	57.7	28.8	13.5	58.1	29.5	12.4	
Lower	62.2	27.6	10.2	62.4	27.5	10.1	
Middle	59.2	30.7	10.0	59.7	30.0	10.3	
High	58.8	26.6	14.6	59.5	27.3	13.2	
Highest	68.9	21.2	10.0	69.7	21.5	8.8	
Region							
Addis	75.1	16.4	8.5	77.7	16.5	5.8	
Amhara	68.6	21.6	9.7	70.5			
Oromiya	49.4	39.0	11.6	49.7			
	66.3	15 3	18.4	66.6	15.2	18 2	
SNNP Tigray	66.3 74.7	15.3 20.2	18.4 5.1	66.6 75.1	15.2 20.2	18.2 4.7	

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 1587)
Total				
All	35.9	52.2	11.9	
Age Group				
15-19	53.6	31.5	14.9	
20-24	31.4	53.5	15.1	
25-29	34.9	54.6	10.5	
30-34 35-39	39.4 29.1	49.8 58.8	10.8 12.0	
40-44	37.6	56.7	5.7	
45-49	40.5	42.4	17.0	
Marital Status	7070	,	27.0	
Married, or in union	33.5	54.5	12.0	
Unmarried, sexually active	62.3	23.6	14.1	
·	02.3	23.0	1111	
Parity	20.7	46.0	42.5	
0-1 children 2-3 children	39.7	46.8	13.5	
4+ children	34.1 34.6	51.9 56.3	14.0 9.1	
	34.0	50.5	9.1	
Residence				
Urban	43.4	43.8	12.7	
Rural	33.3	55.1	11.6	
Education				
Never	31.5	56.6	11.9	
Primary	42.5	46.4	11.1	
Secondary Table is 1.8 as a set is a set.	37.7	47.5	14.8	
Technical & vocational	25.6 26.7	67.4	7.0	
Higher	20.7	51.9	21.4	
Wealth Quintile	27.0	64.0	7.4	
Lowest	27.8	64.8	7.4	
Lower Middle	31.9 38.3	52.2 51.5	15.9 10.2	
High	38.3 40.2	50.9	9.0	
Highest	36.9	47.3	15.8	
Region				
Addis	39.1	46.6	14.3	
Amhara	33.9	59.8	6.2	
Oromiya	36.4	50.4	13.2	
SNNP	30.0	54.2	15.8	
Tigray	62.9	21.5	15.6	
Other	28.5	49.7	21.8	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method¹ who paid fees for services, by marital status and background characteristics.

Background

Characteristics	All Modern Contraceptive Users	Married Modern Contraceptive Users
	(N = 1587)	(N = 1484)
Total		
All	22.2	20.9
Age Group		
15-19	30.1	26.3
20-24	26.6	25.8
25-29	20.0	17.5
30-34	22.1	22.0
35-39	20.5	19.6
40-44	17.7	17.8
45-49	10.5	11.4
Marital Status		
Married, or in union	20.9	na
Unmarried, sexually active	54.1	na
Parity		
0-1 children	31.6	28.1
2-3 children	21.3	21.3
4+ children	16.3	16.3
Residence		
Urban	38.1	35.9
Rural	16.6	16.2
Education		
Never	15.9	15.5
Primary	25.1	24.2
Secondary	31.5	27.8
Technical & vocational	46.5	40.8
Higher	45.8	47.6
Wealth Quintile		
Lowest	12.8	12.6
Lower	21.4	20.7
Middle	16.0	16.2
High	17.6	15.0
Highest	36.3	34.6
Region		
Addis	40.0	35.5
Amhara	23.0	22.3
Oromiya	23.5	22.7
SNNP	13.0	12.2
Tigray	16.2	12.3
Other	46.5	43.3

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Method Information Index Components

Percentage of current modern contraceptive ¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics		t other methods ²		ut side effects ²	Told what experienced	side effects ²
	All	Married ³	All	Married ³	All	Married ³
-	Users	Users	Users	Users	Users	Users
Total	(1587)	(1484)	(1571)	(1468)	(741)	(653)
All	60.1	60.8	46.0	46.3	75.3	76.7
Age Group						
15-19	51.8	53.8	46.2	49.7	77.1	76.5
20-24	59.9	61.3	44.1	44.9	73.3	73.7
25-29	59.9	60.5	47.0	47.1	80.4	81.8
30-34	65.5	65.2	44.6	43.4	74.1	77.4
35-39	58.1	59.6	52.6	52.9	72.1	74.2
40-44 45-49	59.4 <i>59.0</i>	59.3 <i>57.3</i>	40.0 <i>36.2</i>	39.7 <i>37.5</i>	72.8	73.7
	59.0	57.3	30.2	37.3		
Marital Status						
Married, or in union	60.8	na	46.3	na	76.7	na
Unmarried, sexually active	38.2	na	40.8	na	70.2	na
Parity						
0-1 children	57.9	60.5	45.1	46.3	80.5	83.5
2-3 children	59.7	60.2	43.9	43.6	72.7	73.9
4+ children	61.9	61.5	48.4	48.3	73.7	74.6
Residence						
Urban	60.2	63.2	42.3	42.5	74.9	76.8
Rural	60.0	60.1	47.4	47.5	75.4	76.6
Education						
Never	59.4	59.6	45.1	44.5	71.8	73.9
Primary	58.5	58.7	45.5	45.9	75.8	76.0
Secondary	67.1	70.5	50.4	53.0	82.5	84.0
Technical & vocational	61.5	68.5	48.1	52.2	88.8	90.6
Higher	59.2	67.4	56.8	60.9	78.6	
Wealth Quintile						
Lowest	53.9	53.4	35.4	35.2	80.3	80.5
Lower	60.4	62.8	48.4	49.5	77.7	79.4
Middle	61.7	61.2	42.8	43.2	74.1	73.6
High	61.1	62.3	49.9	49.9	71.7	75.1
Highest	60.9	62.2	49.5	50.0	75.9	77.0
Region						
Addis	63.0	69.8	57.7	58.4	78.2	86.4
Amhara	50.7	50.6	29.9	29.2	62.7	62.8
Oromiya	64.7	65.3	55.0	55.7	75.9	76.9
SNNP	65.7	66.5	54.5	55.3	83.0	83.9
Tigray	68.2	70.3	48.0	47.2	81.4	83.4
Other	47.8	46.7	40.8	39.0	74.6	75.1

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method
- 2 Asked of all current/recent modern contraceptive users
- 3 Married includes married women and those who are living with a man

- na Not applicable
- -- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background	Percent who would	Percent who would refer	Percent who would return
Characteristics	return to provider	relative/friend	and refer friend/relative
Total	(N = 1569)	(N = 1569)	(N = 1569)
All	94.0	80.3	78.1
Age Group			
15-19	93.4	80.8	77.5
20-24	94.8	78.1	77.6
25-29	94.6	79.2	77.3
30-34	96.3	83.3	81.8
35-39	93.4	83.6	80.6
40-44	88.4	81.5	73.1
45-49	84.4	61.6	59.0
Marital Status			
Married, or in union	94.9	81.1	78.9
Unmarried, sexually active	77.5	66.1	63.8
Parity			
0-1 children	92.2	77.5	75.9
2-3 children	94.5	81.7	79.4
4+ children	94.9	81.1	78.5
Residence			
Urban	89.8	79.3	76.2
Rural	95.5	80.6	78.7
Education			
Never	94.8	78.1	75.7
Primary	95.3	84.7	82.8
Secondary	89.2	77.5	74.8
Technical & vocational	86.9	76.4	74.8
Higher	90.8	79.2	78.2
Wealth Quintile			
Lowest	95.7	80.7	78.9
Lower	94.2	78.2	76.0
Middle	95.4	80.9	78.3
High	92.3	82.7	80.5
Highest	93.4	78.8	76.6
Region			
Addis	86.3	79.3	74.6
Amhara	92.5	77.1	74.2
Oromiya	95.6	78.7	77.9
SNNP	95.1	91.6	88.4
Tigray	96.2	69.3	68.2
Other	94.8	80.8	77.5

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	-	th worker who mily planning	Visited facility discussed fa	and provider mily planning	Either visited by health work or visited facility and discussed family planning		
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women	
Total	(6665)	(4339)	(6665)	(4339)	(6665)	(4339)	
All	19.0	22.3	15.6	19.8	28.3	34.2	
	19.0	22.5	13.0	19.0	20.5	54.2	
Age Group							
15-19	11.7	14.0	5.5	11.5	14.7	21.4	
20-24	17.1	20.6	19.3	24.3	29.0	35.4	
25-29	23.4	25.1	19.4	20.6	34.8	37.6	
30-34	27.0	28.1	20.1	21.4	37.4	39.0	
35-39	19.9	19.5	20.9	20.8	33.4	33.2	
40-44	19.6	20.4	15.2	17.1	28.2	30.5	
45-49	20.0	20.3	10.0	9.4	26.6	27.2	
Marital Status							
Married, or in union	22.3	na	19.8	na	34.2	na	
Unmarried, sexually active	16.4	na	17.6	na	29.8	na	
Parity							
0-1 children	13.4	18.1	9.8	17.2	19.6	29.6	
2-3 children	26.2	25.8	21.7	21.9	38.0	38.0	
4+ children	22.3	22.5	19.6	19.9	34.0	34.5	
Residence							
Urban	17.0	21.8	13.3	18.9	25.8	33.8	
Rural	19.7	22.5	16.2	20.0	29.0	34.3	
Education							
Never	21.0	21.6	17.8	18.8	31.2	32.7	
Primary	18.1	23.0	13.2	19.2	26.3	35.2	
•				26.2	24.7		
Secondary Technical & vocational	17.1 14.4	25.8 19.1	13.7 21.4	31.0	24.7	40.1 40.9	
Higher	14.4 12.0	19.1 18.4	21.4 17.3	31.0 22.5	29.1	40.9 33.5	
-	12.0	10.4	17.5	22.3	24.2	33.3	
Wealth Quintile	22.2	22.7	447	47.7	20.0	22.5	
Lowest	22.3	23.7	14.7	17.7	29.9	32.5	
Lower	19.8	23.3	15.6	19.0	28.3	34.3	
Middle	16.9	19.8	15.0	18.1	26.1	31.1	
High	18.6	22.1	16.7	21.3	28.3	35.3	
Highest	18.3	23.2	15.7	23.2	28.8	38.6	
Region							
Addis	12.3	17.8	12.9	21.7	22.9	35.0	
Amhara	21.7	25.1	16.9	21.3	32.0	38.3	
Oromiya	15.1	17.8	10.8	13.9	22.7	27.5	
SNNP	23.2	28.1	21.0	27.9	32.8	41.5	
Tigray	23.2	27.0	24.9	32.7	37.8	45.4	
Other	21.2	23.0	12.3	14.6	27.9	30.9	

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	3602	3395	6997
Households Occupied	3566	3361	6927
Households Interviewed	3502	3311	6813
Household Response Rate ¹	98.21%	98.51%	98.35%
Interviews with Women			
Number of Eligible Women ²	3615	3178	6793
Number of Eligible Women Interviewed	3529	3119	6648
Eligible Woman Response Rate ³	97.62%	98.14%	97.87%

- 1 Household response rate = households interviewed/households selected
- 2 Eligible women are women ages 15-49 identified in completed household interviews
- 3 Eligible response rate = eligible women interviewed/eligible women



	All Women					Married Women ¹			
Variable	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper	
Currently using a modern method	0.238	0.014	0.212	0.266	0.342	0.022	0.301	0.386	
Currently using a traditional method	0.006	0.001	0.004	0.009	0.008	0.002	0.005	0.013	
Currently using any contraceptive method	0.244	0.014	0.218	0.272	0.350	0.022	0.309	0.394	
Currently using DMPA-IM	0.164	0.011	0.144	0.186	0.238	0.017	0.207	0.273	
Currently using DMPA-SC									
Currently using condoms	0.010	0.002	0.007	0.016	0.005	0.002	0.002	0.010	
Currenlty using implants	0.204	0.020	0.167	0.247	0.205	0.022	0.165	0.250	
Chose method by self or jointly in past 12 months	0.881	0.020	0.837	0.915	0.880	0.021	0.833	0.915	
Paid fees for family planning services in past 12 months	0.217	0.021	0.177	0.262	0.204	0.022	0.164	0.251	
Informed by provider about other methods	0.594	0.025	0.545	0.642	0.602	0.025	0.551	0.651	
Informed by provider about side effects	0.460	0.029	0.404	0.518	0.463	0.030	0.404	0.523	
Satisfied with provider: Would return and refer friend/relative to provider	0.781	0.020	0.738	0.818	0.789	0.021	0.744	0.828	
Visited by health worker who talked about family planning in past 12 months	0.190	0.019	0.156	0.230	0.223	0.022	0.183	0.270	

¹ Married includes married women and those who are living with a man