



## Performance Monitoring and Accountability 2020

*Measuring Performance, Informing Policy, Empowering Communities.*



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

## Uganda Round 2: Snapshot of Indicators (SOIs)

**Suggested citation:** Makerere University, School of Public Health at the College of Health Sciences and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 2, PMA2015/Uganda-R2 Snapshot of Indicators*. 2015. Uganda and Baltimore, Maryland, USA.

[www.pma2020.org](http://www.pma2020.org)

[facebook.com/GATES.PMA2020](https://facebook.com/GATES.PMA2020)

Twitter: @PMA2020JHU



## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	3617	3631
<b>Age Group</b>			
15-19	22.7	820	816
20-24	21.3	769	787
25-29	17.0	615	646
30-34	13.2	477	476
35-39	11.1	402	405
40-44	8.7	315	293
45-49	6.0	218	208
<b>Marital Status</b>			
Married, or in union	63.9	2309	2252
Unmarried, sexually active	6.4	232	261
<b>Parity</b>			
0-1 children	41.0	1483	1543
2-3 children	23.6	853	863
4+ children	35.1	1270	1212
<b>Residence</b>			
Urban	21.0	759	971
Rural	79.0	2858	2660
<b>Education</b>			
Never	9.7	350	412
Primary	59.0	2132	2037
Secondary	25.4	919	943
Technical & vocational	3.5	125	120
University	2.5	90	119
<b>Wealth Quintile</b>			
Lowest	17.1	618	646
Lower	18.6	674	639
Middle	21.0	760	731
High	20.9	757	675
Highest	22.3	807	940
<b>Region</b>			
Central	25.8	933	1000
Eastern	28.1	1016	850
Northern	21.8	788	938
Western	24.3	880	843

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	28.6	34.9	26.1	31.8	2.5	3.1
<b>Age Group</b>						
15-19	11.0	21.7	9.9	18.8	1.0	2.9
20-24	28.4	28.9	25.4	25.0	3.0	3.9
25-29	36.3	37.3	33.8	35.1	2.5	2.2
30-34	40.4	42.0	37.9	39.1	2.5	2.9
35-39	36.0	37.9	31.9	34.3	4.0	3.6
40-44	36.4	39.6	32.9	35.8	3.5	3.8
45-49	23.5	29.8	21.7	27.4	1.8	2.4
<b>Marital Status</b>						
Married, or in union	34.9	na	31.8	na	3.1	na
Unmarried, sexually active	47.9	na	44.9	na	3.0	na
<b>Parity</b>						
0-1 children	16.4	22.0	15.0	20.0	1.4	2.0
2-3 children	37.4	38.3	34.5	35.1	3.0	3.2
4+ children	36.7	38.7	33.3	35.0	3.4	3.6
<b>Residence</b>						
Urban	33.5	41.2	31.0	38.9	2.5	2.3
Rural	27.3	33.5	24.8	30.2	2.5	3.3
<b>Education</b>						
Never	17.1	18.1	14.5	14.7	2.7	3.4
Primary	29.1	35.0	26.6	31.8	2.5	3.3
Secondary	28.2	39.8	26.0	36.7	2.1	3.1
Technical & vocational	42.1	48.4	38.7	47.8	3.4	0.6
University	46.1	60.9	43.5	59.2	2.7	1.7
<b>Wealth Quintile</b>						
Lowest	19.0	20.8	16.7	17.8	2.3	3.0
Lower	24.4	30.8	22.5	28.1	1.9	2.7
Middle	28.6	35.6	26.2	32.1	2.4	3.5
High	30.3	38.7	27.6	35.6	2.7	3.1
Highest	37.9	48.8	34.9	45.5	3.0	3.3
<b>Region</b>						
Central	34.9	44.8	32.8	41.7	2.1	3.1
Eastern	26.1	31.4	24.4	29.5	1.7	1.9
Northern	20.5	24.4	18.7	21.8	1.8	2.6
Western	32.0	40.0	27.8	34.7	4.2	5.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

All Users (N = 1034)

Married Users<sup>1</sup> (N = 807)

Background Characteristics	All Users (N = 1034)										Married Users <sup>1</sup> (N = 807)									
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional		
<b>Total</b>																				
All	6.5	12.4	3.1	44.6	5.8	0.7	14.4	3.8	8.7	7.5	13.9	3.5	46.7	6.0	0.2	9.2	4.0	9.0		
<b>Age Group</b>																				
15-19	0.0	4.9	2.5	32.2	3.8	2.7	39.5	5.0	9.3	<i>0.0</i>	<i>8.3</i>	<i>5.7</i>	<i>40.0</i>	<i>6.0</i>	<i>0.0</i>	<i>19.9</i>	<i>6.7</i>	<i>13.4</i>		
20-24	0.0	9.5	1.0	49.5	5.1	0.7	21.1	2.6	10.5	0.0	10.9	1.5	59.2	3.9	0.0	8.0	3.3	13.4		
25-29	1.3	15.5	4.6	55.3	6.4	0.0	6.6	3.4	6.9	1.6	15.7	4.7	55.7	7.0	0.0	5.5	3.7	6.0		
30-34	7.0	22.4	3.4	42.6	5.5	0.7	8.6	3.5	6.1	8.0	24.4	2.9	40.4	5.4	0.0	8.0	4.0	6.9		
35-39	9.3	10.0	3.3	44.1	7.6	1.1	7.9	5.5	11.2	10.5	10.2	3.4	43.4	8.5	1.3	7.7	5.5	9.6		
40-44	22.6	7.0	3.2	33.0	7.7	0.0	12.5	4.4	9.6	23.8	6.8	3.1	34.2	7.1	0.0	11.8	3.5	9.7		
45-49	22.8	6.2	4.8	34.2	2.4	0.0	19.3	2.8	7.5	19.4	6.8	5.3	33.9	2.6	0.0	20.9	3.0	8.2		
<b>Marital Status</b>																				
Married, or in union	7.5	13.9	3.5	46.7	6.0	0.2	9.2	4.0	9.0	na	na	na	na	na	na	na	na	na		
Unmarried, sexually active	1.3	4.4	2.5	35.5	4.6	1.4	42.5	1.5	6.3	na	na	na	na	na	na	na	na	na		
<b>Parity</b>																				
0-1 children	0.0	8.2	2.4	36.7	5.4	2.3	33.8	2.4	8.8	0.0	12.7	4.1	48.9	5.7	1.4	14.9	3.3	9.0		
2-3 children	2.3	13.8	3.2	52.8	5.8	0.0	9.6	4.6	7.9	2.2	14.5	3.2	50.0	6.4	0.0	10.1	5.1	8.5		
4+ children	12.8	13.5	3.4	43.5	5.6	0.3	7.7	3.9	9.2	13.0	13.7	3.4	44.4	5.4	0.0	7.1	3.6	9.4		
<b>Residence</b>																				
Urban	4.5	10.0	4.8	41.9	7.0	2.2	17.4	4.7	7.5	5.6	11.4	6.1	44.5	9.4	0.9	9.7	6.6	5.7		
Rural	7.2	13.3	2.6	45.5	5.4	0.2	13.4	3.5	9.0	8.1	14.6	2.7	47.3	5.1	0.0	9.0	3.3	9.9		
<b>Education</b>																				
Never	12.8	9.8	1.6	44.8	4.8	0.0	8.0	2.8	15.5	12.3	11.8	2.0	39.3	4.4	0.0	8.2	3.3	18.7		
Primary	8.4	12.8	3.6	47.5	5.5	0.5	9.5	3.5	8.7	9.2	13.4	4.1	47.7	5.7	0.0	7.2	3.4	9.3		
Secondary	2.0	13.4	1.8	45.5	5.5	0.9	20.4	2.9	7.6	2.9	16.6	1.9	51.8	4.9	0.0	10.8	3.2	7.9		
Technical & vocational	4.7	4.8	3.8	19.1	8.1	0.0	42.6	8.9	8.1	7.4	7.6	1.1	26.3	11.8	0.0	30.5	14.1	1.2		
University	0.0	14.4	4.9	29.0	10.9	3.7	23.6	7.7	5.8	0.0	17.4	6.4	34.6	14.3	4.9	10.6	9.1	2.8		
<b>Wealth Quintile</b>																				
Lowest	10.1	20.7	3.8	34.1	3.6	0.0	10.8	4.7	12.2	11.5	21.4	3.1	36.0	1.4	0.0	9.3	2.9	14.4		
Lower	5.3	18.9	3.5	45.8	3.5	0.0	10.8	4.4	7.7	5.5	19.4	4.0	45.4	3.3	0.0	8.5	5.0	8.8		
Middle	6.5	13.3	2.2	49.0	5.6	0.6	9.9	4.6	8.3	7.0	15.1	2.1	50.9	4.5	0.0	5.3	5.3	9.9		
High	8.8	10.2	4.5	50.2	5.3	0.0	10.2	1.8	9.0	9.9	13.0	4.8	48.2	5.9	0.0	7.8	2.3	8.0		
Highest	4.2	6.9	2.3	40.7	8.5	1.8	23.9	3.9	7.8	5.6	7.1	3.2	47.7	11.0	0.7	13.5	4.4	6.8		
<b>Region</b>																				
Central	4.4	7.7	1.8	45.6	10.3	0.9	20.6	2.5	6.1	5.8	7.8	2.5	51.8	11.7	0.6	11.0	2.0	6.8		
Eastern	11.5	12.7	4.0	44.5	1.2	0.9	14.1	4.4	6.7	13.1	14.7	4.8	42.6	0.3	0.0	13.0	5.3	6.2		
Northern	10.4	27.2	4.7	30.5	4.2	0.0	10.8	3.2	9.0	9.8	29.1	3.8	32.9	2.9	0.0	7.6	3.1	10.6		
Western	2.1	9.2	2.8	51.8	5.9	0.5	9.4	4.9	13.3	2.4	10.9	3.0	53.5	7.4	0.0	4.0	5.7	13.2		

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 3617)			Married Women <sup>1</sup> (N = 2309)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	12.9	8.3	21.1	18.1	11.8	29.9
<b>Age Group</b>						
15-19	8.9	2.0	10.8	27.3	5.1	32.3
20-24	18.3	3.2	21.5	25.3	4.2	29.5
25-29	20.2	6.5	26.7	23.2	6.9	30.2
30-34	12.6	11.7	24.3	14.2	12.7	26.9
35-39	12.4	20.4	32.9	15.5	24.6	40.1
40-44	4.1	16.6	20.6	5.4	21.4	26.8
45-49	2.1	12.9	15.0	2.9	16.5	19.4
<b>Marital Status</b>						
Married, or in union	18.1	11.8	29.9	na	na	na
Unmarried, sexually active	17.7	6.5	24.3	na	na	na
<b>Parity</b>						
0-1 children	10.6	2.3	12.9	22.9	4.5	27.4
2-3 children	18.3	4.7	23.0	21.6	5.1	26.7
4+ children	11.9	17.7	29.6	13.7	19.5	33.2
<b>Residence</b>						
Urban	12.9	5.9	18.8	19.2	9.5	28.7
Rural	12.8	8.9	21.8	17.9	12.3	30.2
<b>Education</b>						
Never	14.0	13.8	27.8	16.6	17.3	33.9
Primary	13.7	9.5	23.2	18.3	12.6	30.9
Secondary	11.2	4.6	15.9	19.1	7.8	26.9
Technical & vocational	9.6	1.2	10.7	17.4	2.1	19.6
University	10.2	4.4	14.7	13.9	7.7	21.6
<b>Wealth Quintile</b>						
Lowest	15.5	9.5	25.0	20.3	12.3	32.6
Lower	14.9	8.9	23.8	19.6	11.7	31.2
Middle	12.0	9.6	21.6	17.3	14.0	31.3
High	11.9	8.6	20.5	17.2	12.6	29.8
Highest	10.8	5.3	16.1	16.1	8.5	24.6
<b>Region</b>						
Central	10.7	6.6	17.3	16.0	10.9	26.9
Eastern	13.2	10.5	23.8	17.8	13.4	31.2
Northern	17.6	7.6	25.1	24.2	10.4	34.7
Western	10.5	8.0	18.6	14.6	12.0	26.7

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

### Background

#### Characteristics

Characteristics	All Women (N=3617)					Married Women <sup>2</sup> (N=2309)				
	Any Method	Modern Method <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	28.6	26.1	21.1	49.7	52.5	34.9	31.8	29.9	64.8	49.0
<b>Age Group</b>										
15-19	11.0	9.9	10.8	21.8	45.6	21.7	18.8	32.3	54.0	34.8
20-24	28.4	25.4	21.5	49.8	50.9	28.9	25.0	29.5	58.4	42.9
25-29	36.3	33.8	26.7	63.0	53.6	37.3	35.1	30.2	67.5	52.0
30-34	40.4	37.9	24.3	64.7	58.6	42.0	39.1	26.9	68.9	56.7
35-39	36.0	31.9	32.9	68.8	46.4	37.9	34.3	40.1	78.1	44.0
40-44	36.4	32.9	20.6	57.0	57.7	39.6	35.8	26.8	66.5	53.9
45-49	23.5	21.7	15.0	38.5	56.4	29.8	27.4	19.4	49.2	55.7
<b>Marital Status</b>										
Married, or in union	34.9	31.8	29.9	64.8	49.0	na	na	na	na	na
Unmarried, sexually active	47.9	44.9	24.3	72.2	62.2	na	na	na	na	na
<b>Parity</b>										
0-1 children	16.4	15.0	12.9	29.3	51.1	22.0	20.0	27.4	49.4	40.5
2-3 children	37.4	34.5	23.0	60.4	57.1	38.3	35.1	26.7	65.0	54.0
4+ children	36.7	33.3	29.6	66.3	50.3	38.7	35.0	33.2	71.9	48.7
<b>Residence</b>										
Urban	33.5	31.0	18.8	52.3	59.2	41.2	38.9	28.7	69.9	55.6
Rural	27.3	24.8	21.8	49.1	50.6	33.5	30.2	30.2	63.7	47.4
<b>Education</b>										
Never	17.1	14.5	27.8	44.9	32.2	18.1	14.7	33.9	52.0	28.3
Primary	29.1	26.6	23.2	52.3	50.8	35.0	31.8	30.9	65.9	48.2
Secondary	28.2	26.0	15.9	44.0	59.1	39.8	36.7	26.9	66.7	55.0
Technical & vocational	42.1	38.7	10.7	52.8	73.2	48.4	47.8	19.6	68.0	<i>70.4</i>
University	46.1	43.5	14.7	60.8	71.5	60.9	59.2	21.6	82.5	71.8
<b>Wealth Quintile</b>										
Lowest	19.0	16.7	25.0	44.0	37.9	20.8	17.8	32.6	53.4	33.4
Lower	24.4	22.5	23.8	48.2	46.7	30.8	28.1	31.2	62.0	45.3
Middle	28.6	26.2	21.6	50.2	52.2	35.6	32.1	31.3	66.9	47.9
High	30.3	27.6	20.5	50.8	54.3	38.7	35.6	29.8	68.5	52.0
Highest	37.9	34.9	16.1	54.0	64.7	48.8	45.5	24.6	73.4	62.0
<b>Region</b>										
Central	34.9	32.8	17.3	52.3	62.7	44.8	41.7	26.9	71.7	58.2
Eastern	26.1	24.4	23.8	49.9	48.9	31.4	29.5	31.2	62.6	47.1
Northern	20.5	18.7	25.1	45.6	40.9	24.4	21.8	34.7	59.1	36.9
Western	32.0	27.8	18.6	50.6	54.9	40.0	34.7	26.7	66.6	52.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=2060)			Married <sup>1</sup> Women with 1 or More Births (N=1759)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	57.4	27.7	14.9	59.5	27.5	13.1
<b>Age Group</b>						
15-19	55.6	28.7	15.7	64.4	27.6	8.0
20-24	64.3	27.2	8.4	68.5	25.4	6.1
25-29	60.4	29.4	10.2	61.2	29.4	9.4
30-34	54.1	31.1	14.8	55.3	31.4	13.3
35-39	52.8	26.6	20.6	51.9	26.7	21.4
40-44	36.8	19.3	43.9	39.2	21.1	39.7
45-49	49.7	8.5	41.8	43.4	10.6	46.0
<b>Marital Status</b>						
Married, or in union	59.5	27.5	13.1	na	na	na
Unmarried, sexually active	47.0	28.5	24.5	na	na	na
<b>Parity</b>						
0-1 children	63.3	24.9	11.8	70.7	22.8	6.5
2-3 children	64.1	28.4	7.5	65.7	28.1	6.3
4+ children	48.7	28.8	22.6	49.5	29.3	21.3
<b>Residence</b>						
Urban	55.9	29.4	14.7	57.9	28.6	13.5
Rural	57.7	27.3	15.0	59.8	27.2	13.0
<b>Education</b>						
Never	47.1	31.0	21.9	47.5	31.5	21.0
Primary	56.3	28.1	15.6	57.9	28.1	14.0
Secondary	64.1	24.9	11.0	69.4	23.7	6.9
Technical & vocational	62.9	25.3	11.8	66.5	22.4	11.2
University	66.1	28.3	5.5	64.9	28.6	6.4
<b>Wealth Quintile</b>						
Lowest	54.4	28.1	17.6	57.4	26.8	15.8
Lower	52.1	32.1	15.9	53.1	33.3	13.6
Middle	55.5	30.5	14.0	57.4	29.7	12.9
High	60.6	23.1	16.4	65.6	21.9	12.5
Highest	65.7	23.8	10.5	65.6	24.2	10.2
<b>Region</b>						
Central	67.3	22.9	9.8	68.3	23.2	8.5
Eastern	60.8	23.3	15.9	63.5	22.8	13.8
Northern	39.2	43.1	17.7	41.2	43.4	15.4
Western	60.8	23.4	15.9	63.5	22.4	14.1

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 943)
<b>Total</b>				
All	51.0	40.3	8.7	
<b>Age Group</b>				
15-19	42.6	39.9	17.5	
20-24	47.9	42.3	9.8	
25-29	52.2	40.1	7.7	
30-34	61.7	29.0	9.4	
35-39	55.0	38.3	6.7	
40-44	43.9	51.7	4.4	
45-49	<i>36.9</i>	<i>57.0</i>	<i>6.1</i>	
<b>Marital Status</b>				
Married, or in union	48.0	44.0	8.1	
Unmarried, sexually active	53.8	32.3	13.9	
<b>Parity</b>				
0-1 children	47.8	38.9	13.2	
2-3 children	56.6	35.6	7.8	
4+ children	48.5	44.4	7.1	
<b>Residence</b>				
Urban	58.4	34.4	7.2	
Rural	48.6	42.2	9.2	
<b>Education</b>				
Never	60.0	30.6	9.3	
Primary	51.3	40.3	8.5	
Secondary	50.1	40.6	9.2	
Technical & vocational	<i>37.6</i>	<i>54.2</i>	<i>8.2</i>	
University	<i>57.7</i>	<i>33.1</i>	<i>9.2</i>	
<b>Wealth Quintile</b>				
Lowest	50.9	46.0	3.0	
Lower	48.5	44.1	7.4	
Middle	46.3	41.8	11.9	
High	56.7	36.1	7.2	
Highest	51.5	38.1	10.4	
<b>Region</b>				
Central	53.5	35.6	10.9	
Eastern	45.3	47.7	7.0	
Northern	50.9	41.0	8.0	
Western	53.7	38.2	8.2	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method<sup>1</sup> who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 943)	Married <sup>2</sup> Modern Contraceptive Users (N = 733)
<b>Total</b>		
All	47.2	48.0
<b>Age Group</b>		
15-19	49.2	<i>49.5</i>
20-24	55.8	58.1
25-29	51.3	52.7
30-34	41.2	40.5
35-39	43.5	43.0
40-44	39.8	45.6
45-49	<i>39.3</i>	<i>43.0</i>
<b>Marital Status</b>		
Married, or in union	48.0	na
Unmarried, sexually active	44.5	na
<b>Parity</b>		
0-1 children	54.4	57.7
2-3 children	49.5	50.5
4+ children	41.7	43.6
<b>Residence</b>		
Urban	55.4	54.1
Rural	44.5	46.3
<b>Education</b>		
Never	34.1	<i>33.5</i>
Primary	43.7	44.5
Secondary	59.0	61.4
Technical & vocational	<i>46.7</i>	<i>50.1</i>
University	<i>43.4</i>	<i>45.7</i>
<b>Wealth Quintile</b>		
Lowest	30.9	32.1
Lower	35.2	36.4
Middle	43.2	41.3
High	52.8	53.1
Highest	58.4	62.6
<b>Region</b>		
Central	58.7	65.9
Eastern	43.8	41.9
Northern	29.6	30.5
Western	46.9	44.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods <sup>2</sup>		Informed about side effects <sup>2</sup>		Told what to do if experienced side effects <sup>2</sup>	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(943)</b>	<b>(733)</b>	<b>(927)</b>	<b>(719)</b>	<b>(558)</b>	<b>(438)</b>
All	64.6	67.1	59.8	61.7	88.6	89.4
<b>Age Group</b>						
15-19	47.3	<i>57.4</i>	42.7	<i>48.5</i>	<i>81.7</i>	--
20-24	62.8	68.5	57.6	62.9	85.3	84.2
25-29	71.2	72.6	63.7	65.4	91.1	90.6
30-34	69.1	68.4	65.1	64.5	89.9	88.3
35-39	64.7	65.7	62.0	58.7	90.0	91.2
40-44	60.9	58.2	57.9	58.4	91.0	<i>96.2</i>
45-49	<i>62.9</i>	<i>63.2</i>	<i>61.3</i>	<i>57.6</i>	--	--
<b>Marital Status</b>						
Married, or in union	67.1	na	61.7	na	89.4	na
Unmarried, sexually active	51.4	na	52.3	na	80.5	na
<b>Parity</b>						
0-1 children	54.2	62.3	51.3	60.2	84.4	84.9
2-3 children	65.9	65.5	59.8	58.9	87.5	87.3
4+ children	69.3	69.8	64.7	64.2	91.2	92.1
<b>Residence</b>						
Urban	62.7	63.4	59.2	59.5	87.8	86.5
Rural	65.2	68.1	60.0	62.3	88.8	90.2
<b>Education</b>						
Never	68.0	<i>72.2</i>	57.3	<i>58.0</i>	<i>82.5</i>	--
Primary	65.8	65.6	61.8	61.5	90.4	91.3
Secondary	65.9	73.4	60.5	66.0	87.3	88.7
Technical & vocational	<i>52.4</i>	<i>57.6</i>	<i>45.3</i>	<i>51.4</i>	--	--
University	<i>49.3</i>	<i>58.0</i>	<i>46.7</i>	<i>56.2</i>	--	--
<b>Wealth Quintile</b>						
Lowest	77.6	80.0	79.0	77.5	92.9	98.7
Lower	65.7	65.4	64.4	65.7	89.1	88.6
Middle	71.5	74.0	58.7	61.6	86.9	91.1
High	63.0	62.9	60.3	58.0	93.2	91.0
Highest	55.4	61.2	50.9	55.8	83.0	82.2
<b>Region</b>						
Central	55.2	61.0	51.8	56.8	83.6	83.4
Eastern	65.9	66.1	61.4	62.3	92.3	92.0
Northern	74.4	79.2	75.4	79.9	87.9	89.7
Western	69.0	68.0	59.1	55.8	90.7	93.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhoea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider (N = 894)	Percent who would refer relative/friend (N = 894)	Percent who would return and refer friend/relative (N = 894)
<b>Total</b>			
All	89.2	87.9	84.6
<b>Age Group</b>			
15-19	88.9	84.6	82.4
20-24	87.7	87.5	84.6
25-29	89.8	84.7	82.8
30-34	89.2	87.7	84.5
35-39	92.9	88.6	87.1
40-44	87.7	96.1	87.7
45-49	<i>87.7</i>	<i>90.3</i>	<i>83.5</i>
<b>Marital Status</b>			
Married, or in union	89.9	88.0	84.4
Unmarried, sexually active	89.3	90.4	89.3
<b>Parity</b>			
0-1 children	83.0	82.8	79.9
2-3 children	92.9	89.1	86.5
4+ children	89.9	90.2	86.2
<b>Residence</b>			
Urban	89.1	89.9	85.6
Rural	89.3	87.2	84.3
<b>Education</b>			
Never	<i>84.8</i>	<i>84.8</i>	<i>82.8</i>
Primary	91.6	89.6	86.9
Secondary	88.3	87.5	84.0
Technical & vocational	<i>71.3</i>	<i>78.7</i>	<i>67.4</i>
University	<i>88.6</i>	<i>81.0</i>	<i>78.0</i>
<b>Wealth Quintile</b>			
Lowest	92.1	92.3	89.6
Lower	91.0	86.1	81.0
Middle	88.5	88.4	85.5
High	92.1	87.5	86.9
Highest	85.6	87.2	82.4
<b>Region</b>			
Central	83.6	81.8	77.8
Eastern	91.3	92.2	88.7
Northern	92.4	88.5	84.5
Western	92.6	90.9	89.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(3617)</b>	<b>(2309)</b>	<b>(3617)</b>	<b>(2309)</b>	<b>(3617)</b>	<b>(2309)</b>
All	17.0	19.6	30.5	37.8	37.2	44.6
<b>Age Group</b>						
15-19	10.8	18.6	14.5	36.3	20.4	41.5
20-24	15.2	15.6	31.1	35.5	37.4	41.1
25-29	20.8	21.8	43.9	45.7	51.1	52.9
30-34	22.2	22.0	37.8	39.2	45.1	46.1
35-39	21.8	23.6	38.6	41.4	45.9	48.8
40-44	18.4	18.9	30.4	31.7	38.1	40.1
45-49	12.6	11.8	19.4	19.2	26.9	27.3
<b>Marital Status</b>						
Married, or in union	19.6	na	37.8	na	44.6	na
Unmarried, sexually active	19.2	na	31.1	na	38.3	na
<b>Parity</b>						
0-1 children	12.2	15.7	19.5	33.7	25.7	39.2
2-3 children	19.1	19.9	37.4	38.6	44.6	46.0
4+ children	21.1	21.2	38.8	39.5	45.9	46.6
<b>Residence</b>						
Urban	18.5	22.9	32.5	45.0	37.2	49.5
Rural	16.6	18.8	29.9	36.2	37.2	43.6
<b>Education</b>						
Never	23.4	25.8	32.5	35.1	42.7	46.1
Primary	18.0	19.9	32.4	38.1	39.4	44.9
Secondary	13.5	15.9	24.7	35.6	30.5	40.9
Technical & vocational	13.6	16.1	31.6	47.2	36.2	51.9
University	8.9	12.4	33.2	50.2	35.4	51.8
<b>Wealth Quintile</b>						
Lowest	22.2	23.4	37.3	42.2	44.6	49.1
Lower	19.4	22.9	31.5	36.9	38.9	45.1
Middle	16.8	20.0	29.7	35.8	37.0	43.1
High	15.8	18.2	28.6	34.9	35.1	41.9
Highest	12.2	13.1	26.9	39.3	32.5	44.2
<b>Region</b>						
Central	8.0	8.7	22.5	28.9	26.5	33.3
Eastern	17.0	18.9	35.4	42.3	40.6	47.2
Northern	26.9	32.8	37.7	45.6	46.1	55.1
Western	17.4	18.2	26.7	33.1	36.8	42.5

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	1364	3476	4840
Households Occupied	1250	3179	4429
Households Interviewed	1093	3050	4143
Household Response Rate <sup>1</sup>	87.44%	95.94%	93.54%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	1054	2757	3811
Number of Eligible Women Interviewed	971	2660	3631
Eligible Woman Response Rate <sup>3</sup>	92.13%	96.48%	95.28%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.261	0.015	0.232	0.292	0.318	0.020	0.280	0.359
Currently using a traditional method	0.025	0.004	0.017	0.035	0.031	0.006	0.021	0.047
Currently using any contraceptive method	0.286	0.016	0.256	0.318	0.349	0.021	0.310	0.391
Currently using DMPA-IM	0.128	0.012	0.105	0.154	0.163	0.017	0.132	0.199
Currently using DMPA-SC								
Currently using condoms	0.144	0.020	0.109	0.187	0.092	0.018	0.062	0.133
Currently using implants	0.124	0.014	0.098	0.155	0.139	0.017	0.108	0.177
Chose method by self or jointly in past 12 months	0.913	0.016	0.875	0.940	0.919	0.018	0.878	0.948
Paid fees for family planning services in past 12 months	0.438	0.032	0.376	0.501	0.445	0.035	0.378	0.515
Informed by provider about other methods	0.619	0.028	0.563	0.672	0.640	0.027	0.586	0.691
Informed by provider about side effects	0.594	0.028	0.538	0.648	0.612	0.028	0.555	0.666
Satisfied with provider: Would return and refer friend/relative to provider	0.847	0.022	0.797	0.886	0.844	0.024	0.791	0.886
Visited by health worker who talked about family planning in past 12 months	0.170	0.017	0.139	0.205	0.196	0.019	0.160	0.237

<sup>1</sup> Married includes married women and those who are living with a man