



Performance Monitoring and Accountability 2020

Measuring Performance, Informing Policy, Empowering Communities.



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Uganda Round 4: Snapshot of Indicators (SOIs)

Suggested citation: Makerere University, School of Public Health at the College of Health Sciences and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 4, PMA2016/Uganda-R4 Snapshot of Indicators*. 2016. Uganda and Baltimore, Maryland, USA.

www.pma2020.org

facebook.com/GATES.PMA2020

Twitter: [@PMA2020JHU](https://twitter.com/PMA2020JHU)



Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	3800	3793
Age Group			
15-19	20.6	785	780
20-24	21.4	813	809
25-29	17.1	651	668
30-34	14.2	538	546
35-39	11.1	421	430
40-44	8.9	336	315
45-49	6.7	256	245
Marital Status			
Married, or in union	67.5	2564	2511
Unmarried, sexually active	6.4	242	248
Parity			
0-1 children	36.8	1397	1436
2-3 children	24.4	928	947
4+ children	38.7	1470	1405
Residence			
Urban	19.9	757	973
Rural	80.1	3043	2820
Education			
Never	8.9	338	393
Primary	61.8	2347	2234
Secondary	23.9	909	947
Technical & vocational	3.0	116	109
University	2.2	83	102
Wealth Quintile			
Lowest	19.2	729	707
Lower	18.6	708	695
Middle	20.1	762	743
High	20.4	776	720
Highest	21.7	825	928
Region			
Central	27.3	1037	1095
Eastern	28.6	1087	931
Northern	20.8	792	936
Western	23.3	884	831

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	31.1	36.9	27.5	32.2	3.6	4.8
Age Group						
15-19	13.3	20.4	12.3	17.6	1.0	2.8
20-24	31.9	33.3	28.4	29.6	3.5	3.7
25-29	34.4	34.8	31.5	31.7	2.9	3.1
30-34	43.1	44.6	38.1	39.0	5.0	5.6
35-39	43.6	47.6	38.7	42.0	4.9	5.6
40-44	36.2	41.5	29.7	33.4	6.5	8.1
45-49	22.6	25.8	17.3	19.0	5.2	6.8
Marital Status						
Married, or in union	36.9	na	32.2	na	4.8	na
Unmarried, sexually active	44.5	na	40.2	na	4.3	na
Parity						
0-1 children	19.0	26.1	16.7	21.7	2.3	4.4
2-3 children	36.6	37.3	33.8	34.0	2.8	3.3
4+ children	39.2	41.4	33.7	35.5	5.5	5.9
Residence						
Urban	35.8	45.7	32.2	40.8	3.6	4.9
Rural	30.0	35.1	26.4	30.4	3.6	4.7
Education						
Never	21.0	22.6	17.6	19.1	3.3	3.4
Primary	30.6	35.5	27.1	30.9	3.5	4.6
Secondary	32.2	42.3	29.6	38.7	2.6	3.7
Technical & vocational	51.7	63.3	41.6	49.6	10.1	13.7
University	42.6	56.5	33.6	41.4	9.0	15.1
Wealth Quintile						
Lowest	24.3	28.0	21.5	24.6	2.8	3.4
Lower	24.1	26.0	20.8	22.2	3.3	3.8
Middle	30.2	37.7	27.9	34.3	2.3	3.3
High	34.9	42.6	30.7	36.8	4.1	5.8
Highest	40.5	50.8	35.2	43.2	5.4	7.6
Region						
Central	35.5	43.6	30.9	37.4	4.6	6.2
Eastern	31.0	35.1	26.9	29.9	4.1	5.2
Northern	21.2	25.4	19.6	23.4	1.6	2.0
Western	35.2	42.7	31.4	37.5	3.7	5.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 1183)

Married Users¹ (N = 947)

Background Characteristics	All Users (N = 1183)										Married Users ¹ (N = 947)									
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional		Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	
Total																				
All	6.7	13.1	1.9	47.1	6.7	0.8	10.3	1.8	11.6		7.6	13.5	2.1	49.1	6.7	0.3	5.9	1.9	12.9	
Age Group																				
15-19	0.0	9.9	1.2	37.5	6.2	2.0	35.1	0.7	7.3		<i>0.0</i>	<i>20.2</i>	<i>3.3</i>	<i>49.3</i>	<i>6.1</i>	<i>0.0</i>	<i>5.5</i>	<i>1.8</i>	<i>13.8</i>	
20-24	0.0	17.0	0.1	49.3	6.6	1.4	12.4	2.2	10.9		0.0	17.6	0.0	53.2	6.3	0.0	8.9	2.8	11.2	
25-29	0.6	15.0	2.2	53.5	9.1	0.0	6.5	4.6	8.5		0.7	13.2	2.6	56.5	9.0	0.0	4.8	4.1	9.0	
30-34	3.9	12.8	2.3	56.0	5.9	0.6	6.6	0.3	11.6		4.5	12.7	2.6	55.9	6.3	0.2	4.9	0.4	12.5	
35-39	11.1	15.0	2.6	47.0	7.4	0.4	4.2	1.0	11.3		12.3	15.6	2.1	45.7	7.7	0.5	3.2	1.1	11.8	
40-44	27.7	6.3	1.6	33.9	4.1	0.0	7.1	1.3	18.0		27.9	6.4	1.8	35.0	3.1	0.0	4.9	1.4	19.5	
45-49	25.0	3.2	5.4	22.9	4.9	3.0	12.5	0.0	23.2		<i>24.4</i>	<i>4.0</i>	<i>6.9</i>	<i>15.1</i>	<i>5.3</i>	<i>3.8</i>	<i>14.0</i>	<i>0.0</i>	<i>26.5</i>	
Marital Status																				
Married, or in union	7.6	13.5	2.1	49.1	6.7	0.3	5.9	1.9	12.9		na	na	na	na	na	na	na	na	na	
Unmarried, sexually active	3.0	9.9	0.6	41.5	3.2	3.2	28.3	0.7	9.7		na	na	na	na	na	na	na	na	na	
Parity																				
0-1 children	0.5	10.5	1.5	36.2	7.8	3.0	26.2	2.3	12.0		0.9	12.5	2.8	44.1	6.7	1.2	10.9	4.2	16.7	
2-3 children	2.8	15.6	2.1	56.2	8.4	0.2	5.3	1.9	7.6		3.3	14.9	1.9	56.0	8.8	0.1	4.7	1.3	8.9	
4+ children	11.8	12.9	1.9	46.9	4.9	0.1	6.1	1.5	13.9		11.9	13.0	2.1	46.6	5.2	0.1	5.1	1.6	14.2	
Residence																				
Urban	3.2	15.7	3.3	40.0	9.7	1.6	13.0	3.3	10.2		4.1	15.6	3.8	44.7	9.2	1.0	6.6	4.2	10.8	
Rural	7.7	12.3	1.4	49.3	5.8	0.6	9.6	1.3	12.1		8.6	12.9	1.7	50.3	6.0	0.1	5.7	1.3	13.5	
Education																				
Never	9.3	22.2	4.4	35.6	6.0	0.0	4.0	2.6	15.9		9.3	20.9	5.3	36.7	4.7	0.0	4.8	3.1	15.2	
Primary	8.8	12.9	1.0	50.1	5.1	0.3	8.8	1.5	11.5		9.9	13.7	1.2	50.3	5.2	0.0	5.3	1.5	13.0	
Secondary	1.8	12.0	2.7	49.9	9.4	0.8	14.2	1.0	8.2		2.4	13.0	2.8	56.4	8.5	0.3	6.8	1.1	8.6	
Technical & vocational	3.4	10.9	1.3	29.7	11.2	6.8	8.9	8.4	19.5		<i>3.9</i>	<i>7.3</i>	<i>1.5</i>	<i>34.7</i>	<i>13.1</i>	<i>3.3</i>	<i>4.7</i>	<i>9.8</i>	<i>21.6</i>	
University	<i>3.3</i>	<i>13.4</i>	<i>8.8</i>	<i>14.8</i>	<i>11.9</i>	<i>2.3</i>	<i>23.6</i>	<i>0.9</i>	<i>21.1</i>		<i>4.2</i>	<i>10.2</i>	<i>11.2</i>	<i>16.3</i>	<i>15.1</i>	<i>1.2</i>	<i>13.8</i>	<i>1.2</i>	<i>26.8</i>	
Wealth Quintile																				
Lowest	11.6	17.6	1.2	41.7	2.2	0.7	9.9	3.7	11.4		11.6	18.2	1.4	43.8	1.0	0.0	7.6	4.4	12.0	
Lower	8.0	14.0	1.8	47.3	4.1	0.7	7.4	3.1	13.6		7.9	14.7	2.3	49.4	2.6	0.0	6.0	2.5	14.6	
Middle	8.0	12.2	0.7	55.2	4.7	0.0	11.4	0.0	7.8		9.5	13.6	0.8	56.2	5.6	0.0	5.5	0.0	8.8	
High	5.6	11.3	1.6	52.1	7.4	0.5	9.0	0.7	11.8		7.2	9.9	1.7	52.5	8.9	0.4	5.0	0.9	13.6	
Highest	3.3	12.3	3.3	40.3	11.2	1.7	12.5	2.1	13.3		4.1	13.0	3.8	43.9	11.0	0.8	5.8	2.5	15.0	
Region																				
Central	2.5	12.9	1.5	46.1	9.3	2.0	11.7	1.0	13.0		3.2	13.4	1.6	48.2	10.8	0.7	6.6	1.1	14.2	
Eastern	13.6	5.7	1.9	45.1	4.3	0.2	14.5	1.5	13.2		15.1	6.4	2.1	46.5	2.7	0.3	10.2	1.9	14.8	
Northern	6.3	29.9	0.9	44.6	3.3	0.8	5.0	1.8	7.5		5.8	29.7	1.0	48.0	3.0	0.0	3.0	1.6	7.8	
Western	4.3	12.2	2.8	52.0	8.1	0.0	7.1	2.9	10.6		5.2	12.3	3.4	53.3	8.5	0.0	2.0	3.0	12.3	

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 3800)			Married Women ¹ (N = 2564)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	15.1	8.8	23.8	19.2	11.3	30.5
Age Group						
15-19	13.8	2.5	16.2	35.5	3.9	39.3
20-24	19.9	3.0	22.9	23.4	3.2	26.6
25-29	22.7	6.2	28.9	25.4	6.0	31.5
30-34	16.5	13.1	29.6	18.4	13.8	32.2
35-39	10.7	18.3	29.0	12.4	21.0	33.4
40-44	6.3	18.2	24.6	8.1	20.6	28.7
45-49	0.2	15.6	15.9	0.3	22.5	22.8
Marital Status						
Married, or in union	19.2	11.3	30.5	na	na	na
Unmarried, sexually active	24.9	9.7	34.7	na	na	na
Parity						
0-1 children	12.7	2.1	14.7	21.4	2.3	23.7
2-3 children	21.2	5.0	26.2	23.7	5.4	29.1
4+ children	13.5	17.5	31.0	15.5	18.9	34.4
Residence						
Urban	10.3	5.4	15.8	15.1	6.9	21.9
Rural	16.3	9.6	25.9	20.1	12.2	32.3
Education						
Never	11.0	17.8	28.8	13.3	21.9	35.1
Primary	17.3	9.2	26.5	21.2	11.4	32.6
Secondary	12.6	6.0	18.6	18.5	8.0	26.4
Technical & vocational	7.8	1.8	9.6	9.6	2.5	12.1
University	7.2	0.9	8.1	10.0	0.7	10.7
Wealth Quintile						
Lowest	21.2	11.0	32.2	24.6	13.6	38.1
Lower	21.2	11.3	32.5	26.2	14.5	40.6
Middle	13.0	8.4	21.4	17.1	11.4	28.6
High	11.7	8.1	19.8	15.3	8.9	24.2
Highest	9.6	5.5	15.1	12.8	7.8	20.6
Region						
Central	11.3	6.3	17.5	15.6	8.2	23.8
Eastern	15.9	12.2	28.1	19.1	14.3	33.4
Northern	22.0	9.0	31.0	26.5	12.3	38.9
Western	12.4	7.2	19.6	16.6	9.5	26.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=3799)					Married Women ² (N=2564)				
	Any Method	Modern Method ¹	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method ¹	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	31.1	27.5	23.8	55.0	50.0	36.9	32.2	30.5	67.4	47.7
Age Group										
15-19	13.3	12.3	16.2	29.5	41.7	20.4	17.6	39.3	59.7	29.4
20-24	31.9	28.4	22.9	54.8	51.9	33.3	29.6	26.6	60.0	49.3
25-29	34.4	31.5	28.9	63.3	49.8	34.8	31.7	31.5	66.3	47.8
30-34	43.1	38.1	29.6	72.7	52.4	44.6	39.0	32.2	76.9	50.8
35-39	43.6	38.7	29.0	72.7	53.3	47.6	42.0	33.4	81.0	51.8
40-44	36.2	29.7	24.6	60.7	48.8	41.5	33.4	28.7	70.3	47.6
45-49	22.6	17.3	15.9	38.4	45.1	25.8	19.0	22.8	48.6	39.0
Marital Status										
Married, or in union	36.9	32.2	30.5	67.4	47.7	na	na	na	na	na
Unmarried, sexually active	44.5	40.2	34.7	79.2	50.8	na	na	na	na	na
Parity										
0-1 children	19.0	16.7	14.7	33.7	49.5	26.1	21.7	23.7	49.8	43.6
2-3 children	36.6	33.8	26.2	62.8	53.9	37.3	34.0	29.1	66.4	51.2
4+ children	39.2	33.7	31.0	70.1	48.1	41.4	35.5	34.4	75.8	46.8
Residence										
Urban	35.8	32.2	15.8	51.6	62.4	45.7	40.8	21.9	67.7	60.3
Rural	30.0	26.4	25.9	55.8	47.2	35.1	30.4	32.3	67.4	45.0
Education										
Never	21.0	17.6	28.8	49.8	35.4	22.6	19.1	35.1	57.7	33.2
Primary	30.6	27.1	26.5	57.1	47.4	35.5	30.9	32.6	68.1	45.3
Secondary	32.2	29.6	18.6	50.9	58.2	42.3	38.7	26.4	68.8	56.2
Technical & vocational	51.7	41.6	9.6	61.3	67.9	63.3	49.6	12.1	75.4	65.8
University	42.6	33.6	8.1	50.6	66.4	56.5	41.4	10.7	67.3	61.5
Wealth Quintile										
Lowest	24.3	21.5	32.2	56.4	38.1	28.0	24.6	38.1	66.1	37.2
Lower	24.1	20.8	32.5	56.6	36.8	26.0	22.2	40.6	66.6	33.3
Middle	30.2	27.9	21.4	51.6	54.0	37.7	34.3	28.6	66.2	51.9
High	34.9	30.7	19.8	54.6	56.2	42.6	36.8	24.2	66.8	55.0
Highest	40.5	35.2	15.1	55.7	63.2	50.8	43.2	20.6	71.5	60.4
Region										
Central	35.5	30.9	17.5	53.0	58.2	43.6	37.4	23.8	67.4	55.4
Eastern	31.0	26.9	28.1	59.0	45.5	35.1	29.9	33.4	68.6	43.6
Northern	21.2	19.6	31.0	52.1	37.5	25.4	23.4	38.9	64.3	36.5
Western	35.2	31.4	19.6	54.8	57.4	42.7	37.5	26.1	68.9	54.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=2343)			Married ¹ Women with 1 or More Births (N=1987)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	56.0	27.2	16.8	58.6	25.8	15.6
Age Group						
15-19	46.7	36.6	16.7	57.6	33.7	8.8
20-24	64.6	29.4	6.1	68.7	26.7	4.6
25-29	64.0	26.4	9.6	65.5	25.3	9.2
30-34	53.8	27.5	18.7	54.3	27.4	18.3
35-39	45.0	23.4	31.5	44.9	23.2	31.9
40-44	35.0	17.3	47.8	33.6	19.5	46.8
45-49	<i>47.2</i>	<i>10.0</i>	<i>42.8</i>	<i>51.8</i>	<i>9.4</i>	<i>38.8</i>
Marital Status						
Married, or in union	58.6	25.8	15.6	na	na	na
Unmarried, sexually active	44.9	34.7	20.4	na	na	na
Parity						
0-1 children	62.7	25.9	11.4	72.7	20.9	6.4
2-3 children	65.8	28.9	5.4	68.0	27.0	5.1
4+ children	45.4	26.6	28.0	45.8	27.0	27.1
Residence						
Urban	64.5	23.3	12.2	67.5	23.2	9.3
Rural	54.3	28.0	17.7	56.9	26.3	16.8
Education						
Never	51.3	20.1	28.6	53.3	18.8	27.9
Primary	52.2	30.6	17.2	54.5	29.3	16.2
Secondary	66.1	21.2	12.7	69.1	20.3	10.6
Technical & vocational	66.3	29.0	4.6	72.3	23.3	4.5
University	84.5	9.1	6.4	<i>86.5</i>	<i>7.3</i>	<i>6.2</i>
Wealth Quintile						
Lowest	45.8	33.2	21.0	49.0	31.3	19.7
Lower	53.1	28.6	18.3	53.6	28.5	17.9
Middle	56.7	25.4	17.9	58.0	24.9	17.1
High	59.4	26.3	14.2	65.7	24.2	10.0
Highest	66.5	21.6	11.8	69.4	18.6	12.0
Region						
Central	68.0	21.2	10.7	71.5	18.6	9.9
Eastern	48.2	26.0	25.8	50.9	24.7	24.4
Northern	50.7	32.9	16.5	53.4	31.3	15.3
Western	58.4	29.8	11.8	60.7	29.3	10.0

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 1044)
Total				
All	50.2	42.3	7.6	
Age Group				
15-19	42.2	38.1	19.8	
20-24	48.3	40.4	11.4	
25-29	53.2	42.3	4.5	
30-34	58.9	38.6	2.5	
35-39	52.6	42.0	5.4	
40-44	40.0	51.4	8.6	
45-49	36.7	58.1	5.2	
Marital Status				
Married, or in union	47.5	46.7	5.8	
Unmarried, sexually active	53.2	31.0	15.8	
Parity				
0-1 children	47.5	37.1	15.4	
2-3 children	51.6	41.3	7.2	
4+ children	50.2	45.6	4.2	
Residence				
Urban	51.7	40.2	8.1	
Rural	49.7	42.9	7.4	
Education				
Never	68.7	26.6	4.7	
Primary	48.8	43.7	7.5	
Secondary	51.1	40.4	8.5	
Technical & vocational	50.4	43.7	6.0	
University	30.4	61.3	8.3	
Wealth Quintile				
Lowest	38.8	51.0	10.3	
Lower	50.3	40.3	9.4	
Middle	51.4	40.7	7.9	
High	55.7	38.5	5.7	
Highest	50.8	42.8	6.4	
Region				
Central	56.8	36.5	6.8	
Eastern	45.7	43.3	11.0	
Northern	41.3	52.0	6.7	
Western	52.2	42.5	5.4	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method¹ who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 1044)	Married ² Modern Contraceptive Users (N = 825)
Total		
All	42.4	41.5
Age Group		
15-19	47.9	<i>51.5</i>
20-24	49.0	46.4
25-29	43.4	42.2
30-34	45.2	44.6
35-39	30.7	31.0
40-44	35.5	37.9
45-49	<i>36.1</i>	<i>42.1</i>
Marital Status		
Married, or in union	41.5	na
Unmarried, sexually active	52.0	na
Parity		
0-1 children	50.8	51.2
2-3 children	46.1	45.2
4+ children	35.7	36.4
Residence		
Urban	50.7	47.7
Rural	39.8	39.8
Education		
Never	21.0	21.1
Primary	40.0	39.2
Secondary	51.4	50.4
Technical & vocational	<i>51.7</i>	<i>53.3</i>
University	<i>40.7</i>	<i>35.4</i>
Wealth Quintile		
Lowest	36.4	34.6
Lower	34.7	35.7
Middle	32.4	34.5
High	46.1	46.1
Highest	53.6	50.5
Region		
Central	56.5	57.7
Eastern	39.4	38.9
Northern	29.8	29.5
Western	36.1	33.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(1044)	(825)	(1043)	(824)	(661)	(549)
All	64.5	67.8	62.3	65.4	84.9	87.3
Age Group						
15-19	54.3	<i>66.6</i>	48.2	<i>68.3</i>	<i>68.9</i>	--
20-24	58.6	61.4	60.1	60.8	80.1	84.3
25-29	66.2	67.6	58.3	58.8	89.3	88.9
30-34	66.2	69.4	67.8	69.3	89.6	92.2
35-39	69.6	70.8	72.3	74.7	87.5	87.9
40-44	69.8	67.4	65.9	66.2	84.8	84.0
45-49	<i>71.7</i>	<i>81.4</i>	<i>51.3</i>	<i>56.8</i>	--	--
Marital Status						
Married, or in union	67.8	na	65.4	na	87.3	na
Unmarried, sexually active	53.1	na	54.9	na	73.0	na
Parity						
0-1 children	56.4	62.0	52.8	58.1	80.0	84.8
2-3 children	63.7	67.6	64.5	66.8	81.0	84.2
4+ children	69.0	69.6	65.4	66.6	89.1	89.7
Residence						
Urban	60.5	63.8	62.6	65.5	75.9	79.3
Rural	65.8	68.9	62.2	65.3	87.6	89.6
Education						
Never	62.8	58.1	74.3	71.7	<i>88.7</i>	<i>87.1</i>
Primary	64.3	67.1	61.9	64.2	85.6	88.1
Secondary	61.9	66.8	59.0	65.4	83.0	86.4
Technical & vocational	<i>76.5</i>	<i>77.2</i>	<i>63.5</i>	<i>60.4</i>	<i>78.4</i>	<i>82.6</i>
University	<i>78.7</i>	<i>93.7</i>	<i>81.2</i>	<i>91.0</i>	<i>85.7</i>	--
Wealth Quintile						
Lowest	72.3	76.2	74.3	75.9	91.0	91.1
Lower	62.5	62.0	60.4	61.7	87.8	90.5
Middle	68.0	68.7	63.0	65.4	84.6	86.8
High	62.2	65.4	58.8	63.8	87.6	90.8
Highest	60.8	66.9	59.1	62.2	77.2	80.4
Region						
Central	59.0	64.2	55.2	59.2	76.7	80.9
Eastern	57.7	59.9	59.9	62.1	84.9	88.4
Northern	84.1	85.3	83.2	82.6	94.0	94.2
Western	67.1	69.8	61.2	65.6	86.5	87.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhoea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider (N = 1022)	Percent who would refer relative/friend (N = 1022)	Percent who would return and refer friend/relative (N = 1022)
Total			
All	88.9	88.6	85.1
Age Group			
15-19	89.4	91.8	86.6
20-24	87.7	87.2	83.8
25-29	84.9	85.1	80.7
30-34	92.7	88.8	87.9
35-39	89.3	89.5	86.3
40-44	90.2	91.1	86.0
45-49	<i>89.1</i>	<i>95.3</i>	<i>89.1</i>
Marital Status			
Married, or in union	89.5	89.1	85.7
Unmarried, sexually active	84.5	87.1	82.4
Parity			
0-1 children	86.9	88.1	84.1
2-3 children	88.0	85.9	82.2
4+ children	90.2	90.4	87.3
Residence			
Urban	85.3	83.0	80.3
Rural	89.9	90.2	86.5
Education			
Never	97.4	93.1	93.1
Primary	89.1	89.0	85.7
Secondary	85.6	86.2	81.4
Technical & vocational	<i>91.4</i>	<i>92.1</i>	<i>87.8</i>
University	<i>91.6</i>	<i>90.9</i>	<i>89.2</i>
Wealth Quintile			
Lowest	91.9	92.1	87.6
Lower	90.4	91.1	87.3
Middle	91.7	91.1	89.1
High	88.2	87.8	84.1
Highest	84.9	84.3	80.4
Region			
Central	86.8	85.9	83.6
Eastern	85.5	88.1	81.4
Northern	95.8	92.2	90.3
Western	90.9	90.1	87.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(3800)	(2564)	(3800)	(2564)	(3800)	(2564)
All	15.6	18.1	33.0	40.3	39.4	46.7
Age Group						
15-19	8.8	12.5	15.5	30.6	20.8	36.4
20-24	15.7	16.8	35.6	40.5	42.4	46.9
25-29	17.6	18.7	41.8	45.4	47.8	51.3
30-34	21.2	23.1	43.4	44.8	50.6	52.2
35-39	19.9	22.1	38.1	41.5	45.6	49.2
40-44	12.9	13.1	34.5	37.0	38.8	41.0
45-49	15.7	13.9	23.7	24.2	32.2	31.7
Marital Status						
Married, or in union	18.1	na	40.3	na	46.7	na
Unmarried, sexually active	13.9	na	31.8	na	38.3	na
Parity						
0-1 children	10.6	14.8	20.9	33.3	26.6	39.4
2-3 children	18.6	19.0	39.6	42.1	46.3	48.4
4+ children	18.5	19.1	40.4	42.2	47.3	48.9
Residence						
Urban	15.4	19.3	26.8	35.1	34.4	43.6
Rural	15.6	17.9	34.6	41.3	40.6	47.4
Education						
Never	22.1	22.5	33.9	36.0	42.2	44.1
Primary	15.8	18.3	34.7	41.4	41.0	47.7
Secondary	13.8	16.7	28.4	38.7	35.3	45.8
Technical & vocational	7.7	8.5	34.7	39.7	37.4	41.6
University	13.5	17.9	28.8	42.7	31.7	45.6
Wealth Quintile						
Lowest	21.5	23.4	43.1	50.2	49.4	55.9
Lower	15.0	17.2	34.8	40.7	40.1	47.0
Middle	15.7	19.7	30.4	36.7	37.0	44.3
High	14.6	16.1	28.9	35.7	37.0	43.3
Highest	11.7	14.1	28.9	37.4	34.3	42.6
Region						
Central	10.6	12.3	26.0	32.9	32.1	38.9
Eastern	14.1	15.9	36.2	42.9	42.5	49.6
Northern	25.0	28.2	40.9	48.1	48.1	54.4
Western	14.8	18.2	30.2	37.4	36.3	44.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1364	3475	4839
Households Occupied	1217	3216	4433
Households Interviewed	1096	3095	4191
Household Response Rate ¹	90.06%	96.24%	94.54%
Interviews with Women			
Number of Eligible Women ²	1078	2914	3992
Number of Eligible Women Interviewed	973	2820	3793
Eligible Woman Response Rate ³	90.26%	96.71%	94.96%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.275	0.013	0.250	0.301	0.322	0.016	0.291	0.354
Currently using a traditional method	0.036	0.005	0.028	0.046	0.048	0.007	0.036	0.063
Currently using any contraceptive method	0.311	0.014	0.285	0.339	0.369	0.016	0.337	0.403
Currently using DMPA-IM	0.147	0.008	0.131	0.164	0.181	0.012	0.159	0.206
Currently using DMPA-SC								
Currently using condoms	0.103	0.014	0.078	0.135	0.059	0.010	0.041	0.083
Currently using implants	0.041	0.005	0.032	0.052	0.050	0.007	0.038	0.066
Chose method by self or jointly in past 12 months	0.924	0.016	0.886	0.950	0.942	0.015	0.905	0.965
Paid fees for family planning services in past 12 months	0.384	0.026	0.333	0.438	0.369	0.028	0.315	0.427
Informed by provider about other methods	0.608	0.030	0.547	0.666	0.634	0.033	0.567	0.697
Informed by provider about side effects	0.617	0.028	0.559	0.672	0.646	0.029	0.587	0.702
Satisfied with provider: Would return and refer friend/relative to provider	0.850	0.018	0.810	0.883	0.856	0.017	0.818	0.888
Visited by health worker who talked about family planning in past 12 months	0.156	0.017	0.124	0.193	0.181	0.021	0.143	0.227

¹ Married includes married women and those who are living with a man