

# **Background Characteristics of Respondents**

Distribution of women age 15 to 49 by background characteristics.

	_		
Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	4119	4119
Age Group			
15-19	21.0	865	902
20-24	22.9	942	897
25-29	17.8	731	728
30-34	14.7	604	598
35-39	9.5	389	402
40-44	8.2	338	349
45-49	6.1	250	243
Marital Status			
Married, or in union	63.8	2628	2590
Unmarried, sexually active	7.8	322	307
Parity			
0-1 children	40.1	1652	1656
2-3 children	24.0	990	957
4+ children	35.8	1474	1503
Residence	55.0		
	24.2	076	1006
Urban	21.3	876	1096
Rural	78.7	3243	3023
Education			
Never	8.5	348	447
Primary	57.7	2378	2307
Secondary	26.7	1098	1076
Technical & vocational	3.3	137	133
University	3.8	156	154
Wealth Quintile			
Lowest	20.9	860	1010
Lower	18.6	766	740
Middle	20.4	839	767
High	18.8	776	710
Highest	21.3	878	892
Region			
Central	27.3	1123	1149
Eastern	25.9	1067	995
Northern	17.9	736	1026
Western	29.0	1194	949



### **Current Use of Contraception**

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

<b>Background Characteristics</b>	Any M	Any Method		Method <sup>1</sup>	Traditiona	<b>Traditional Method</b>		
		Married <sup>2</sup>		Married <sup>2</sup>		Married <sup>2</sup>		
	All Women	Women	All Women	Women	All Women	Women		
Total								
All	32.3	38.4	28.5	33.9	3.8	4.5		
Age Group								
15-19	13.3	21.3	12.3	21.3	1.0	0.0		
20-24	33.2	32.0	28.6	26.8	4.7	5.2		
25-29	43.8	43.7	39.1	39.9	4.7	3.8		
30-34	41.5	44.5	38.4	40.7	3.1	3.8		
35-39	40.9	45.4	35.7	39.1	5.2	6.2		
40-44	33.8	41.4	27.3	32.6	6.4	8.8		
45-49	22.7	32.0	19.8	28.5	2.9	3.5		
Marital Status								
Married, or in union	38.4	na	33.9	na	4.5	na		
Unmarried, sexually active	51.9	na	45.5	na	6.5	na		
Parity								
0-1 children	21.9	26.4	19.0	23.6	2.9	2.8		
2-3 children	41.5	43.8	38.0	39.8	3.5	4.1		
4+ children	37.8	41.4	32.8	35.6	4.9	5.8		
Residence								
Urban	35.2	43.2	30.7	37.0	4.5	6.2		
Rural	31.5	37.3	27.9	33.2	3.6	4.1		
Education								
Never	22.5	27.3	18.7	22.4	3.9	4.9		
Primary	31.1	36.6	28.0	32.8	3.1	3.8		
Secondary	33.0	43.1	28.6	37.8	4.3	5.3		
Technical & vocational	50.0	65.4	45.8	61.0	4.2	4.4		
University	50.6	50.0	41.8	39.3	8.7	10.8		
Wealth Quintile								
Lowest	21.4	24.5	17.2	19.5	4.2	5.0		
Lower	32.3	35.0	29.9	32.2	2.3	2.8		
Middle	30.3	39.1	27.3	35.0	3.0	4.1		
High	36.2	44.9	32.4	40.6	3.9	4.2		
Highest	41.3	51.4	36.1	44.9	5.2	6.5		
Region								
Central	36.8	44.5	32.2	38.5	4.6	6.0		
Eastern	27.6	32.1	24.6	28.7	3.0	3.4		
Northern	25.5	30.6	22.5	27.1	3.1	3.6		
Western	36.3	44.2	32.2	39.4	4.1	4.9		

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



### **Contraception Method Mix**

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 1329)

Married Users<sup>1</sup> (N = 1009)

Characteristics						•		- /								•		•		
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Moder	Other n Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC (	Condom	Other Modern	Other Tradtnl
Total																				
All	6.1	16.8	2.1	38.7	4.5	6.9	1.5	10.5	1.3	11.7	7.0	18.4	2.3	40.2	5.5	7.1	0.3	6.0	1.5	11.8
Age Group																				
15-19	0.0	8.8	0.9	37.2	5.5	3.2	1.0	34.7	1.0	7.7	0.0	13.5	2.1	58.5	13.1	2.8	0.0	7.5	2.4	0.0
20-24	0.0	15.7	2.3	42.3	3.8	4.7	4.5	12.2	0.4	14.1	0.0	19.7	2.2	44.1	5.3	4.0	0.5	7.3	0.6	16.3
25-29	1.1	20.0	2.3	44.6	5.1	8.1	1.3	6.4	0.5	10.7	1.3	19.8	2.5	48.4	5.9	8.6	0.6	3.7	0.6	8.7
30-34	4.5	21.3	1.6	39.4	5.1	10.8	0.1	7.4	2.3	7.5	4.5	21.5	1.9	37.7	5.5	11.4	0.1	7.0	1.9	8.5
35-39	13.1	16.8	4.5	31.9	4.9	7.2	0.0	6.8	2.0	12.8	13.8	17.0	4.3	31.9	4.9	5.9	0.0	6.0	2.5	13.8
40-44	18.5	12.6	0.5	29.2	3.0	6.2	0.0	8.3	2.6	19.1	18.1	14.4	0.5	26.4	3.5	5.4	0.0	7.5	3.0	21.3
45-49	42.2	9.2	1.2	22.2	3.1	3.9	0.0	4.0	1.5	12.6	41.8	8.1	1.3	23.9	3.5	4.4	0.0	4.5	1.6	10.9
<b>Marital Status</b>																				
Married, or in union	7.0	18.4	2.3	40.2	5.5	7.1	0.3	6.0	1.5	11.8	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually ac	tive 2.7	7.6	1.0	32.2	1.7	6.3	6.6	29.5	0.0	12.5	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.1	8.4	2.2	35.5	3.1	6.5	5.3	25.0	0.7	13.2	0.2	12.1	3.0	45.1	6.6	7.8	1.3	11.8	1.4	10.7
2-3 children	0.4	21.6	2.3	49.5	5.5	7.1	0.1	4.8	0.3	8.5	0.5	21.8	2.1	49.2	6.0	7.0	0.1	3.8	0.3	9.2
4+ children	14.1	18.7	1.9	32.6	4.7	7.1	0.0	5.3	2.4	13.0	13.9	18.1	2.1	32.1	4.8	6.9	0.0	5.6	2.4	13.9
Residence																				
Urban	2.9	14.8	3.4	34.6	1.1	10.1	3.8	15.7	0.8	12.8	2.9	17.3	4.1	34.2	1.6	12.2	1.1	11.0	1.2	14.4
Rural	7.0	17.4	1.7	39.9	5.6	6.0	0.8	9.0	1.4	11.3	8.1	18.6	1.8	41.8	6.6	5.8	0.1	4.7	1.6	11.1
Education																				
Never	18.8	18.8	0.0	34.1	0.5	3.5	0.0	4.8	2.4	17.1	19.7	20.1	0.0	32.5	0.6	2.8	0.0	3.7	2.7	17.9
Primary	7.2	17.4	2.2	40.9	5.9	6.0	0.3	8.5	1.6	10.0	7.9	18.1	2.3	41.2	6.8	6.4	0.2	4.9	1.7	10.4
Secondary	2.5	17.2	2.9	39.7	4.0	6.4	1.3	12.6	0.3	13.2	3.3	20.0	3.2	41.2	5.1	6.7	0.7	7.3	0.4	12.2
Technical & vocational	1.5	19.7	0.0	36.2	0.0	10.3	4.5	16.3	3.0	8.4	0.8	21.5	0.0	49.7	0.0	11.6	0.0	5.2	4.4	6.7
University	2.8	4.5	1.4	20.0	2.4	18.2	12.4	20.5	0.4	17.3	2.2	5.5	2.6	23.0	4.5	22.1	0.0	17.8	0.7	21.5
<b>Wealth Quintil</b>	e																			
Lowest	4.9	19.9	1.5	36.4	4.1	5.2	0.6	5.5	2.4	19.7	5.6	21.7	1.9	36.0	4.1	5.1	0.7	2.9	1.8	20.2
Lower	8.7	19.0	2.4	43.0	3.9	2.4	0.7	10.9	1.9	7.3	10.0	18.7	3.1	42.7	5.2	2.8	0.3	6.9	2.5	7.9
Middle	9.0	15.9	1.3	45.5	6.3	3.5	0.0	8.1	0.5	10.0	10.7	17.0	1.7	44.4	7.6	3.1	0.0	4.4	0.7	10.5
High	6.4	13.6	3.8	39.6	5.3	11.3	0.6	6.8	2.0	10.6	6.2	15.3	3.9	44.8	6.6	9.5	0.0	1.7	2.7	9.4
Highest	2.6	16.9	1.5	31.3	3.3	10.0	4.2	17.4	0.2	12.6	3.4	19.7	1.0	34.0	4.1	12.5	0.5	11.9	0.3	12.6
Region																				
Central	3.9	17.1	2.7	34.9	3.1	9.8	2.6	13.3	0.0	12.4	4.7	20.0	2.2	38.4	3.5	10.5	0.0	7.1	0.0	13.5
Eastern	15.1	11.7	1.6	37.7	4.8	5.8	0.4	9.0	2.9	11.0	16.6	13.0	2.1	38.0	5.2	5.4	0.0	6.2	2.9	10.6
Northern	4.2	22.1	3.6	37.6	4.2	3.8	0.8	8.7	2.9	12.0	5.2	21.9	4.0	38.3	5.1	3.7	1.0	5.5	3.6	11.6
Western	2.8	17.6	1.2	43.3	5.9	6.3	1.4	9.6	0.7	11.2	3.1	18.9	1.6	44.4	7.9	6.7	0.4	5.1	0.9	11.0

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



### **Unmet Need for Family Planning**

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

**Background** 

Married Women<sup>1</sup> (N = 2628) All Women (N = 4119) **Characteristics** 

		•			<u>-</u>	
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	14.5	7.6	22.1	18.9	10.7	29.6
Age Group						
15-19	13.3	1.8	15.1	30.2	3.9	34.1
20-24	20.2	2.9	23.1	25.6	4.2	29.8
25-29	17.9	5.4	23.3	20.2	5.8	26.0
30-34	16.9	10.5	27.4	18.0	13.1	31.0
35-39	10.4	16.8	27.2	14.0	20.4	34.3
40-44	5.1	19.7	24.7	7.1	25.2	32.3
45-49	0.8	14.1	15.0	1.3	18.3	19.7
Marital Status						
Married, or in union	18.9	10.7	29.6	na	na	na
Unmarried, sexually active	24.5	5.8	30.3	na	na	na
Parity						
0-1 children	13.5	1.5	15.0	23.5	2.5	26.0
2-3 children	17.5	4.9	22.5	19.4	5.7	25.1
4+ children	13.6	16.2	29.8	16.1	18.5	34.6
Residence						
Urban	13.6	5.2	18.9	19.4	7.8	27.3
Rural	14.8	8.2	23.0	18.8	11.4	30.2
Education						
Never	14.6	14.4	29.0	17.3	18.7	36.0
Primary	15.2	8.6	23.8	19.1	11.4	30.5
Secondary	15.4	4.3	19.7	21.8	6.9	28.7
Technical & vocational	6.5	4.0	10.5	7.3	5.4	12.7
University	5.3	3.7	9.0	9.8	5.3	15.1
Wealth Quintile						
Lowest	21.8	10.2	31.9	27.4	13.7	41.1
Lower	15.4	9.5	24.9	19.3	12.5	31.8
Middle	11.1	7.9	19.0	15.2	11.6	26.8
High	13.7	6.3	20.0	16.5	9.2	25.7
Highest	10.7	4.3	14.9	14.6	5.8	20.4
Region						
Central	14.2	5.9	20.2	18.2	8.1	26.3
Eastern	15.1	11.6	26.7	18.9	16.1	35.1
Northern	21.7	8.3	30.0	27.7	11.4	39.1
Western	9.9	5.2	15.1	13.6	7.3	20.9

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



### **Need and Demand for Family Planning**

All Women (N=4119)

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Married Women 2 (N=2628)

Background Characteristics

Characteristics		All W	omen (i	N=4119)			Married	women	(N=2628	)
	Any Method	Modern <sup>1</sup> Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup> Method	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	32.3	28.5	22.1	54.4	52.4	38.4	33.9	29.6	68.0	49.8
Age Group										
15-19	13.3	12.3	15.1	28.4	43.2	21.3	21.3	34.1	55.4	38.5
20-24	33.2	28.6	23.1	56.4	50.7	32.0	26.8	29.8	61.8	43.4
25-29	43.8	39.1	23.3	67.1	58.3	43.7	39.9	26.0	69.7	57.2
30-34	41.5	38.4	27.4	68.9	55.7	44.5	40.7	31.0	75.5	53.9
35-39	40.9	35.7	27.2	68.1	52.4	45.4	39.1	34.3	79.7	49.1
40-44	33.8	27.3	24.7	58.5	46.7	41.4	32.6	32.3	73.7	44.2
45-49	22.7	19.8	15.0	37.6	52.6	32.0	28.5	19.7	51.6	55.2
Marital Status										
Married, or in union	38.4	33.9	29.6	68.0	49.8	na	na	na	na	na
Unmarried, sexually active	51.9	45.5	30.3	82.3	55.3	na	na	na	na	na
Parity										
0-1 children	21.9	19.0	15.0	36.9	51.5	26.4	23.6	26.0	52.4	45.0
2-3 children	41.5	38.0	22.5	63.9	59.4	43.8	39.8	25.1	68.9	57.7
4+ children	37.8	32.8	29.8	67.6	48.6	41.4	35.6	34.6	76.0	46.9
Residence										
	25.2	20.7	10.0	F / 1	F.C. 7	42.2	27.0	27.2	70 F	F2 F
Urban Rural	35.2 31.5	30.7 27.9	18.9 23.0	54.1 54.5	56.7 51.2	43.2 37.3	37.0 33.2	27.3 30.2	70.5 67.5	52.5 49.2
	31.3	27.5	23.0	54.5	J1.2	37.3	33.2	30.2	07.5	43.2
Education										
Never	22.5	18.7	29.0	51.5	36.2	27.3	22.4	36.0	63.3	35.4
Primary	31.1	28.0	23.8	54.9	51.0	36.6	32.8	30.5	67.1	48.8
Secondary	33.0	28.6	19.7	52.7	54.4	43.1	37.8	28.7	71.8	52.7
Technical & vocational University	50.0 50.6	45.8 41.8	10.5 9.0	60.5 59.6	75.7 70.2	65.4 50.0	61.0 39.3	12.7 15.1	78.1 65.1	78.1 60.3
·	30.0	41.0	9.0	39.0	70.2	30.0	33.3	13.1	03.1	00.5
Wealth Quintile										
Lowest	21.4	17.2	31.9	53.4	32.3	24.5	19.5	41.1	65.6	29.8
Lower	32.3	29.9	24.9	57.1	52.4	35.0	32.2	31.8	66.8	48.3
Middle	30.3	27.3	19.0	49.3	55.3	39.1	35.0	26.8	66.0	53.1
High	36.2	32.4	20.0	56.2	57.6	44.9	40.6	25.7	70.6	57.5
Highest	41.3	36.1	14.9	56.2	64.2	51.4	44.9	20.4	71.8	62.5
Region										
Central	36.8	32.2	20.2	56.9	56.6	44.5	38.5	26.3	70.8	54.4
Eastern	27.6	24.6	26.7	54.3	45.3	32.1	28.7	35.1	67.1	42.7
Northern	25.5	22.5	30.0	55.5	40.5	30.6	27.1	39.1	69.7	38.8
Western	36.3	32.2	15.1	51.4	62.7	44.2	39.4	20.9	65.1	60.4

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions
Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background	All Wome	en with 1 or Mo	ore Births	Married <sup>1</sup> Wo	Married Women with 1 or More Births			
Characteristics		(N=2386)			(N=1996)			
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All		
Total								
All	59.7	27.1	13.2	61.0	26.4	12.6		
Age Group								
15-19	54.9	32.2	12.9	61.2	27.6	11.3		
20-24	62.1	28.2	9.7	65.9	27.1	6.9		
25-29	63.3	28.6	8.1	63.5	28.6	7.9		
30-34	60.0	24.9	15.2	59.6	23.9	16.5		
35-39	56.1	23.3	20.6	53.5	24.5	22.0		
40-44	47.1	22.9	30.0	46.6	23.1	30.3		
45-49	49.7	20.1	30.2	47.4	24.7	28.0		
Marital Status								
Married, or in union	61.0	26.4	12.6	na	na	na		
Unmarried, sexually active	69.4	20.5	10.1	na	na	na		
Parity								
0-1 children	65.8	23.1	11.1	71.4	20.4	8.2		
2-3 children	64.7	28.2	7.0	66.8	27.0	6.3		
4+ children	51.7	28.7	19.6	50.7	29.2	20.1		
Residence								
Urban	67.8	22.7	9.5	70.6	22.4	7.0		
Rural	57.8	28.1	14.1	58.9	27.3	13.9		
Education								
Never	60.6	24.4	15.0	64.8	20.9	14.3		
Primary	56.0	28.9	15.1	56.3	28.5	15.3		
Secondary	64.4	25.8	9.9	67.1	25.3	7.6		
Technical & vocational	73.3	19.7	7.0	78.8	18.6	2.6		
University	81.8	14.3	3.8	80.2	15.4	4.4		
Wealth Quintile								
Lowest	47.9	32.7	19.4	48.6	31.8	19.7		
Lower	56.6	27.8	15.6	58.6	26.5	14.9		
Middle	62.4	27.6	10.0	62.3	28.0	9.7		
High	62.7	24.3	13.0	63.7	24.0	12.3		
Highest	72.5	21.3	6.2	76.2	19.7	4.1		
Region								
Central	64.9	28.0	7.1	68.7	25.0	6.3		
Eastern	54.9	22.1	23.1	55.8	21.6	22.6		
Northern	47.6	35.7	16.7	49.3	35.0	15.7		
Western	67.7	25.1	7.2	67.4	26.3	6.3		

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



### **Contraceptive Choice**

Percent distribution of women age 15 to 49 who are currently using modern contraception reporting on who decided on the contraceptive method, by background characteristics.

Background	C-15	Jointly with	Provider	(N = 1169)
Characteristics	Self	Partner	Alone/Partner	(14 = 1103)
Total				
All	47.7	45.8	6.5	
Age Group				
15-19	44.9	40.0	15.1	
20-24	45.0	50.6	4.4	
25-29	51.0	44.0	5.0	
30-34	50.4	43.6	5.9	
35-39	48.0	44.8	7.2	
40-44	48.2	46.7	5.2	
45-49	35.3	53.4	11.2	
Marital Status				
Married, or in union	44.1	50.2	5.7	
Unmarried, sexually active	58.7	32.0	9.3	
Parity				
0-1 children	43.7	45.4	10.9	
2-3 children	51.4	45.9	2.7	
4+ children	47.5	45.9	6.6	
Residence				
Urban	50.7	42.1	7.2	
Rural	46.8	46.9	6.3	
Education				
Never	31.2	67.1	1.7	
Primary	48.1	45.2	6.7	
Secondary	51.5	43.2	5.3	
Technical & vocational	44.1	47.0	8.8	
University	44.7	42.4	12.9	
Wealth Quintile				
Lowest	40.6	50.3	9.2	
Lower	42.1	50.1	7.7	
Middle	55.0	38.5	6.6	
High	51.2	45.4	3.4	
Highest	47.0	46.2	6.8	
Region				
Central	52.9	42.3	4.9	
Eastern	44.9	44.3	10.8	
Northern	41.0	52.5	6.5	
Western	47.6	47.3	5.1	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



### **Payment for Family Planning**

Percentage of women age 15 to 49 currently using a modern contraceptive method  $^{1}$ who paid fees for services, by marital status and background characteristics.

**Background** Characteristics

Characteristics	All Modern Contraceptive Users	Married <sup>2</sup> Modern Contraceptive Users
	(N = 1174)	(N = 891)
Total		
All	42.7	42.6
Age Group		
15-19	36.6	38.9
20-24	51.7	50.4
25-29	42.2	44.3
30-34	45.6	43.9
35-39 40-44	35.1 34.9	35.5 34.8
45-49	32.3	34.3
Marital Status	02.0	0.10
Married, or in union	42.6	na
Unmarried, sexually active	46.5	na
Parity		
0-1 children	47.1	47.9
2-3 children	48.3	48.6
4+ children	35.6	36.3
Residence		
Urban	53.4	55.5
Rural	39.6	39.4
Education		
Never	27.9	29.4
Primary	39.7	38.7
Secondary	46.1	49.2
Technical & vocational	52.7	60.6
University	63.2	59.1
Wealth Quintile		
Lowest	37.1	33.6
Lower	31.4	32.8
Middle	36.8	34.3
High	42.0	44.3
Highest	58.5	59.7
Region	F2 2	F2 0
Central Eastern	53.2 38.6	53.8 37.3
Northern	38.6 34.1	37.3 35.8
Western	39.5	39.4
	33.3	55

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



### **Method Information Index Components**

Percentage of current modern contraceptive <sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about	other methods <sup>2</sup>	Informed abou	ut side effects <sup>2</sup>	Told what experienced	
		Married <sup>3</sup>		Married <sup>3</sup>		Married <sup>3</sup>
	All Users	Users	All Users	Users	All Users	Users
Total	(1174)	(891)	(1169)	(887)	(639)	(518)
All	58.7	61.3	57.5	61.0	83.4	83.9
Age Group						
15-19	41.3	56.8	31.1	50.0	88.4	
20-24	51.0	53.3	50.3	52.0	78.3	83.4
25-29	61.4	61.1	62.4	62.6	82.4	83.5
30-34	67.7	67.4	59.1	60.8	84.4	82.8
35-39	63.3	63.9	68.9	67.0	88.4	87.1
40-44	61.3	63.3	71.0	71.6	86.6	84.3
45-49	61.6	60.5	60.8	65.3	80.6	80.3
Marital Status						
Married, or in union	61.3	na	61.0	na	83.9	na
Unmarried, sexually active	44.0	na	44.8	na	82.1	na
Parity						
0-1 children	48.7	58.2	44.4	57.7	80.7	83.5
2-3 children	57.9	56.8	56.2	54.2	81.2	81.8
4+ children	65.8	65.7	67.1	67.3	86.2	85.2
Residence						
Urban	49.0	51.5	49.6	51.3	72.6	76.1
Rural	61.5	63.8	59.9	63.5	86.1	85.5
Education						
Never	55.7	55.6	64.3	62.6	92.4	93.4
Primary	61.5	63.4	59.9	63.0	83.2	84.5
Secondary	56.0	56.7	55.6	56.5	81.8	79.1
Technical & vocational	53.5	60.4	48.3	55.4	93.7	
University	50.8	70.6	44.6	64.9	74.2	
Wealth Quintile						
Lowest	68.8	71.7	69.5	72.9	92.7	92.2
Lower	65.1	68.0	70.2	72.9	81.9	84.2
Middle	57.5	60.5	59.0	63.3	85.2	85.0
High	61.0	63.6	51.6	54.8	82.6	84.2
Highest	48.2	49.6	46.5	49.6	78.0	75.9
Region						
Central	48.8	49.2	44.8	47.9	77.8	78.7
Eastern	55.3	59.5	59.5	64.3	86.2	84.9
Northern	77.5	79.4	74.8	77.1	92.5	91.0
Western	62.1	65.0	60.9	63.3	80.8	82.7

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

<sup>2</sup> Asked of all current/recent modern contraceptive users

<sup>3</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



# **Quality of Care**

Percentage of current modern<sup>1</sup>contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 1152)	(N = 1152)	(N = 1152)
All	88.7	90.0	84.8
	88.7	30.0	04.0
Age Group	06.4	00.0	22.0
15-19	86.4	88.0	82.0
20-24 25-29	88.8 91.1	88.8 93.1	84.1
30-34	88.9	91.4	88.9 86.6
35-39	90.0	91.0	84.6
40-44	88.3	86.2	82.7
45-49	75.4	81.3	66.9
Marital Status	70	32.6	33.3
	00.3	00.5	05.5
Married, or in union	90.3	90.5	85.5
Unmarried, sexually active	82.9	86.7	80.9
Parity			
0-1 children	86.8	88.7	83.1
2-3 children	90.2	91.9	87.0
4+ children	88.8	89.4	84.2
Residence			
Urban	84.0	89.4	82.3
Rural	90.1	90.2	85.6
Education			
Never	84.7	88.2	83.2
Primary	89.6	90.6	84.2
Secondary	88.1	88.9	85.8
Technical & vocational	83.8	88.7	82.0
University	90.8	92.8	90.8
Wealth Quintile			
Lowest	91.6	91.4	87.1
Lower	92.9	90.6	85.7
Middle	89.5	89.7	84.5
High	88.7	91.2	86.1
Highest	83.8	88.3	82.3
Region			
Central	83.9	86.0	80.2
Eastern	82.6	88.8	79.8
Northern	93.4	86.8	83.5
Western	95.4	96.0	93.1
	55.1	55.0	33.1

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



# **Knowledge of Family Planning**

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by healt discussed fan		Visited facility discussed fam	-	or visited facility and discussed family planning		
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	
Total	(4119)	(2628)	(4119)	(2628)	(4119)	(2628)	
All	17.9	20.1	35.6	43.5	43.8	51.7	
Age Group							
15-19	11.7	16.1	17.7	34.7	25.7	43.6	
20-24	18.8	20.7	39.9	46.8	48.2	55.3	
25-29	18.4	18.3	44.4	46.0	51.0	52.0	
30-34	23.1	24.8	45.9	50.1	55.9	60.0	
35-39	19.0	19.0	35.5	39.0	44.4	48.4	
40-44	20.2	20.4	38.0	40.7	44.9	46.7	
45-49	17.7	17.4	27.4	26.5	37.4	36.1	
Marital Status							
Married, or in union	20.1	na	43.5	na	51.7	na	
Unmarried, sexually active	15.0	na	25.2	na	34.7	na	
Parity							
0-1 children	12.6	15.1	24.0	37.0	31.2	43.3	
2-3 children	21.3	21.8	42.9	44.9	51.8	43.3 54.1	
4+ children	21.6	21.6	43.5	46.1	52.4	54.6	
	21.0	21.0	43.3	40.1	32.4	34.0	
Residence							
Urban 	12.4	13.7	30.5	38.8	36.5	44.5	
Rural	19.4	21.5	36.9	44.6	45.8	53.3	
Education							
Never	24.2	23.5	36.5	40.2	47.6	49.1	
Primary	18.4	20.2	37.0	43.1	45.5	51.8	
Secondary	17.6	21.2	33.7	47.5	41.8	55.0	
Technical & vocational	7.6	9.2	29.3	39.1	32.2	41.9	
University	8.6	9.1	30.4	38.8	34.6	43.1	
Wealth Quintile							
Lowest	17.4	18.8	46.2	53.2	51.4	57.9	
Lower	20.5	22.5	39.1	44.1	48.7	53.7	
Middle	21.9	24.2	32.6	41.7	45.1	54.3	
High	18.6	23.9	30.1	39.6	39.1	49.9	
Highest	11.8	11.4	29.7	37.3	35.1	41.3	
Region							
Central	10.5	11.2	29.4	36.4	34.3	40.8	
Eastern	18.8	20.8	37.8	45.1	46.7	54.3	
Northern	20.8	23.8	49.9	58.9	53.9	62.1	
Western	22.4	25.1	30.5	38.2	44.0	52.0	

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



# **Response Rates**

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1364	3476	4840
Households Occupied	1318	3387	4705
Households Interviewed	1207	3296	4503
Household Response Rate <sup>1</sup>	91.58%	97.31%	95.71%
Interviews with Women			
Number of Eligible Women <sup>2</sup>	1173	3119	4292
Number of Eligible Women Interviewed	1096	3023	4119
Eligible Woman Response Rate <sup>3</sup>	93.44%	96.92%	95.97%

- 1 Household response rate = households interviewed/households selected
- 2 Eligible women are women ages 15-49 identified in completed household interviews
- 3 Eligible response rate = eligible women interviewed/eligible women



	All Women					Married Women <sup>1</sup>			
Variable	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper	
Currently using a modern method	0.285	0.015	0.255	0.317	0.339	0.019	0.303	0.377	
Currently using a traditional method	0.038	0.006	0.028	0.050	0.045	0.007	0.033	0.062	
Currently using any contraceptive method	0.323	0.017	0.291	0.356	0.384	0.019	0.346	0.423	
Currently using DMPA-IM	0.125	0.011	0.105	0.148	0.154	0.014	0.128	0.185	
Currently using DMPA-SC	0.015	0.004	0.009	0.024	0.021	0.006	0.013	0.036	
Currently using condoms	0.105	0.015	0.080	0.138	0.060	0.011	0.042	0.086	
Currenlty using implants	0.054	0.005	0.045	0.066	0.071	0.007	0.058	0.085	
Chose method by self or jointly in past 12 months	0.935	0.013	0.905	0.956	0.943	0.014	0.907	0.965	
Paid fees for family planning services in past 12 months	0.380	0.023	0.335	0.428	0.379	0.026	0.329	0.433	
Informed by provider about other methods	0.585	0.023	0.538	0.629	0.605	0.030	0.545	0.662	
Informed by provider about side effects	0.575	0.028	0.520	0.629	0.610	0.030	0.548	0.669	
Satisfied with provider: Would return and refer friend/relative to provider	0.848	0.019	0.808	0.881	0.855	0.017	0.817	0.886	
Visited by health worker who talked about family planning in past 12 months	0.179	0.028	0.130	0.243	0.201	0.031	0.146	0.270	

<sup>1</sup> Married includes married women and those who are living with a man