



BILL & MELINDA GATES INSTITUTE for POPULATION and REPRODUCTIVE HEALTH

# Burkina Faso Snapshot of Indicators Phase 2 (2021) Cross-sectional Survey

Suggested citation: Institut Supérieur des Sciences de la Population, Université Joseph Ki-Zerbo, Ouagadougou, Burkina Faso, and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Burkina Faso Phase 2 Cross-sectional Survey Snapshot of Indicators, PMA/Burkina Faso-P2-CS SOIs. 2021.* Ouagadougou, Burkina Faso and Baltimore, Maryland, USA.











## **Background Characteristics of Respondents**

Distribution of women age 15 to 49 by background characteristics.

Background	Percentage	Weighted	Unweighted
Characteristics	of Sample	Number	Number
Total			1141111201
All	100.0	6388	6388
Age Group			
15-19	20.6	1318	1351
20-24	18.8	1198	1252
25-29	14.7	941	980
30-34	15.2	972	940
35-39	12.8	815	810
40-44	11.1	708	621
45-49	6.8	437	434
	0.0		
Marital Status			,
Married, or in union	75.4	4816	4265
Unmarried, sexually active	5.3	336	504
Parity			
0-1 children	13.3	848	919
2-3 children	22.8	1453	1566
4+ children	40.8	2608	2028
Residence			
Urban	22.2	1420	3773
Rural	77.8	4968	2615
	77.10	.500	2020
Education			
Never	57.4	3668	2682
Primary	18.2	1161	1299
Secondary 1 Cycle	17.4	1110	1510
Secondary 2 Cycles	5.1	326	611
Tertiary	1.8	117	284
Wealth Quintile			
Lowest	34.2	2186	1183
Middle	31.8	2029	1318
Highest	34.0	2174	3887



#### **Current Use of Contraception**

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

	Any N	1ethod	Modern	Method <sup>1</sup>	Tradition	Traditional Method		
Background Characteristics	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women		
Total								
All	32.3	35.3	29.2	31.9	3.1	3.4		
Age Group								
15-19	17.6	26.3	16.1	24.2	1.6	2.0		
20-24	36.5	33.8	34.1	32.3	2.3	1.4		
25-29	37.2	35.8	33.3	31.9	3.9	3.9		
30-34	38.2	37.9	35.5	35.4	2.7	2.5		
35-39	38.3	38.5	34.2	34.5	4.1	4.0		
40-44	36.4	38.2	30.9	32.3	5.5	5.9		
45-49	24.3	26.8	20.4	22.5	3.9	4.3		
Marital Status								
Married, or in union	35.3	na	31.9	na	3.4	na		
Unmarried, sexually active	69.9	na	64.3	na	5.6	na		
Parity								
0-1 children	36.5	34.1	32.9	31.0	3.6	3.1		
2-3 children	36.7	36.7	34.2	34.2	2.5	2.5		
4+ children	36.3	37.3	32.4	33.3	3.9	4.1		
Residence								
Urban	41.0	47.1	36.1	41.5	4.9	5.5		
Rural	29.9	32.8	27.3	29.9	2.6	2.9		
Education								
Never	30.1	32.2	27.3	29.1	2.8	3.1		
Primary	34.2	38.8	30.8	35.4	3.4	3.4		
Secondary 1 Cycle	32.3	44.6	29.5	40.6	2.8	4.0		
Secondary 2 Cycles	42.9	50.9	38.1	44.2	4.8	6.7		
Tertiary	53.6	56.8	45.1	48.4	8.5	8.3		
Wealth Quintile								
Lowest	31.1	34.6	27.2	30.2	3.9	4.5		
Middle	29.1	31.6	27.4	30.0	1.7	1.6		
Highest	36.7	40.1	33.0	36.2	3.7	3.9		

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Contraception Method Mix**

All Users (N = 2390)

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Married Users<sup>1</sup> (N = 1766)

0.0

0.0

0.0

0.0

2.4

0.0

0.0

0.2

6.5

7.2

8.1

12.9

16.7

4.1

4.9

10.5

14.7

18.0

4.8

4.6

0.9

1.3

1.3

0.6

1.1

1.7

0.0

1.1

9.5

8.8

9.0

13.2

14.6

12.9

5.2

Background Characteristics

	Sterilization	Implant	dni	DMPA-IM	DMPA-SC	Pill	EC	Condom	Other Modern	Other Tradtni	Steriliztn	Implant	IUD	DMPA-IM	DMPA-SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.2	39.2	3.9	18.4	6.6	6.7	0.3	14.2	0.8	9.7	0.3	42.8	4.6	21.4	6.9	7.2	0.1	6.3	1.0	9.5
Age Group																				
15-19	0.0	36.5	0.0	11.2	6.5	3.5	0.0	33.5	0.0	8.9	0.0	47.8	0.0	25.8	6.6	4.2	0.0	7.7	0.0	7.8
20-24	0.0	38.0	1.5	15.1	6.3	5.4	0.8	25.9	0.7	6.3	0.0	48.7	2.0	19.5	7.2	5.9	0.0	11.4	1.0	4.2
25-29	0.0	36.4	1.8	22.9	9.9	5.0	0.3	12.2	1.1	10.4	0.0	37.7	1.9	25.4	10.8	5.2	0.0	7.1	1.3	10.8
30-34	0.0	41.9	4.2	22.4	6.7	11.2	0.2	5.8	0.6	7.0	0.0	42.9	4.4	23.1	6.7	11.5	0.2	3.9	0.6	6.7
35-39	0.0	40.1	7.3	21.9	5.9	7.7	0.1	6.0	0.2	10.7	0.0	41.1	7.2	22.2	6.0	7.5	0.1	5.3	0.1	10.5
40-44	0.2	43.3	7.3	17.4	2.7	6.3	0.0	5.2	2.6	15.0	0.2	43.8	7.6	17.9	2.9	5.8	0.0	3.6	2.8	15.4
45-49	3.6	37.4	9.8	10.7	9.3	7.3	0.0	5.3	0.8	15.9	3.8	38.9	9.6	11.3	7.2	7.4	0.0	4.9	0.8	16.2
Marital Status																				
Married, or in union	0.3	42.8	4.6	21.4	6.9	7.2	0.1	6.3	1.0	9.5	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	18.8	0.7	5.7	7.0	4.7	1.7	53.2	0.2	8.0	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	49.2	1.4	13.7	5.8	6.0	0.3	13.3	0.5	9.8	0.0	49.9	1.5	15.3	5.2	6.6	0.1	11.8	0.5	9.2
2-3 children	0.5	38.7	5.0	20.5	8.9	9.0	0.1	8.2	2.2	6.9	0.5	38.4	5.0	20.8	9.1	8.9	0.1	8.1	2.3	6.9
4+ children	0.2	43.2	5.1	22.9	6.4	6.6	0.0	4.3	0.5	10.7	0.2	43.5	5.1	23.2	6.2	6.5	0.0	3.8	0.5	10.9
					***															
Residence																				
Urban	0.2	26.9	5.9	9.2	5.6	12.8	0.7	25.8	1.0	11.9	0.4	32.1	8.0	11.4	6.5	17.0	0.2	11.3	1.4	11.7
Rural	0.2	44.1	3.1	22.0	7.0	4.3	0.1	9.6	0.8	8.8	0.2	46.0	3.5	24.3	7.0	4.3	0.0	4.8	0.9	8.9
Education																				

0.9

0.8

0.3

0.5

0.0

0.9

9.4

9.9

8.5

11.2

15.9

12.6

5.8

10.0

43.6

45.7

40 1

35.0

14.2

45.6

47.8

35.5

3.7

4.3

5.1

9.5

26.0

3.9

3.8

23.7

20.1

17.5

7.5

5.3

19.9

26.7

18.2

6.8

8.3

6.7

1.7

7.3

7.5

0.3

0.1

0.2

0.0

0.2

0.0

0.0

0.5

4.4

0.0

5 1

12.1

27.0

44.8

46.3

9.9

7.5

43.8

42.1

33.3

7.4

42.0

47.7

30.5

3.6

3.8

3.0

4.7

12.5

3.4

4.6

23.3

17.9

11.7

5.2

2.5

23.7

69

7.8

1.4

74

6.7

7.1

6.3

9.1

3.7

4.3

11.0

0.3

0.1

0.1

0.0

0.2

Never

Tertiary

Lowest

Middle

Highest

Secondary 1 Cycle

Secondary 2 Cycles

**Wealth Quintile** 

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Modern contraceptive methods**

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

## Background Characteristics

Characteristics	Short Acti	ing Methods <sup>1</sup>	Long Acti	ng Methods <sup>2</sup>
	All Women	Married Women <sup>3</sup>	All Women	Married Women <sup>3</sup>
	(N = 6388)	(N = 4265)	(N = 6388)	(N = 4265)
Total				
All	15.2	15.1	14.0	16.8
Age Group				
15-19	9.6	11.7	6.4	12.6
20-24	19.8	15.2	14.4	17.1
25-29	19.1	17.8	14.2	14.1
30-34	17.9	17.5	17.6	17.9
35-39	16.1	15.9	18.2	18.6
40-44	12.4	12.6	18.5	19.7
45-49	8.1	8.5	12.3	14.0
Marital Status				
Married, or in union	15.1	na	16.8	na
Unmarried, sexually active	50.7	na	13.7	na
Parity				
0-1 children	14.5	13.5	18.4	17.5
2-3 children	18.0	18.1	16.2	16.1
4+ children	14.8	15.0	17.6	18.2
Residence				
Urban	22.6	22.5	13.5	19.1
Rural	13.1	13.6	14.1	16.3
Education				
Never	12.9	13.8	14.4	15.3
Primary	15.1	16.0	15.8	19.5
Secondary 1 Cycle	17.8	20.4	11.7	20.2
Secondary 2 Cycles	26.3	21.6	11.8	22.6
Tertiary	34.4	25.6	10.7	22.8
Wealth Quintile				
Lowest	12.9	12.9	14.3	17.2
Middle	12.5	13.6	14.9	16.4
Highest	20.1	19.5	12.9	16.7

<sup>1</sup> Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

<sup>2</sup> Long-acting methods include IUD, implants, and sterilization (male and female).

<sup>3</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



### **Unmet Need for Family Planning**

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

**Background** Characteristics

Background Characteristics	All V	All Women (N = 6388)			Married Women <sup>1</sup> (N = 4265)				
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total			
Total									
All	13.8	3.4	17.2	16.8	4.5	21.3			
Age Group									
15-19	9.6	0.1	9.7	23.3	0.1	23.4			
20-24	18.8	0.3	19.1	23.0	0.3	23.3			
25-29	16.6	1.7	18.3	17.5	1.8	19.3			
30-34	16.9	2.9	19.8	17.7	3.0	20.7			
35-39	16.0	5.6	21.7	16.8	5.9	22.7			
40-44	8.9	11.8	20.7	9.8	13.0	22.7			
45-49	3.4	9.7	13.1	4.0	11.2	15.1			
Marital Status									
Married, or in union	16.8	4.5	21.3	na	na	na			
Unmarried, sexually active	19.7	0.3	20.0	na	na	na			
Parity									
0-1 children	18.7	0.2	18.9	21.5	0.1	21.6			
2-3 children	16.6	1.5	18.1	17.5	1.6	19.1			
4+ children	15.5	7.5	23.0	16.0	7.9	23.9			
Residence									
Urban	7.0	2.5	9.5	10.2	4.0	14.1			
Rural	15.7	3.7	19.4	18.1	4.6	22.8			
Education									
Never	16.6	4.5	21.1	17.5	5.0	22.4			
Primary	13.5	3.5	17.0	16.3	4.7	21.0			
Secondary 1 Cycle	7.9	0.8	8.7	14.9	1.9	16.8			
Secondary 2 Cycles	6.5	1.0	7.5	13.1	2.2	15.3			
Tertiary	4.1	0.3	4.4	6.7	0.6	7.3			
Wealth Quintile									
Lowest	16.8	4.6	21.5	19.6	5.7	25.3			
Middle	14.3	3.2	17.5	16.0	4.0	20.0			
Highest	10.2	2.5	12.7	14.1	3.7	17.8			

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Need and Demand for Family Planning**

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Married Women (N=4265)

Background Characteristics

Characteristics		All W	omen (i	N=6388)			iviarried	women	(N=4265	)
	Any Method	Modern <sup>1</sup> Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup> Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	32.3	29.2	17.2	49.6	59.0	35.3	31.9	21.3	56.5	56.4
Age Group										
15-19	17.6	16.1	9.7	27.3	58.8	26.3	24.2	23.4	49.7	48.8
20-24	36.5	34.1	19.1	55.5	61.5	33.8	32.3	23.3	57.1	56.7
25-29	37.2	33.3	18.3	55.5	60.1	35.8	31.9	19.3	55.1	57.9
30-34	38.2	35.5	19.8	57.9	61.3	37.9	35.4	20.7	58.7	60.4
35-39	38.3	34.2	21.7	60.0	57.1	38.5	34.5	22.7	61.2	56.4
40-44	36.4	30.9	20.7	57.0	54.2	38.2	32.3	22.7	60.9	53.0
45-49	24.3	20.4	13.1	37.3	54.6	26.8	22.5	15.1	41.9	53.6
Marital Status										
Married, or in union	35.3	31.9	21.3	56.5	56.4	na	na	na	na	na
Unmarried, sexually active	69.9	64.3	20.0	89.9	71.6	na	na	na	na	na
Parity										
0-1 children	36.5	32.9	18.9	55.3	59.4	34.1	31.0	21.6	55.7	55.6
2-3 children	36.7	34.2	18.1	54.8	62.3	36.7	34.2	19.1	55.8	61.3
4+ children	36.3	32.4	23.0	59.3	54.7	37.3	33.3	23.9	61.2	54.3
Residence										
Urban	41.0	36.1	9.5	50.4	71.6	47.1	41.5	14.1	61.2	67.9
Rural	29.9	27.3	19.4	49.3	55.3	32.8	29.9	22.8	55.6	53.8
Education										
Never	30.1	27.3	21.1	51.3	53.3	32.2	29.1	22.4	54.6	53.3
Primary	34.2	30.8	17.0	51.3	60.2	38.8	35.4	21.0	59.8	59.2
Secondary 1 Cycle	32.3	29.5	8.7	41.0	72.0	44.6	40.6	16.8	61.4	66.1
Secondary 2 Cycles	42.9	38.1	7.5	50.4	75.6	50.9	44.2	15.3	66.2	66.7
Tertiary	53.6	45.1	4.4	58.0	77.7	56.8	48.4	7.3	64.1	75.6
Wealth Quintile										
Lowest	31.1	27.2	21.5	52.6	51.7	34.6	30.2	25.3	59.9	50.4
Middle	29.1	27.4	17.5	46.5	58.8	31.6	30.0	20.0	51.6	58.0
Highest	36.7	33.0	12.7	49.4	66.8	40.1	36.2	17.8	58.0	62.5

All Women (N=6388)

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Pregnancy Intentions**

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background	All Wom	en with 1 or N	Nore Births	Married Wo	men with 1 o	Married Women with 1 or More Birth				
Characteristics		(N=3285)			(N=3070)					
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All				
Total										
All	74.1	24.1	1.8	75.5	22.8	1.7				
Age Group										
15-19	73.2	25.2	1.7	80.9	17.5	1.6				
20-24	72.9	26.5	0.6	75.2	24.5	0.4				
25-29	75.0	24.2	0.8	75.9	23.4	0.7				
30-34	78.1	20.2	1.7	78.6	19.7	1.7				
35-39	73.5	24.0	2.4	73.9	23.7	2.4				
40-44	70.5	23.9	5.6	69.8	24.5	5.8				
45-49	61.7	34.6	3.7	64.7	33.7	1.7				
Marital Status										
Married, or in union	75.5	22.8	1.7	na	na	na				
Unmarried, sexually active	35.4	59.5	5.1	na	na	na				
Parity										
0-1 children	75.6	23.5	0.9	81.3	18.2	0.5				
2-3 children	78.7	20.9	0.4	79.1	20.5	0.4				
4+ children	70.6	26.4	3.0	71.0	26.0	3.0				
Residence										
Urban	77.9	20.2	1.9	80.9	17.6	1.5				
Rural	73.4	24.9	1.7	74.5	23.8	1.7				
Education										
Never	74.2	24.1	1.7	74.7	23.7	1.6				
Primary	77.0	20.5	2.4	78.2	19.5	2.3				
Secondary 1 Cycle	69.4	28.7	1.9	73.6	24.8	1.6				
Secondary 2 Cycles	67.7	31.5	0.8	81.1	18.5	0.4				
Tertiary	83.1	16.9	0.0	85.7	14.3	0.0				
Wealth Quintile										
Lowest	72.2	25.4	2.4	72.9	24.8	2.4				
Middle	72.6	25.9	1.6	73.9	24.5	1.6				
Highest	78.4	20.4	1.2	80.9	18.2	0.9				

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Contraceptive Choice**

Percent distribution of women age 15 to 49 who are currently using modern contraception reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Pro Partner/Provider	vider/Partner Alone	(N = 1937)
Total				
All	63.8	23.3	12.8	
Age Group				
15-19	48.2	28.1	23.7	
20-24	57.1	27.3	15.6	
25-29	71.6	19.7	8.6	
30-34	69.6	20.2	10.2	
35-39	67.5	20.4	12.1	
40-44	60.5	29.1	10.4	
45-49	77.6	14.3	8.1	
Marital Status				
Married, or in union	67.9	21.4	10.8	
Unmarried, sexually active	41.4	34.2	24.4	
Parity				
0-1 children	61.2	23.7	15.1	
2-3 children	68.6	22.4	9.0	
4+ children	70.0	19.7	10.3	
Residence				
Urban	56.6	28.6	14.9	
Rural	66.6	21.4	12.0	
Education				
Never	70.9	18.9	10.1	
Primary	58.8	27.3	13.9	
Secondary 1 Cycle	58.0	24.6	17.4	
Secondary 2 Cycles	45.3	36.0	18.7	
Tertiary	37.4	46.2	16.4	
Wealth Quintile				
Lowest	65.5	22.1	12.4	
Middle	69.8	18.7	11.5	
Highest	57.8	28.0	14.2	
-				

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Method Information Index Components**

Percentage of current modern contraceptive <sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

		about other 2		about side 2 ects	Told what to do side e	if experienced 4		t switching 2
<b>Background Characteristics</b>	All	Married <sup>3</sup>	All	Married <sup>3</sup>	All	Married <sup>3</sup>	All	Married <sup>3</sup>
	Users	Users	Users	Users	Users	Users	Users	Users
Total	(1937)	(1473)	(1937)	(1473)	(978)	(837)	(1937)	(1473)
All	60.4	65.3	55.4	59.6	89.1	90.7	67.0	71.5
Age Group								
15-19	40.1	58.6	37.0	45.4	77.6	86.8	46.6	69.1
20-24	54.9	59.6	47.1	52.5	88.6	90.7	62.6	66.3
25-29	62.3	65.5	53.7	55.1	86.8	88.1	67.7	71.0
30-34	68.5	70.4	64.6	66.4	88.1	88.2	78.1	78.9
35-39	61.6	62.5	64.4	65.2	93.6	93.7	70.8	71.8
40-44	72.5	72.4	64.3	64.6	93.5	93.7	69.6	69.2
45-49	62.5	63.2	56.7	56.6	91.7	93.2	70.5	71.0
Marital Status								
Married, or in union	65.3	na	59.6	na	90.7	na	71.5	na
Unmarried, sexually active	34.3	na	31.6	na	83.0	na	41.3	na
Parity								
0-1 children	59.7	64.1	52.6	55.1	88.0	90.2	65.4	69.7
2-3 children	63.7	63.8	56.3	55.8	89.9	89.8	70.8	70.4
4+ children	66.4	66.6	62.6	63.0	90.9	91.1	72.8	72.9
Residence								
Urban	58.7	70.2	47.1	55.9	87.9	89.1	62.6	73.5
Rural	61.1	63.8	58.5	60.6	89.4	91.1	68.6	71.0
Education								
Never	62.4	62.8	58.7	58.8	90.0	90.2	69.8	70.1
Primary	61.3	68.0	56.9	61.7	92.8	92.3	65.7	71.1
Secondary 1 Cycle	58.8	72.4	49.6	59.4	82.4	88.6	65.0	77.0
Secondary 2 Cycles	50.7	64.6	47.1	68.0	84.9	95.7	59.7	78.2
Tertiary	47.4	76.7	38.3	54.7	88.4	91.7	49.5	75.5
Wealth Quintile								
Lowest	62.6	65.5	56.9	59.2	93.2	94.5	65.4	67.5
Middle	59.5	61.6	58.5	60.8	83.9	85.5	72.3	75.2
Highest	59.3	68.4	51.6	58.9	89.7	91.6	64.2	72.3
5								

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

<sup>2</sup> Asked of all current/recent modern contraceptive users

<sup>3</sup> Married includes married women and those who are living with a man

<sup>4</sup> Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Quality of Care**

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Dackground	Percent who would	Percent who would refer	Percent who would return
Background Characteristics	return to provider	relative/friend	and refer friend/relative
	·		
Total	(N = 1913)	(N = 1913)	(N = 1913)
All	93.6	92.7	90.3
Age Group			
15-19	89.5	87.7	85.0
20-24	92.7	92.6	89.8
25-29	93.0	96.2	92.0
30-34	94.4	89.7	88.0
35-39	93.7	95.1	92.7
40-44	98.1	94.2	93.8
45-49	95.8	91.4	91.1
Marital Status			
Married, or in union	95.4	94.5	92.2
Unmarried, sexually active	84.2	82.3	80.4
Parity			
0-1 children	94.5	94.5	91.5
2-3 children	94.7	94.9	92.4
4+ children	95.6	93.5	91.6
Residence	33.0	33.3	31.0
	00.5	00.5	05.4
Urban	88.6	88.6	86.1
Rural	95.5	94.2	91.9
Education			
Never	95.6	94.0	92.0
Primary	92.5	93.5	89.6
Secondary 1 Cycle	92.3	90.1	88.1
Secondary 2 Cycles	85.6	88.1	85.3
Tertiary	88.0	88.2	86.4
Wealth Quintile			
Lowest	95.3	92.3	90.6
Middle	95.3	94.9	91.6
Highest	90.8	91.3	89.0
-			

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Knowledge of Family Planning**

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Either visited by health worker

Background Characteristics	Visited by heal discussed far	th worker who mily planning			or visited by or visited f discussed fai	-
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
Total	(6388)	(4265)	(6388)	(4265)	(6388)	(4265)
All	9.0	9.7	20.1	25.0	25.7	30.5
Age Group						
15-19	7.1	8.4	7.8	22.3	13.3	27.7
20-24	8.9	8.6	24.8	29.4	29.2	32.6
25-29	9.3	9.8	28.6	30.2	33.8	35.7
30-34	11.3	11.2	24.5	25.3	31.5	32.0
35-39	9.6	10.0	24.5	25.3	29.8	30.8
40-44	10.1	10.5	20.3	21.6	27.0	28.4
45-49	7.1	7.5	7.9	8.6	13.2	14.6
Marital Status						
Married, or in union	9.7	na	25.0	na	30.5	na
Unmarried, sexually active	6.8	na	8.0	na	13.1	na
Parity						
0-1 children	7.5	8.1	27.7	28.7	31.6	32.9
2-3 children	8.4	8.5	26.0	26.9	30.4	31.3
4+ children	10.9	11.1	23.0	23.9	29.5	30.4
Residence						
Urban	5.8	6.3	16.0	22.2	19.7	25.8
Rural	10.0	10.4	21.3	25.5	27.4	31.4
Education						
Never	9.2	9.8	22.3	24.1	27.9	30.0
Primary	9.0	10.0	20.4	26.0	25.6	31.2
Secondary 1 Cycle	7.9	7.4	14.4	28.1	19.6	31.2
Secondary 2 Cycles	11.7	13.1	16.7	31.3	25.2	38.5
Tertiary	5.9	8.0	12.6	21.5	15.6	24.0
Wealth Quintile						
Lowest	10.4	11.2	21.4	25.5	27.6	32.0
Middle	9.0	9.3	23.6	28.6	28.7	33.2
Highest	7.6	8.3	15.6	20.2	20.9	25.5

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Response Rates**

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	3589	2292	5881
Households Occupied	3425	2222	5647
Households Interviewed	3321	2209	5530
Household Response Rate <sup>1</sup>	96.96%	99.41%	97.93%
Interviews with Women			
Number of Eligible Women <sup>2</sup>	4070	2767	6837
Number of Eligible Women Interviewed	3773	2615	6388
Eligible Woman Response Rate <sup>3</sup>	92.70%	94.51%	93.43%

<sup>1</sup> Household response rate = households interviewed/households selected

<sup>2</sup> Eligible women are women ages 15-49 identified in completed household interviews

<sup>3</sup> Eligible response rate = eligible women interviewed/eligible women



## **Sample Error Estimates**

	All Women					Married Women <sup>1</sup>			
Variable	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper	
Currently using a modern method	0.292	0.015	0.264	0.322	0.319	0.017	0.285	0.354	
Currently using a traditional method	0.031	0.005	0.022	0.044	0.034	0.007	0.023	0.049	
Currently using any contraceptive method	0.323	0.016	0.292	0.356	0.353	0.019	0.316	0.391	
Currently using DMPA-IM	0.184	0.020	0.147	0.227	0.214	0.024	0.169	0.266	
Currently using DMPA-SC	0.066	0.011	0.048	0.091	0.069	0.011	0.050	0.094	
Currently using condoms	0.142	0.013	0.118	0.170	0.063	0.009	0.047	0.084	
Currenlty using implants	0.392	0.026	0.343	0.444	0.428	0.028	0.375	0.483	
Chose method by self or jointly in past 12 months	0.872	0.012	0.845	0.894	0.892	0.013	0.863	0.916	
Informed by provider about other methods	0.604	0.025	0.554	0.652	0.653	0.027	0.597	0.705	
Informed by provider about side effects	0.554	0.025	0.504	0.603	0.596	0.027	0.542	0.647	
Satisfied with provider: Would return and refer friend/relative to provider	0.903	0.015	0.869	0.929	0.922	0.016	0.885	0.947	
Visited by health worker who talked about family planning in past 12 months	0.090	0.014	0.067	0.121	0.097	0.016	0.069	0.134	

<sup>1</sup> Married includes married women and those who are living with a man