

# PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

## Kenya (Kilifi) Snapshot of Indicators Phase 2 (2021) Cross-sectional Survey

Suggested citation: International Centre for Reproductive Health Kenya (ICRHK) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Kenya (Kilifi) Phase 2 Cross-sectional Survey Snapshot of Indicators, PMA/Kenya-Kilifi-P2-CS SOIs. 2020. Kenya and Baltimore, Maryland, USA.*

## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	867	867
<b>Age Group</b>			
15-19	24.4	211	212
20-24	16.6	144	142
25-29	16.4	142	147
30-34	16.0	138	135
35-39	10.4	90	90
40-44	8.6	75	75
45-49	7.7	67	66
<b>Marital Status</b>			
Married, or in union	57.0	494	487
Unmarried, sexually active	8.1	70	71
<b>Parity</b>			
0-1 children	12.7	111	114
2-3 children	25.8	224	216
4+ children	28.5	248	245
<b>Residence</b>			
Urban	24.0	209	244
Rural	76.0	659	623
<b>Education</b>			
Never	15.1	131	133
Primary	55.1	477	468
Post Primary Vocational	3.4	29	23
Secondary	20.2	175	183
College	5.4	47	52
University	0.8	7	7
<b>Wealth Quintile</b>			
Lowest	21.2	184	180
Lower	21.2	184	180
Middle	24.4	212	196
Higher	16.1	139	151
Highest	17.1	148	160

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	41.2	54.8	36.8	49.8	4.4	5.1
<b>Age Group</b>						
15-19	12.6	--	10.0	--	2.6	--
20-24	51.0	58.3	46.2	53.9	4.8	4.4
25-29	54.4	58.0	50.0	54.7	4.3	3.3
30-34	54.0	55.3	46.3	46.6	7.8	8.8
35-39	54.9	63.5	53.4	61.7	1.5	1.8
40-44	44.7	54.3	38.3	45.9	6.4	8.4
45-49	33.0	33.5	29.3	30.4	3.7	3.1
<b>Marital Status</b>						
Married, or in union	54.8	na	49.8	na	5.1	na
Unmarried, sexually active	55.5	na	49.3	na	6.2	na
<b>Parity</b>						
0-1 children	46.7	47.1	45.3	44.9	1.5	2.2
2-3 children	64.9	68.6	57.9	60.8	7.0	7.8
4+ children	49.5	50.7	45.0	46.4	4.4	4.3
<b>Residence</b>						
Urban	51.4	62.9	47.8	59.1	3.5	3.8
Rural	37.9	52.4	33.3	47.0	4.6	5.5
<b>Education</b>						
Never	40.8	45.6	35.9	40.5	4.9	5.1
Primary	42.3	57.1	39.2	53.6	3.1	3.5
Post Primary Vocational	--	--	--	--	--	--
Secondary	38.2	63.5	32.6	58.7	5.5	4.7
College	41.0	<i>54.0</i>	38.2	<i>49.2</i>	2.8	<i>4.8</i>
University	--	--	--	--	--	--
<b>Wealth Quintile</b>						
Lowest	33.9	44.8	29.8	40.7	4.1	4.0
Lower	33.4	43.3	30.9	41.9	2.5	1.3
Middle	46.9	63.9	42.3	56.7	4.6	7.3
Higher	52.9	63.1	44.0	54.9	8.9	8.2
Highest	40.5	57.5	38.2	53.6	2.3	3.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

	All Users (N = 355)										Married Users <sup>1</sup> (N = 269)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
<b>Total</b>																				
All	1.9	36.3	1.8	34.5	1.1	3.2	2.6	6.8	1.2	10.6	2.1	38.5	1.8	40.0	1.2	3.9	0.6	1.6	1.0	9.3
<b>Age Group</b>																				
15-19	0.0	8.6	0.0	19.9	0.0	3.3	16.8	27.6	3.0	20.7	--	--	--	--	--	--	--	--	--	--
20-24	0.0	42.9	0.8	29.1	1.1	2.5	4.0	10.3	0.0	9.4	0.0	45.2	1.3	37.5	0.0	4.1	1.2	3.2	0.0	7.5
25-29	0.0	28.1	0.0	52.7	2.1	1.0	2.2	5.0	1.0	8.0	0.0	30.1	0.0	58.0	2.5	1.1	1.6	1.0	0.0	5.6
30-34	0.0	43.8	3.0	27.2	0.0	7.1	0.0	1.1	3.5	14.4	0.0	42.8	2.5	26.0	0.0	8.7	0.0	0.0	4.2	15.8
35-39	3.8	45.2	1.6	39.2	1.6	4.4	0.0	1.5	0.0	2.6	4.1	43.3	1.7	40.1	1.7	4.7	0.0	1.6	0.0	2.8
40-44	2.5	31.8	6.8	35.7	2.4	1.7	0.0	4.8	0.0	14.3	0.0	31.9	4.6	38.5	2.6	1.8	0.0	5.1	0.0	15.5
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Marital Status</b>																				
Married, or in union	2.1	38.5	1.8	40.0	1.2	3.9	0.6	1.6	1.0	9.3	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	32.9	2.2	20.6	0.0	2.2	9.9	21.0	0.0	11.2	na	na	na	na	na	na	na	na	na	na
<b>Parity</b>																				
0-1 children	1.4	41.9	1.1	41.0	1.5	2.5	1.0	3.2	3.2	3.1	2.1	34.4	1.6	47.2	0.0	3.8	1.5	2.3	2.5	4.6
2-3 children	0.0	36.5	2.1	41.1	1.1	4.3	1.2	1.7	1.2	10.8	0.0	37.0	1.8	40.3	1.2	4.9	0.8	1.2	1.3	11.4
4+ children	4.8	44.9	2.3	32.7	1.3	2.4	0.0	2.5	0.0	9.0	4.8	42.1	1.9	37.8	1.5	2.8	0.0	0.7	0.0	8.4
<b>Residence</b>																				
Urban	2.3	38.4	3.9	23.7	3.7	3.8	6.3	10.5	0.6	6.9	2.2	41.9	4.6	28.2	4.4	5.6	0.7	5.2	0.9	6.1
Rural	1.7	35.5	0.9	39.2	0.0	3.0	0.9	5.2	1.4	12.2	2.1	37.2	0.8	44.3	0.0	3.3	0.5	0.4	1.0	10.4
<b>Education</b>																				
Never	2.9	47.7	2.5	29.6	0.0	5.3	0.0	0.0	0.0	11.9	1.6	43.6	2.9	34.5	0.0	6.1	0.0	0.0	0.0	11.2
Primary	2.5	40.2	1.9	37.3	1.6	2.4	2.8	3.7	0.4	7.2	3.2	41.0	1.4	41.6	1.5	3.1	0.7	1.0	0.5	6.1
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Secondary	0.0	26.8	0.8	29.9	1.2	5.6	4.6	12.7	3.8	14.5	0.0	33.8	1.4	42.7	1.9	7.0	0.0	1.6	4.2	7.5
College	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
University	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Wealth Quintile</b>																				
Lowest	1.3	41.2	1.3	31.9	0.0	5.7	0.0	5.1	1.3	12.2	1.8	42.3	0.0	39.1	0.0	7.8	0.0	0.0	0.0	9.0
Lower	2.5	38.0	1.3	35.1	0.0	2.7	2.1	10.7	0.0	7.5	3.9	39.8	2.0	49.2	0.0	2.1	0.0	0.0	0.0	3.1
Middle	1.1	36.1	0.8	40.4	0.8	0.7	3.2	4.3	2.7	9.8	1.4	40.3	1.1	42.4	0.0	0.9	0.0	0.0	2.5	11.4
Higher	2.1	34.4	1.8	29.5	3.2	2.6	5.5	4.0	0.0	16.9	1.3	36.5	2.3	34.4	4.0	3.3	2.7	2.4	0.0	13.0
Highest	2.6	32.5	4.4	33.0	1.3	6.0	1.1	12.1	1.1	5.8	3.1	33.5	3.7	36.7	1.6	7.2	0.0	6.0	1.3	6.9

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

### Background

#### Characteristics

#### Short Acting Methods<sup>1</sup>

#### Long Acting Methods<sup>2</sup>

	All Women (N = 867)	Married Women <sup>3</sup> (N = 487)	All Women (N = 867)	Married Women <sup>3</sup> (N = 487)
<b>Total</b>				
All	20.3	26.5	16.5	23.3
<b>Age Group</b>				
15-19	8.9	--	1.1	--
20-24	24.0	26.8	22.2	27.1
25-29	34.8	37.3	15.3	17.5
30-34	21.0	21.5	25.3	25.1
35-39	25.6	30.6	27.8	31.2
40-44	19.9	26.1	18.4	19.9
45-49	9.7	7.9	19.5	22.6
<b>Marital Status</b>				
Married, or in union	26.5	na	23.3	na
Unmarried, sexually active	29.8	na	19.5	na
<b>Parity</b>				
0-1 children	24.5	27.0	20.7	18.0
2-3 children	32.8	34.2	25.1	26.6
4+ children	19.3	21.7	25.8	24.7
<b>Residence</b>				
Urban	25.0	28.4	22.9	30.7
Rural	18.9	25.9	14.4	21.0
<b>Education</b>				
Never	14.2	18.5	21.7	21.9
Primary	20.4	27.6	18.8	26.0
Post Primary Vocational	--	--	--	--
Secondary	22.1	36.4	10.5	22.3
College	28.1	<i>32.1</i>	10.1	<i>17.1</i>
University	--	--	--	--
<b>Wealth Quintile</b>				
Lowest	14.9	21.0	14.9	19.7
Lower	16.9	22.2	13.9	19.7
Middle	24.5	29.3	17.9	27.4
Higher	23.7	29.6	20.3	25.3
Highest	22.2	30.3	16.0	23.2

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 867)			Married Women <sup>1</sup> (N = 487)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	7.9	3.9	11.8	10.5	6.1	16.6
<b>Age Group</b>						
15-19	7.6	0.4	8.0	--	--	--
20-24	10.9	0.0	10.9	18.6	0.0	18.6
25-29	15.8	1.9	17.7	18.1	1.0	19.1
30-34	6.8	6.3	13.2	8.6	7.9	16.5
35-39	4.6	3.0	7.7	5.8	2.7	8.5
40-44	1.2	8.4	9.5	1.5	10.9	12.5
45-49	0.0	18.4	18.4	0.0	21.2	21.2
<b>Marital Status</b>						
Married, or in union	10.5	6.1	16.6	na	na	na
Unmarried, sexually active	24.2	4.5	28.7	na	na	na
<b>Parity</b>						
0-1 children	18.4	0.0	18.4	23.2	0.0	23.2
2-3 children	9.2	1.8	10.9	10.1	1.7	11.7
4+ children	5.7	12.0	17.7	6.8	13.0	19.8
<b>Residence</b>						
Urban	6.5	2.0	8.4	9.3	2.1	11.4
Rural	8.4	4.5	12.9	10.8	7.3	18.2
<b>Education</b>						
Never	4.8	11.6	16.4	5.4	13.7	19.1
Primary	8.3	3.5	11.8	11.0	5.4	16.4
Post Primary Vocational	--	--	--	--	--	--
Secondary	5.5	0.9	6.4	6.1	2.4	8.5
College	4.9	0.0	4.9	8.2	0.0	8.2
University	--	--	--	--	--	--
<b>Wealth Quintile</b>						
Lowest	9.7	6.9	16.6	13.9	12.5	26.4
Lower	10.8	5.7	16.4	15.6	10.5	26.1
Middle	5.8	3.1	8.9	7.3	4.3	11.6
Higher	7.8	0.9	8.7	9.2	1.4	10.6
Highest	5.4	1.6	7.0	6.8	1.8	8.6

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

### Background

#### Characteristics

#### All Women (N=867)

#### Married Women<sup>2</sup> (N=487)

	Any Method	Modern <sup>1</sup> Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup> Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	41.2	36.8	11.8	52.9	69.5	54.8	49.8	16.6	71.5	69.6
<b>Age Group</b>										
15-19	12.6	10.0	8.0	20.6	<i>48.6</i>	--	--	--	--	--
20-24	51.0	46.2	10.9	61.9	74.6	58.3	53.9	18.6	76.9	70.1
25-29	54.4	50.0	17.7	72.1	69.5	58.0	54.7	19.1	77.1	71.0
30-34	54.0	46.3	13.2	67.2	68.9	55.3	46.6	16.5	71.9	64.8
35-39	54.9	53.4	7.7	62.6	85.4	63.5	61.7	8.5	72.0	85.8
40-44	44.7	38.3	9.5	54.3	<i>70.6</i>	54.3	45.9	12.5	66.8	<i>68.8</i>
45-49	33.0	29.3	18.4	51.4	<i>57.0</i>	33.5	30.4	21.2	54.7	<i>55.6</i>
<b>Marital Status</b>										
Married, or in union	54.8	49.8	16.6	71.5	69.6	na	na	na	na	na
Unmarried, sexually active	55.5	49.3	28.7	84.2	58.6	na	na	na	na	na
<b>Parity</b>										
0-1 children	46.7	45.3	18.4	65.1	69.5	47.1	44.9	23.2	70.3	63.9
2-3 children	64.9	57.9	10.9	75.8	76.4	68.6	60.8	11.7	80.4	75.7
4+ children	49.5	45.0	17.7	67.1	67.1	50.7	46.4	19.8	70.4	65.9
<b>Residence</b>										
Urban	51.4	47.8	8.4	59.8	80.0	62.9	59.1	11.4	74.3	79.5
Rural	37.9	33.3	12.9	50.8	65.6	52.4	47.0	18.2	70.6	66.5
<b>Education</b>										
Never	40.8	35.9	16.4	57.2	62.8	45.6	40.5	19.1	64.6	62.6
Primary	42.3	39.2	11.8	54.1	72.5	57.1	53.6	16.4	73.6	72.9
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--
Secondary	38.2	32.6	6.4	44.6	73.2	63.5	58.7	8.5	72.0	<i>81.6</i>
College	41.0	38.2	4.9	45.9	<i>83.2</i>	<i>54.0</i>	<i>49.2</i>	<i>8.2</i>	<i>62.2</i>	--
University	--	--	--	--	--	--	--	--	--	--
<b>Wealth Quintile</b>										
Lowest	33.9	29.8	16.6	50.5	59.0	44.8	40.7	26.4	71.2	57.2
Lower	33.4	30.9	16.4	49.8	62.0	43.3	41.9	26.1	69.3	60.5
Middle	46.9	42.3	8.9	55.8	75.8	63.9	56.7	11.6	75.6	75.0
Higher	52.9	44.0	8.7	61.6	71.4	63.1	54.9	10.6	73.6	74.5
Highest	40.5	38.2	7.0	47.5	80.3	57.5	53.6	8.6	66.1	81.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=339)			Married <sup>1</sup> Women with 1 or More Births (N=288)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	58.4	35.2	6.4	60.8	34.5	4.7
<b>Age Group</b>						
15-19	--	--	--	--	--	--
20-24	53.3	41.0	5.7	54.8	38.1	7.1
25-29	67.9	31.3	0.8	71.5	28.5	0.0
30-34	51.7	43.8	4.4	51.6	47.3	1.1
35-39	<i>68.2</i>	<i>22.3</i>	<i>9.5</i>	<i>68.3</i>	<i>24.4</i>	<i>7.3</i>
40-44	--	--	--	--	--	--
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	60.8	34.5	4.7	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
<b>Parity</b>						
0-1 children	59.7	33.3	7.0	64.4	31.4	4.1
2-3 children	64.0	34.1	1.9	66.2	32.3	1.5
4+ children	50.4	37.9	11.7	51.6	39.2	9.3
<b>Residence</b>						
Urban	63.7	36.3	0.0	65.1	34.9	0.0
Rural	56.7	34.8	8.4	59.5	34.3	6.1
<b>Education</b>						
Never	46.8	38.5	14.7	45.1	42.3	12.6
Primary	60.6	34.9	4.5	63.6	33.8	2.7
Post Primary Vocational	--	--	--	--	--	--
Secondary	62.9	29.7	7.5	<i>67.6</i>	<i>27.0</i>	<i>5.4</i>
College	--	--	--	--	--	--
University	--	--	--	--	--	--
<b>Wealth Quintile</b>						
Lowest	42.2	52.0	5.8	44.0	49.3	6.6
Lower	65.6	22.5	11.9	69.3	24.0	6.6
Middle	60.0	38.3	1.6	66.0	34.0	0.0
Higher	66.4	26.1	7.6	66.2	25.5	8.3
Highest	63.7	30.0	6.3	<i>63.6</i>	<i>34.5</i>	<i>1.9</i>

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 272)
<b>Total</b>				
All	57.9	37.5	4.6	
<b>Age Group</b>				
15-19	--	--	--	
20-24	63.4	34.3	2.3	
25-29	55.7	37.7	6.6	
30-34	57.9	40.6	1.5	
35-39	<i>51.7</i>	<i>45.4</i>	<i>3.0</i>	
40-44	--	--	--	
45-49	--	--	--	
<b>Marital Status</b>				
Married, or in union	55.1	40.8	4.2	
Unmarried, sexually active	--	--	--	
<b>Parity</b>				
0-1 children	<i>74.7</i>	<i>22.3</i>	<i>3.0</i>	
2-3 children	51.2	46.4	2.3	
4+ children	61.0	32.6	6.4	
<b>Residence</b>				
Urban	76.0	19.5	4.4	
Rural	49.9	45.4	4.7	
<b>Education</b>				
Never	<i>52.9</i>	<i>43.7</i>	<i>3.4</i>	
Primary	62.3	34.8	2.9	
Post Primary Vocational	--	--	--	
Secondary	60.8	29.8	9.5	
College	--	--	--	
University	--	--	--	
<b>Wealth Quintile</b>				
Lowest	<i>75.5</i>	<i>22.8</i>	<i>1.7</i>	
Lower	<i>40.9</i>	<i>59.1</i>	<i>0.0</i>	
Middle	43.7	50.9	5.4	
Higher	61.7	29.9	8.3	
Highest	73.2	20.4	6.3	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other <sup>2</sup> methods		Informed about side <sup>2</sup> effects		Told what to do if experienced <sup>4</sup> side effects		Told about switching <sup>2</sup> methods in future	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(272)</b>	<b>(220)</b>	<b>(272)</b>	<b>(220)</b>	<b>(192)</b>	<b>(168)</b>	<b>(272)</b>	<b>(220)</b>
All	79.1	83.3	71.1	76.7	93.9	94.8	84.3	89.0
<b>Age Group</b>								
15-19	--	--	--	--	--	--	--	--
20-24	72.9	75.7	68.1	70.0	93.9	100.0	86.1	91.1
25-29	81.8	83.6	62.1	65.5	95.0	96.2	88.6	91.2
30-34	81.7	82.0	76.6	80.8	95.2	94.4	82.7	83.2
35-39	92.2	93.5	80.0	84.2	89.9	89.6	94.0	95.4
40-44	--	--	--	--	--	--	--	--
45-49	--	--	--	--	--	--	--	--
<b>Marital Status</b>								
Married, or in union	83.3	na	76.7	na	94.8	na	89.0	na
Unmarried, sexually active	--	na	--	na	--	na	--	na
<b>Parity</b>								
0-1 children	82.7	82.3	70.3	69.3	93.8	--	83.0	82.8
2-3 children	80.4	83.3	75.1	77.5	93.3	92.9	90.1	92.7
4+ children	84.6	84.5	74.4	78.8	96.6	96.4	85.4	86.4
<b>Residence</b>								
Urban	79.2	86.4	59.7	63.6	90.6	95.3	82.7	90.0
Rural	79.0	82.2	76.1	81.5	95.1	94.6	85.1	88.6
<b>Education</b>								
Never	77.0	78.0	70.5	79.5	97.1	97.0	84.1	88.5
Primary	82.8	84.2	76.4	78.9	96.0	96.1	88.9	89.9
Post Primary Vocational	--	--	--	--	--	--	--	--
Secondary	70.6	81.9	59.6	65.6	82.1	--	78.3	87.7
College	--	--	--	--	--	--	--	--
University	--	--	--	--	--	--	--	--
<b>Wealth Quintile</b>								
Lowest	80.0	79.6	68.6	69.7	97.4	96.9	87.9	91.3
Lower	75.0	91.2	74.7	88.8	93.1	91.9	84.6	95.3
Middle	76.4	78.6	72.5	78.3	98.5	100.0	80.7	84.8
Higher	79.9	82.3	68.9	72.9	83.2	87.2	81.5	84.3
Highest	85.2	88.3	70.4	75.6	96.4	96.3	89.3	92.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 269)</b>	<b>(N = 269)</b>	<b>(N = 269)</b>
All	96.7	96.3	93.7
<b>Age Group</b>			
15-19	--	--	--
20-24	96.6	88.5	87.5
25-29	100.0	100.0	100.0
30-34	94.4	94.9	90.5
35-39	<i>92.8</i>	<i>100.0</i>	<i>92.8</i>
40-44	--	--	--
45-49	--	--	--
<b>Marital Status</b>			
Married, or in union	97.0	96.8	94.4
Unmarried, sexually active	--	--	--
<b>Parity</b>			
0-1 children	<i>95.7</i>	<i>93.1</i>	<i>91.9</i>
2-3 children	98.7	96.7	95.4
4+ children	95.0	97.6	93.3
<b>Residence</b>			
Urban	93.4	96.6	92.4
Rural	98.1	96.2	94.2
<b>Education</b>			
Never	<i>92.1</i>	<i>98.1</i>	<i>90.2</i>
Primary	98.0	96.4	95.6
Post Primary Vocational	--	--	--
Secondary	97.0	94.6	91.5
College	--	--	--
University	--	--	--
<b>Wealth Quintile</b>			
Lowest	<i>96.5</i>	<i>93.0</i>	<i>89.5</i>
Lower	<i>96.3</i>	<i>95.3</i>	<i>91.6</i>
Middle	98.9	96.6	96.6
Higher	96.9	97.9	96.9
Highest	93.4	98.2	91.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(867)</b>	<b>(487)</b>	<b>(867)</b>	<b>(487)</b>	<b>(867)</b>	<b>(487)</b>
All	9.5	11.1	21.8	30.3	26.8	35.2
<b>Age Group</b>						
15-19	6.6	--	6.5	--	12.7	--
20-24	6.3	8.1	25.1	34.1	28.0	36.0
25-29	14.7	16.2	33.9	39.5	41.1	47.2
30-34	8.5	9.6	28.6	30.1	33.1	35.7
35-39	14.5	16.9	30.2	34.5	32.3	37.1
40-44	4.9	1.3	20.4	25.6	23.5	25.6
45-49	15.5	10.8	13.6	6.9	21.3	16.3
<b>Marital Status</b>						
Married, or in union	11.1	na	30.3	na	35.2	na
Unmarried, sexually active	5.6	na	19.1	na	20.3	na
<b>Parity</b>						
0-1 children	6.6	9.8	31.6	35.9	33.9	39.3
2-3 children	11.4	12.3	32.5	33.1	37.2	38.8
4+ children	11.8	9.9	27.9	28.3	32.3	32.4
<b>Residence</b>						
Urban	6.2	6.4	12.6	17.1	16.3	20.3
Rural	10.6	12.5	24.7	34.3	30.1	39.7
<b>Education</b>						
Never	8.9	8.4	28.4	32.4	31.3	36.3
Primary	10.9	12.0	23.9	30.8	29.9	36.7
Post Primary Vocational	--	--	--	--	--	--
Secondary	6.7	9.9	11.1	22.6	15.8	27.0
College	15.4	<i>23.1</i>	29.2	<i>46.3</i>	33.3	<i>50.2</i>
University	--	--	--	--	--	--
<b>Wealth Quintile</b>						
Lowest	10.6	9.2	20.1	29.9	27.5	34.0
Lower	11.6	13.2	25.8	37.5	31.6	44.2
Middle	10.1	14.5	24.5	31.7	28.7	38.1
Higher	9.5	10.3	22.3	29.7	27.5	34.3
Highest	4.9	7.3	14.7	22.3	16.5	24.4

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	315	560	875
Households Occupied	273	535	808
Households Interviewed	251	519	770
Household Response Rate <sup>1</sup>	91.94%	97.01%	95.30%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	249	642	891
Number of Eligible Women Interviewed	244	623	867
Eligible Woman Response Rate <sup>3</sup>	97.99%	97.04%	97.31%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

## Sample Error Estimates

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.368	0.026	0.317	0.422	0.498	0.029	0.438	0.557
Currently using a traditional method	0.044	0.012	0.025	0.074	0.051	0.014	0.029	0.087
Currently using any contraceptive method	0.412	0.026	0.358	0.467	0.548	0.031	0.484	0.612
Currently using DMPA-IM	0.345	0.041	0.267	0.433	0.400	0.045	0.312	0.496
Currently using DMPA-SC	0.011	0.011	0.002	0.065	0.012	0.012	0.002	0.069
Currently using condoms	0.068	0.017	0.040	0.112	0.016	0.007	0.007	0.040
Currently using implants	0.363	0.037	0.292	0.442	0.385	0.042	0.303	0.474
Chose method by self or jointly in past 12 months	0.954	0.017	0.901	0.979	0.958	0.019	0.896	0.984
Informed by provider about other methods	0.791	0.029	0.724	0.845	0.833	0.028	0.767	0.884
Informed by provider about side effects	0.711	0.043	0.615	0.791	0.767	0.039	0.677	0.837
Satisfied with provider: Would return and refer friend/relative to provider	0.937	0.023	0.870	0.970	0.944	0.025	0.866	0.977
Visited by health worker who talked about family planning in past 12 months	0.095	0.028	0.052	0.170	0.111	0.033	0.060	0.196

<sup>1</sup> Married includes married women and those who are living with a man