

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Kenya (Kitui) Snapshot of Indicators Phase 2 (2021) Cross-sectional Survey

Suggested citation: International Centre for Reproductive Health Kenya (ICRHK) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Kenya (Kitui) Phase 2 Cross-sectional Survey Snapshot of Indicators, PMA/Kenya-Kitui-P2-CS SOIs. 2020.* Kenya and Baltimore, Maryland, USA.

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	1001	1001
Age Group			
15-19	25.7	257	251
20-24	16.2	163	166
25-29	12.6	126	129
30-34	14.4	144	142
35-39	10.4	104	109
40-44	11.4	115	110
45-49	9.3	93	94
Marital Status			
Married, or in union	60.9	610	617
Unmarried, sexually active	9.4	94	87
Parity			
0-1 children	13.4	135	145
2-3 children	28.4	284	292
4+ children	27.5	276	266
Residence			
Urban	11.9	119	222
Rural	88.1	882	779
Education			
Never	1.6	16	13
Primary	53.0	530	515
Post Primary Vocational	8.6	86	88
Secondary	31.0	310	321
College	4.5	45	50
University	1.4	14	14
Wealth Quintile			
Lowest	16.8	168	158
Lower	22.4	224	207
Middle	20.3	203	187
Higher	21.2	212	227
Highest	19.3	193	222

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	45.1	61.6	41.9	58.2	3.2	3.4
Age Group						
15-19	10.6	--	7.7	--	3.0	--
20-24	47.3	60.4	44.4	59.1	2.8	1.3
25-29	59.1	62.2	58.8	62.2	0.3	0.0
30-34	64.6	66.1	59.0	60.2	5.6	6.0
35-39	64.4	68.0	57.2	61.0	7.3	6.9
40-44	63.5	66.4	61.0	63.2	2.5	3.2
45-49	43.4	45.1	42.0	43.5	1.4	1.6
Marital Status						
Married, or in union	61.6	na	58.2	na	3.4	na
Unmarried, sexually active	50.8	na	43.5	na	7.3	na
Parity						
0-1 children	44.9	48.1	42.7	46.8	2.2	1.4
2-3 children	66.9	69.4	63.8	66.3	3.1	3.1
4+ children	62.5	63.8	58.6	59.4	3.8	4.4
Residence						
Urban	57.5	71.5	49.2	63.6	8.3	7.9
Rural	43.5	60.1	40.9	57.4	2.6	2.7
Education						
Never	--	--	--	--	--	--
Primary	49.4	60.4	47.0	57.5	2.3	2.9
Post Primary Vocational	58.0	68.3	54.1	63.2	3.9	5.1
Secondary	33.3	64.3	28.9	60.1	4.4	4.2
College	55.6	<i>60.2</i>	48.9	<i>55.0</i>	6.7	<i>5.2</i>
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	42.1	60.2	40.5	58.0	1.6	2.1
Lower	40.8	56.6	38.0	52.0	2.9	4.6
Middle	44.8	61.4	44.2	60.8	0.6	0.6
Higher	46.1	61.5	42.0	57.5	4.1	4.0
Highest	52.1	69.1	45.1	63.7	7.0	5.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 472)										Married Users ¹ (N = 390)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	6.3	36.6	2.3	31.2	0.2	5.8	1.1	4.8	4.4	7.2	5.9	38.0	2.7	34.9	0.3	6.4	0.0	1.7	4.6	5.5
Age Group																				
15-19	<i>0.0</i>	<i>15.5</i>	<i>0.0</i>	<i>8.4</i>	<i>0.0</i>	<i>0.0</i>	<i>10.0</i>	<i>38.2</i>	<i>0.0</i>	<i>27.9</i>	--	--	--	--	--	--	--	--	--	--
20-24	0.0	37.0	0.0	35.2	0.0	2.5	3.0	8.4	7.9	6.0	0.0	38.9	0.0	44.9	0.0	1.8	0.0	2.7	9.5	2.1
25-29	0.0	45.8	4.1	30.0	1.4	11.0	0.0	0.0	7.2	0.6	0.0	45.1	4.4	32.3	1.5	11.8	0.0	0.0	4.9	0.0
30-34	4.6	35.3	2.9	40.0	0.0	3.2	0.0	2.5	2.8	8.7	4.0	34.2	2.9	42.0	0.0	3.5	0.0	1.2	3.1	9.0
35-39	5.1	33.1	2.2	36.7	0.0	7.6	0.0	2.3	1.9	11.3	3.7	34.1	2.2	37.8	0.0	7.9	0.0	2.3	1.9	10.2
40-44	16.5	36.7	1.4	30.3	0.0	5.8	0.0	1.5	3.8	4.0	17.6	33.5	1.7	28.7	0.0	7.1	0.0	1.9	4.7	4.9
45-49	<i>21.8</i>	<i>41.6</i>	<i>5.2</i>	<i>13.8</i>	<i>0.0</i>	<i>9.4</i>	<i>0.0</i>	<i>0.0</i>	<i>5.0</i>	<i>3.2</i>	<i>16.6</i>	<i>46.2</i>	<i>5.8</i>	<i>15.3</i>	<i>0.0</i>	<i>7.0</i>	<i>0.0</i>	<i>0.0</i>	<i>5.5</i>	<i>3.6</i>
Marital Status																				
Married, or in union	5.9	38.0	2.7	34.9	0.3	6.4	0.0	1.7	4.6	5.5	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	1.9	35.6	0.6	7.3	0.0	4.0	5.1	28.0	3.0	14.4	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	33.5	2.2	36.2	0.0	3.2	1.7	8.3	10.0	4.9	<i>0.0</i>	<i>34.0</i>	<i>3.1</i>	<i>44.3</i>	<i>0.0</i>	<i>2.4</i>	<i>0.0</i>	<i>3.6</i>	<i>9.7</i>	<i>2.8</i>
2-3 children	3.4	37.7	2.1	35.1	0.5	10.6	0.0	1.9	4.1	4.6	2.9	36.4	2.3	35.9	0.6	11.3	0.0	2.1	4.0	4.5
4+ children	12.8	41.7	2.9	30.6	0.0	2.0	0.0	0.8	3.1	6.2	11.0	41.9	3.0	32.1	0.0	1.7	0.0	0.0	3.4	6.9
Residence																				
Urban	6.4	28.5	3.0	33.1	0.0	9.3	0.4	4.1	0.8	14.4	4.7	33.6	3.3	36.1	0.0	9.4	0.0	0.9	1.0	11.1
Rural	6.3	38.0	2.1	30.9	0.3	5.2	1.2	5.0	5.1	5.9	6.1	38.7	2.6	34.7	0.3	5.9	0.0	1.8	5.3	4.5
Education																				
Never	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Primary	7.1	42.4	2.6	32.8	0.4	4.9	0.4	1.9	2.9	4.7	5.7	42.3	2.8	35.0	0.4	5.0	0.0	1.1	2.9	4.8
Post Primary Vocational	5.2	36.9	0.0	30.2	0.0	7.1	0.0	8.6	5.2	6.8	<i>5.7</i>	<i>34.1</i>	<i>0.0</i>	<i>33.3</i>	<i>0.0</i>	<i>7.9</i>	<i>0.0</i>	<i>5.8</i>	<i>5.7</i>	<i>7.5</i>
Secondary	3.8	26.5	1.6	28.4	0.0	4.6	2.6	11.8	7.2	13.4	4.5	32.9	2.6	35.9	0.0	5.8	0.0	1.8	10.1	6.5
College	<i>4.3</i>	<i>20.7</i>	<i>0.0</i>	<i>38.3</i>	<i>0.0</i>	<i>12.5</i>	<i>0.0</i>	<i>1.9</i>	<i>10.2</i>	<i>12.1</i>	--	--	--	--	--	--	--	--	--	--
University	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Wealth Quintile																				
Lowest	6.1	46.7	1.6	27.6	0.0	2.5	0.0	6.9	4.9	3.7	7.1	49.3	1.8	28.1	0.0	2.9	0.0	2.8	4.4	3.6
Lower	7.6	34.4	2.4	37.2	0.0	4.8	0.0	1.7	4.8	7.0	4.6	31.8	2.8	40.9	0.0	5.6	0.0	0.6	5.6	8.1
Middle	5.5	35.3	4.2	28.4	1.1	5.8	1.9	10.3	6.1	1.3	6.7	35.4	5.1	31.4	1.3	7.0	0.0	5.5	6.5	0.9
Higher	3.7	33.9	0.0	37.7	0.0	8.1	0.7	4.6	2.4	9.0	3.9	36.2	0.0	42.4	0.0	8.2	0.0	0.0	2.8	6.4
Highest	8.5	35.2	3.1	24.5	0.0	6.8	2.6	1.6	4.3	13.4	7.8	39.7	3.6	29.7	0.0	7.5	0.0	0.0	3.9	7.7

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 1001)	Married Women ³ (N = 617)	All Women (N = 1001)	Married Women ³ (N = 617)
Total				
All	21.5	29.5	20.4	28.7
Age Group				
15-19	6.0	--	1.7	--
20-24	27.0	35.6	17.5	23.5
25-29	29.3	31.4	29.5	30.8
30-34	31.4	33.0	27.6	27.2
35-39	31.2	33.9	26.0	27.2
40-44	26.3	28.1	34.7	35.1
45-49	12.2	12.6	29.7	30.9
Marital Status				
Married, or in union	29.5	na	28.7	na
Unmarried, sexually active	24.1	na	19.3	na
Parity				
0-1 children	26.7	28.9	16.0	17.9
2-3 children	34.9	37.4	28.9	28.9
4+ children	22.8	23.8	35.8	35.7
Residence				
Urban	27.4	33.9	21.8	29.8
Rural	20.7	28.9	20.2	28.5
Education				
Never	--	--	--	--
Primary	21.3	26.8	25.7	30.7
Post Primary Vocational	29.7	36.0	24.4	27.2
Secondary	18.2	34.4	10.7	25.7
College	34.9	<i>39.3</i>	13.9	<i>15.7</i>
University	--	--	--	--
Wealth Quintile				
Lowest	17.6	23.0	22.9	35.0
Lower	19.8	29.8	18.1	22.2
Middle	24.0	31.8	20.2	29.0
Higher	24.7	32.9	17.3	24.6
Highest	20.7	28.4	24.4	35.3

¹ Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

² Long-acting methods include IUD, implants, and sterilization (male and female).

³ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1001)			Married Women ¹ (N = 617)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	8.7	4.8	13.5	7.1	6.8	13.9
Age Group						
15-19	11.7	0.4	12.1	--	--	--
20-24	17.0	0.0	17.0	13.2	0.0	13.2
25-29	10.6	4.0	14.6	10.9	2.2	13.1
30-34	7.8	2.8	10.7	8.1	3.2	11.3
35-39	2.3	12.8	15.1	2.5	12.6	15.1
40-44	2.1	12.7	14.8	2.7	14.4	17.1
45-49	0.0	10.6	10.6	0.0	12.2	12.2
Marital Status						
Married, or in union	7.1	6.8	13.9	na	na	na
Unmarried, sexually active	41.8	4.2	46.0	na	na	na
Parity						
0-1 children	14.2	2.4	16.6	13.7	0.0	13.7
2-3 children	5.4	4.3	9.7	5.6	4.0	9.6
4+ children	4.7	11.8	16.4	5.3	12.9	18.2
Residence						
Urban	4.0	2.3	6.3	4.5	2.3	6.8
Rural	9.3	5.1	14.5	7.5	7.4	14.9
Education						
Never	--	--	--	--	--	--
Primary	8.2	6.8	15.0	8.5	8.9	17.3
Post Primary Vocational	7.1	4.2	11.3	3.5	2.1	5.7
Secondary	10.4	1.4	11.9	3.9	3.4	7.3
College	10.1	2.8	12.9	9.2	0.0	9.2
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	11.9	6.2	18.1	7.9	9.6	17.5
Lower	11.2	7.3	18.6	9.3	10.9	20.2
Middle	6.5	2.4	8.9	3.1	4.0	7.2
Higher	9.1	4.4	13.5	8.4	6.0	14.5
Highest	4.9	3.4	8.3	6.3	3.0	9.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

All Women (N=1001)

Married Women² (N=617)

	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	45.1	41.9	13.5	58.6	71.5	61.6	58.2	13.9	75.4	77.1
Age Group										
15-19	10.6	7.7	12.1	22.7	33.8	--	--	--	--	--
20-24	47.3	44.4	17.0	64.3	69.1	60.4	59.1	13.2	73.6	80.3
25-29	59.1	58.8	14.6	73.7	79.7	62.2	62.2	13.1	75.3	82.6
30-34	64.6	59.0	10.7	75.3	78.4	66.1	60.2	11.3	77.4	77.7
35-39	64.4	57.2	15.1	79.6	71.9	68.0	61.0	15.1	83.1	73.5
40-44	63.5	61.0	14.8	78.4	77.9	66.4	63.2	17.1	83.6	75.6
45-49	43.4	42.0	10.6	53.9	77.8	45.1	43.5	12.2	57.3	75.9
Marital Status										
Married, or in union	61.6	58.2	13.9	75.4	77.1	na	na	na	na	na
Unmarried, sexually active	50.8	43.5	46.0	96.8	44.9	na	na	na	na	na
Parity										
0-1 children	44.9	42.7	16.6	61.4	69.5	48.1	46.8	13.7	61.9	75.6
2-3 children	66.9	63.8	9.7	76.6	83.3	69.4	66.3	9.6	79.1	83.9
4+ children	62.5	58.6	16.4	78.9	74.3	63.8	59.4	18.2	82.0	72.5
Residence										
Urban	57.5	49.2	6.3	63.7	77.2	71.5	63.6	6.8	78.3	81.2
Rural	43.5	40.9	14.5	57.9	70.6	60.1	57.4	14.9	75.0	76.5
Education										
Never	--	--	--	--	--	--	--	--	--	--
Primary	49.4	47.0	15.0	64.4	73.1	60.4	57.5	17.3	77.7	74.0
Post Primary Vocational	58.0	54.1	11.3	69.3	78.1	68.3	63.2	5.7	74.0	85.5
Secondary	33.3	28.9	11.9	45.2	63.9	64.3	60.1	7.3	71.6	84.0
College	55.6	48.9	12.9	68.5	71.3	60.2	55.0	9.2	69.4	79.3
University	--	--	--	--	--	--	--	--	--	--
Wealth Quintile										
Lowest	42.1	40.5	18.1	60.2	67.2	60.2	58.0	17.5	77.7	74.7
Lower	40.8	38.0	18.6	59.4	63.9	56.6	52.0	20.2	76.8	67.7
Middle	44.8	44.2	8.9	53.7	82.3	61.4	60.8	7.2	68.6	88.7
Higher	46.1	42.0	13.5	59.6	70.4	61.5	57.5	14.5	75.9	75.7
Highest	52.1	45.1	8.3	60.4	74.7	69.1	63.7	9.4	78.4	81.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=388)			Married ¹ Women with 1 or More Births (N=325)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	73.8	20.2	6.0	77.7	17.8	4.5
Age Group						
15-19	--	--	--	--	--	--
20-24	68.6	28.6	2.8	74.4	24.6	1.0
25-29	77.3	18.3	4.4	80.7	18.5	0.8
30-34	80.1	13.7	6.3	82.4	13.3	4.3
35-39	<i>83.8</i>	<i>14.0</i>	<i>2.2</i>	<i>83.2</i>	<i>14.5</i>	<i>2.2</i>
40-44	<i>75.7</i>	<i>7.1</i>	<i>17.2</i>	<i>70.9</i>	<i>8.5</i>	<i>20.6</i>
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	77.7	17.8	4.5	na	na	na
Unmarried, sexually active	66.6	30.7	2.8	na	na	na
Parity						
0-1 children	62.1	31.6	6.3	74.0	23.6	2.4
2-3 children	85.9	12.3	1.8	85.9	13.0	1.1
4+ children	68.8	19.7	11.4	68.9	20.4	10.7
Residence						
Urban	74.8	21.8	3.4	86.9	13.1	0.0
Rural	73.6	20.0	6.4	76.6	18.3	5.1
Education						
Never	--	--	--	--	--	--
Primary	71.9	21.7	6.4	71.5	22.8	5.8
Post Primary Vocational	75.5	19.0	5.5	<i>84.6</i>	<i>13.6</i>	<i>1.9</i>
Secondary	72.3	23.2	4.5	83.6	12.0	4.4
College	<i>89.3</i>	<i>0.0</i>	<i>10.7</i>	--	--	--
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	65.9	21.1	13.0	65.9	22.4	11.7
Lower	68.1	24.7	7.2	68.4	24.2	7.4
Middle	81.5	15.5	3.0	83.6	13.0	3.4
Higher	68.4	26.8	4.9	77.3	21.6	1.0
Highest	85.9	10.7	3.4	93.3	6.7	0.0

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 401)
Total				
All	64.5	33.2	2.3	
Age Group				
15-19	--	--	--	
20-24	58.9	33.4	7.7	
25-29	67.3	32.7	0.0	
30-34	63.2	35.4	1.4	
35-39	64.8	34.2	1.0	
40-44	73.7	26.3	0.0	
45-49	<i>60.4</i>	<i>36.0</i>	<i>3.6</i>	
Marital Status				
Married, or in union	63.8	34.1	2.1	
Unmarried, sexually active	<i>62.7</i>	<i>31.7</i>	<i>5.6</i>	
Parity				
0-1 children	68.5	28.5	3.0	
2-3 children	63.5	34.3	2.2	
4+ children	67.3	30.9	1.9	
Residence				
Urban	42.2	56.9	0.9	
Rural	68.1	29.3	2.6	
Education				
Never	--	--	--	
Primary	65.8	31.5	2.8	
Post Primary Vocational	<i>63.9</i>	<i>36.1</i>	<i>0.0</i>	
Secondary	64.6	32.3	3.1	
College	--	--	--	
University	--	--	--	
Wealth Quintile				
Lowest	69.6	28.3	2.0	
Lower	61.5	37.9	0.6	
Middle	73.2	25.6	1.2	
Higher	62.9	32.6	4.5	
Highest	54.8	41.9	3.3	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(401)	(339)	(401)	(339)	(273)	(231)	(401)	(339)
All	72.9	74.5	69.4	69.7	93.1	94.6	77.4	81.4
Age Group								
15-19	--	--	--	--	--	--	--	--
20-24	71.5	72.7	65.7	66.9	<i>94.2</i>	<i>95.3</i>	78.8	83.5
25-29	77.6	76.3	68.3	66.5	94.1	<i>95.9</i>	92.7	94.3
30-34	78.3	79.2	78.0	79.4	93.3	92.7	89.5	91.7
35-39	76.0	77.4	66.8	66.1	<i>96.4</i>	<i>96.3</i>	71.6	72.9
40-44	76.9	<i>73.3</i>	76.9	<i>70.9</i>	<i>91.8</i>	<i>94.1</i>	71.6	<i>67.2</i>
45-49	<i>59.4</i>	<i>63.3</i>	<i>63.1</i>	<i>63.3</i>	--	--	<i>59.9</i>	<i>67.1</i>
Marital Status								
Married, or in union	74.5	na	69.7	na	94.6	na	81.4	na
Unmarried, sexually active	<i>67.6</i>	na	<i>65.0</i>	na	<i>76.4</i>	na	<i>58.0</i>	na
Parity								
0-1 children	74.1	<i>76.9</i>	67.2	<i>69.1</i>	<i>92.6</i>	<i>95.4</i>	78.9	<i>85.3</i>
2-3 children	76.1	76.0	75.2	74.0	94.5	94.8	86.1	86.7
4+ children	72.8	72.4	66.7	64.3	93.0	94.0	72.0	73.7
Residence								
Urban	77.8	80.4	67.9	67.0	88.8	92.6	81.2	84.7
Rural	72.1	73.6	69.7	70.1	93.8	94.9	76.8	80.9
Education								
Never	--	--	--	--	--	--	--	--
Primary	73.8	73.8	68.1	65.6	94.7	95.2	79.9	82.5
Post Primary Vocational	<i>74.5</i>	<i>78.1</i>	<i>80.5</i>	<i>83.9</i>	<i>85.2</i>	<i>88.3</i>	<i>74.8</i>	<i>78.5</i>
Secondary	64.6	68.2	63.9	70.5	91.9	<i>95.3</i>	68.7	76.7
College	--	--	--	--	--	--	--	--
University	--	--	--	--	--	--	--	--
Wealth Quintile								
Lowest	70.6	69.3	69.6	70.8	<i>93.2</i>	<i>93.5</i>	79.5	79.6
Lower	73.9	75.3	72.6	71.3	91.6	<i>92.8</i>	77.2	82.4
Middle	66.2	69.3	57.8	59.2	<i>98.6</i>	<i>100.0</i>	70.0	74.6
Higher	76.5	79.7	73.5	74.3	88.6	91.7	81.9	85.7
Highest	77.8	78.3	75.1	73.6	94.8	95.8	79.5	84.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 390)	(N = 390)	(N = 390)
All	97.6	97.7	96.5
Age Group			
15-19	--	--	--
20-24	98.7	94.5	94.5
25-29	100.0	100.0	100.0
30-34	98.5	98.1	97.4
35-39	95.9	96.8	95.9
40-44	97.9	100.0	97.9
45-49	<i>96.3</i>	<i>97.5</i>	<i>93.8</i>
Marital Status			
Married, or in union	98.5	97.9	97.1
Unmarried, sexually active	<i>94.6</i>	<i>97.3</i>	<i>94.6</i>
Parity			
0-1 children	100.0	94.7	94.7
2-3 children	98.7	99.1	98.2
4+ children	97.3	98.2	96.8
Residence			
Urban	97.3	100.0	97.3
Rural	97.7	97.3	96.3
Education			
Never	--	--	--
Primary	97.8	98.1	96.6
Post Primary Vocational	<i>93.8</i>	<i>89.8</i>	<i>89.8</i>
Secondary	98.3	100.0	98.3
College	--	--	--
University	--	--	--
Wealth Quintile			
Lowest	97.9	96.5	96.5
Lower	98.9	100.0	98.9
Middle	96.8	97.7	95.8
Higher	97.3	94.6	94.0
Highest	97.5	100.0	97.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(1001)	(617)	(1001)	(617)	(1001)	(617)
All	10.4	11.1	20.0	26.9	24.1	30.9
Age Group						
15-19	7.6	--	6.2	--	11.1	--
20-24	8.7	7.4	29.9	41.2	31.3	42.6
25-29	12.6	12.5	30.0	32.2	33.8	36.6
30-34	12.5	13.1	26.3	25.5	30.5	30.3
35-39	8.8	6.3	18.2	18.4	23.2	22.0
40-44	13.3	15.6	24.3	25.0	28.5	30.4
45-49	12.8	13.2	14.5	16.7	20.3	21.8
Marital Status						
Married, or in union	11.1	na	26.9	na	30.9	na
Unmarried, sexually active	11.1	na	17.6	na	20.4	na
Parity						
0-1 children	10.0	8.6	28.9	31.5	30.7	33.0
2-3 children	11.2	10.6	28.3	29.8	31.5	32.8
4+ children	13.5	13.5	24.4	24.4	30.4	30.5
Residence						
Urban	4.7	6.6	10.9	14.5	15.0	20.2
Rural	11.1	11.8	21.2	28.7	25.4	32.5
Education						
Never	--	--	--	--	--	--
Primary	9.9	10.4	20.7	24.6	26.1	30.3
Post Primary Vocational	12.6	14.4	24.0	31.1	27.5	33.8
Secondary	10.0	11.7	17.5	35.3	20.3	35.3
College	12.5	<i>12.2</i>	26.4	<i>29.9</i>	27.5	<i>31.2</i>
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	7.3	9.5	17.8	24.4	20.5	28.8
Lower	12.1	13.0	21.2	27.7	26.5	33.6
Middle	7.8	9.9	21.7	30.7	24.5	34.3
Higher	12.6	11.5	21.3	28.0	25.7	30.5
Highest	11.3	11.2	17.4	22.6	22.5	26.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	280	805	1085
Households Occupied	269	782	1051
Households Interviewed	267	770	1037
Household Response Rate ¹	99.26%	98.47%	98.67%
Interviews with Women			
Number of Eligible Women ²	224	792	1016
Number of Eligible Women Interviewed	222	779	1001
Eligible Woman Response Rate ³	99.11%	98.36%	98.52%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.419	0.027	0.366	0.474	0.582	0.034	0.512	0.649
Currently using a traditional method	0.032	0.007	0.021	0.049	0.034	0.007	0.022	0.051
Currently using any contraceptive method	0.451	0.027	0.396	0.508	0.616	0.034	0.544	0.682
Currently using DMPA-IM	0.312	0.032	0.250	0.382	0.349	0.036	0.280	0.426
Currently using DMPA-SC	0.002	0.002	0.000	0.013	0.003	0.003	0.000	0.016
Currently using condoms	0.048	0.016	0.025	0.092	0.017	0.009	0.006	0.046
Currently using implants	0.366	0.044	0.281	0.460	0.380	0.045	0.294	0.474
Chose method by self or jointly in past 12 months	0.977	0.008	0.953	0.989	0.979	0.009	0.951	0.991
Informed by provider about other methods	0.729	0.037	0.646	0.799	0.745	0.039	0.657	0.817
Informed by provider about side effects	0.694	0.036	0.617	0.762	0.697	0.035	0.620	0.764
Satisfied with provider: Would return and refer friend/relative to provider	0.965	0.014	0.921	0.985	0.971	0.012	0.933	0.988
Visited by health worker who talked about family planning in past 12 months	0.104	0.041	0.046	0.217	0.111	0.038	0.055	0.213

¹ Married includes married women and those who are living with a man