

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Kenya (Nyamira) Snapshot of Indicators Phase 2 (2021) Cross-sectional Survey

Suggested citation: International Centre for Reproductive Health Kenya (ICRHK) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Kenya (Nyamira) Phase 2 Cross-sectional Survey Snapshot of Indicators, PMA/Kenya-Nyamira-P2-CS SOIs. 2020.* Kenya and Baltimore, Maryland, USA.

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	743	743
Age Group			
15-19	23.0	171	164
20-24	12.4	92	102
25-29	15.7	117	109
30-34	15.3	114	115
35-39	10.6	78	84
40-44	12.9	96	97
45-49	10.1	75	72
Marital Status			
Married, or in union	61.3	455	459
Unmarried, sexually active	7.1	53	56
Parity			
0-1 children	13.9	103	105
2-3 children	31.8	236	236
4+ children	27.4	204	204
Residence			
Urban	13.8	103	191
Rural	86.2	641	552
Education			
Never	0.3	2	2
Primary	35.7	265	269
Post Primary Vocational	0.6	4	7
Secondary	51.3	381	369
College	10.0	74	79
University	2.1	16	17
Wealth Quintile			
Lowest	17.9	133	121
Lower	20.4	152	148
Middle	21.9	162	159
Higher	18.9	141	145
Highest	21.0	156	170

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	54.5	69.6	50.8	64.9	3.8	4.7
Age Group						
15-19	24.9	--	23.2	--	1.7	--
20-24	55.3	66.8	53.0	62.9	2.3	3.9
25-29	73.5	76.6	70.3	75.0	3.2	1.7
30-34	76.2	81.2	72.9	77.2	3.4	4.1
35-39	73.0	78.3	63.6	68.6	9.4	9.7
40-44	53.0	59.8	46.7	52.1	6.4	7.7
45-49	41.2	50.0	38.7	46.8	2.6	3.2
Marital Status						
Married, or in union	69.6	na	64.9	na	4.7	na
Unmarried, sexually active	82.6	na	75.7	na	6.9	na
Parity						
0-1 children	55.2	54.7	51.5	53.1	3.7	1.7
2-3 children	71.6	77.5	68.2	73.4	3.4	4.1
4+ children	66.0	70.3	60.7	64.2	5.3	6.1
Residence						
Urban	57.4	72.0	52.8	66.6	4.6	5.4
Rural	54.1	69.3	50.4	64.6	3.6	4.6
Education						
Never	--	--	--	--	--	--
Primary	59.9	72.6	56.5	67.8	3.4	4.8
Post Primary Vocational	--	--	--	--	--	--
Secondary	51.9	71.6	48.9	68.1	3.0	3.5
College	49.9	<i>53.9</i>	44.4	<i>49.5</i>	5.5	<i>4.4</i>
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	46.9	68.6	44.9	64.8	2.0	3.7
Lower	58.8	71.7	57.4	69.5	1.5	2.2
Middle	54.9	64.4	50.5	61.7	4.3	2.7
Higher	62.2	78.7	57.4	72.7	4.9	6.0
Highest	49.5	64.6	43.6	55.2	5.9	9.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 410)										Married Users ¹ (N = 321)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	6.1	24.6	1.5	43.5	1.2	3.6	1.4	9.7	1.4	6.9	7.6	26.8	1.7	48.0	0.8	3.3	0.3	3.1	1.5	6.8
Age Group																				
15-19	<i>0.0</i>	<i>13.3</i>	<i>0.0</i>	<i>19.6</i>	<i>5.3</i>	<i>0.0</i>	<i>6.8</i>	<i>48.2</i>	<i>0.0</i>	<i>6.9</i>	--	--	--	--	--	--	--	--	--	--
20-24	0.0	31.4	0.8	41.3	0.0	5.6	1.9	15.0	0.0	4.1	<i>0.0</i>	<i>31.9</i>	<i>1.1</i>	<i>51.3</i>	<i>0.0</i>	<i>5.5</i>	<i>0.0</i>	<i>4.2</i>	<i>0.0</i>	<i>5.9</i>
25-29	0.5	30.4	0.0	56.0	0.0	2.4	0.0	5.1	1.1	4.4	0.6	33.2	0.0	58.4	0.0	0.7	0.0	4.9	0.0	2.2
30-34	6.6	24.7	3.7	47.8	1.8	6.5	1.1	1.3	2.1	4.4	6.3	25.4	3.2	48.5	2.0	6.7	0.0	0.5	2.3	5.0
35-39	9.5	24.6	0.7	46.4	2.0	0.0	0.0	2.3	1.7	12.8	11.1	26.9	0.8	43.7	2.3	0.0	0.0	0.8	2.0	12.4
40-44	11.4	23.9	3.6	44.7	0.0	1.4	1.9	1.0	0.0	12.0	12.3	23.5	3.9	43.7	0.0	1.5	2.1	0.0	0.0	12.9
45-49	<i>24.1</i>	<i>13.6</i>	<i>1.3</i>	<i>26.4</i>	<i>0.0</i>	<i>9.9</i>	<i>0.0</i>	<i>12.1</i>	<i>6.4</i>	<i>6.2</i>	<i>24.9</i>	<i>14.1</i>	<i>1.3</i>	<i>27.3</i>	<i>0.0</i>	<i>6.8</i>	<i>0.0</i>	<i>12.5</i>	<i>6.7</i>	<i>6.4</i>
Marital Status																				
Married, or in union	7.6	26.8	1.7	48.0	0.8	3.3	0.3	3.1	1.5	6.8	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	<i>0.0</i>	<i>11.2</i>	<i>0.0</i>	<i>30.8</i>	<i>2.6</i>	<i>6.9</i>	<i>0.0</i>	<i>37.9</i>	<i>2.2</i>	<i>8.3</i>	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	34.2	3.7	44.3	0.0	3.9	1.6	5.5	0.0	6.7	<i>0.0</i>	<i>30.7</i>	<i>3.8</i>	<i>54.7</i>	<i>0.0</i>	<i>4.7</i>	<i>0.0</i>	<i>3.0</i>	<i>0.0</i>	<i>3.1</i>
2-3 children	1.6	28.5	1.2	55.2	0.9	3.4	0.0	3.1	1.4	4.7	1.8	29.2	1.3	54.9	1.0	2.8	0.0	2.9	0.9	5.2
4+ children	16.5	22.9	1.6	39.7	0.8	4.1	0.7	3.2	2.5	8.1	17.0	23.3	1.7	38.6	0.9	3.5	0.8	3.0	2.7	8.6
Residence																				
Urban	6.8	16.0	5.7	44.0	0.0	8.6	0.0	9.5	1.4	8.1	8.9	17.5	5.8	46.3	0.0	8.2	0.0	3.8	1.9	7.4
Rural	6.0	26.1	0.8	43.5	1.4	2.7	1.7	9.7	1.4	6.7	7.4	28.4	1.1	48.3	1.0	2.5	0.4	3.0	1.4	6.7
Education																				
Never	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Primary	9.7	23.6	0.5	50.7	0.7	4.6	0.0	4.0	0.5	5.6	11.4	22.7	0.6	52.5	0.8	3.4	0.0	1.2	0.6	6.6
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Secondary	3.6	26.9	1.6	39.3	1.9	2.5	1.9	13.9	2.5	5.8	4.2	31.6	2.2	45.7	1.0	3.0	0.0	4.6	2.7	4.9
College	<i>5.4</i>	<i>12.8</i>	<i>2.6</i>	<i>48.3</i>	<i>0.0</i>	<i>5.8</i>	<i>2.5</i>	<i>11.5</i>	<i>0.0</i>	<i>11.1</i>	<i>7.8</i>	<i>15.6</i>	<i>3.7</i>	<i>54.7</i>	<i>0.0</i>	<i>4.7</i>	<i>0.0</i>	<i>5.4</i>	<i>0.0</i>	<i>8.1</i>
University	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Wealth Quintile																				
Lowest	3.1	22.9	0.0	60.6	0.0	4.2	0.0	3.3	1.5	4.3	<i>4.0</i>	<i>19.6</i>	<i>0.0</i>	<i>69.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>2.0</i>	<i>5.4</i>
Lower	3.7	20.2	1.5	48.3	4.2	2.1	2.2	11.9	3.3	2.5	4.6	22.6	1.8	53.3	3.6	2.6	0.0	4.4	4.1	3.0
Middle	9.5	25.1	0.0	36.0	0.0	4.7	2.2	13.6	1.1	7.9	11.8	29.2	0.0	40.2	0.0	6.6	1.5	6.4	0.0	4.3
Higher	9.0	28.0	2.6	40.7	1.3	2.5	0.0	7.6	0.5	7.8	10.7	30.2	3.2	42.7	0.0	3.0	0.0	2.1	0.6	7.6
Highest	4.3	26.5	3.4	36.3	0.0	4.6	2.4	10.1	0.5	11.9	5.8	31.6	3.2	39.0	0.0	3.6	0.0	1.6	0.7	14.6

1 Married includes married women and those who are living with a man
na Not applicable
-- Less than 25 unweighted observations
<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 743)	Married Women ³ (N = 459)	All Women (N = 743)	Married Women ³ (N = 459)
Total				
All	33.2	39.7	17.6	25.2
Age Group				
15-19	19.9	--	3.3	--
20-24	35.3	40.8	17.8	22.1
25-29	47.5	49.1	22.7	25.9
30-34	46.1	48.8	26.7	28.4
35-39	38.2	38.2	25.4	30.4
40-44	26.0	28.3	20.7	23.8
45-49	22.6	26.6	16.1	20.2
Marital Status				
Married, or in union	39.7	na	25.2	na
Unmarried, sexually active	66.5	na	9.2	na
Parity				
0-1 children	30.6	34.2	20.9	18.9
2-3 children	45.8	48.4	22.4	25.0
4+ children	33.6	34.7	27.1	29.5
Residence				
Urban	36.5	43.4	16.3	23.3
Rural	32.6	39.1	17.8	25.5
Education				
Never	--	--	--	--
Primary	36.3	42.6	20.2	25.2
Post Primary Vocational	--	--	--	--
Secondary	32.2	40.9	16.7	27.3
College	34.0	<i>34.9</i>	10.4	<i>14.6</i>
University	--	--	--	--
Wealth Quintile				
Lowest	32.7	48.7	12.2	16.2
Lower	42.4	48.7	15.0	20.8
Middle	31.5	35.3	19.0	26.4
Higher	32.7	38.1	24.7	34.7
Highest	26.7	29.0	16.9	26.2

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 743)			Married Women ¹ (N = 459)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	3.2	4.1	7.3	4.0	6.2	10.2
Age Group						
15-19	3.2	0.0	3.2	--	--	--
20-24	9.8	1.4	11.2	14.5	2.4	16.9
25-29	5.1	0.0	5.1	6.0	0.0	6.0
30-34	2.5	5.4	7.9	3.0	6.5	9.5
35-39	0.5	6.2	6.7	0.6	6.1	6.8
40-44	0.4	10.5	10.9	0.5	12.8	13.3
45-49	0.0	10.7	10.7	0.0	11.6	11.6
Marital Status						
Married, or in union	4.0	6.2	10.2	na	na	na
Unmarried, sexually active	10.1	4.1	14.2	na	na	na
Parity						
0-1 children	9.3	1.2	10.5	12.9	1.9	14.8
2-3 children	2.7	4.1	6.9	3.3	3.9	7.1
4+ children	1.7	9.5	11.1	1.9	10.8	12.7
Residence						
Urban	4.0	2.4	6.4	4.4	4.0	8.4
Rural	3.1	4.4	7.5	4.0	6.6	10.5
Education						
Never	--	--	--	--	--	--
Primary	2.6	6.2	8.8	3.0	8.3	11.3
Post Primary Vocational	--	--	--	--	--	--
Secondary	4.1	2.9	7.0	5.3	5.3	10.7
College	2.5	4.0	6.5	<i>3.8</i>	<i>3.9</i>	<i>7.7</i>
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	3.5	5.5	9.0	4.8	10.1	15.0
Lower	3.0	6.2	9.2	1.9	9.2	11.1
Middle	4.0	3.3	7.3	6.5	5.4	11.9
Higher	3.7	2.3	6.0	4.1	3.5	7.6
Highest	2.1	3.3	5.4	3.0	3.4	6.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

All Women (N=743)

Married Women² (N=459)

	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	54.5	50.8	7.3	61.9	82.1	69.6	64.9	10.2	79.9	81.2
Age Group										
15-19	24.9	23.2	3.2	28.1	<i>82.5</i>	--	--	--	--	--
20-24	55.3	53.0	11.2	66.5	79.8	66.8	62.9	16.9	83.7	<i>75.1</i>
25-29	73.5	70.3	5.1	78.6	89.4	76.6	75.0	6.0	82.7	90.7
30-34	76.2	72.9	7.9	84.1	86.6	81.2	77.2	9.5	90.7	85.0
35-39	73.0	63.6	6.7	79.7	79.8	78.3	68.6	6.8	85.1	80.7
40-44	53.0	46.7	10.9	64.0	73.0	59.8	52.1	13.3	73.2	71.2
45-49	41.2	38.7	10.7	51.9	<i>74.5</i>	50.0	46.8	11.6	61.6	<i>76.0</i>
Marital Status										
Married, or in union	69.6	64.9	10.2	79.9	81.2	na	na	na	na	na
Unmarried, sexually active	82.6	75.7	14.2	96.8	78.2	na	na	na	na	na
Parity										
0-1 children	55.2	51.5	10.5	65.7	78.4	54.7	53.1	14.8	69.6	<i>76.3</i>
2-3 children	71.6	68.2	6.9	78.4	86.9	77.5	73.4	7.1	84.6	86.8
4+ children	66.0	60.7	11.1	77.1	78.7	70.3	64.2	12.7	83.0	77.4
Residence										
Urban	57.4	52.8	6.4	63.8	82.8	72.0	66.6	8.4	80.4	82.9
Rural	54.1	50.4	7.5	61.6	81.9	69.3	64.6	10.5	79.8	81.0
Education										
Never	--	--	--	--	--	--	--	--	--	--
Primary	59.9	56.5	8.8	68.6	82.3	72.6	67.8	11.3	83.9	80.8
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--
Secondary	51.9	48.9	7.0	58.9	83.0	71.6	68.1	10.7	82.3	82.8
College	49.9	44.4	6.5	56.4	<i>78.7</i>	<i>53.9</i>	<i>49.5</i>	<i>7.7</i>	<i>61.6</i>	<i>80.4</i>
University	--	--	--	--	--	--	--	--	--	--
Wealth Quintile										
Lowest	46.9	44.9	9.0	55.9	80.3	68.6	64.8	15.0	83.5	77.6
Lower	58.8	57.4	9.2	68.1	84.3	71.7	69.5	11.1	82.8	84.0
Middle	54.9	50.5	7.3	62.1	81.3	64.4	61.7	11.9	76.3	80.8
Higher	62.2	57.4	6.0	68.2	84.1	78.7	72.7	7.6	86.3	84.3
Highest	49.5	43.6	5.4	54.9	79.5	64.6	55.2	6.4	71.0	77.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=240)			Married ¹ Women with 1 or More Births (N=200)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	61.1	25.6	13.3	68.5	20.4	11.1
Age Group						
15-19	--	--	--	--	--	--
20-24	49.5	36.8	13.7	<i>56.1</i>	<i>28.8</i>	<i>15.1</i>
25-29	72.8	19.4	7.8	76.4	16.7	6.8
30-34	62.6	22.6	14.8	64.9	22.3	12.9
35-39	--	--	--	--	--	--
40-44	--	--	--	--	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	68.5	20.4	11.1	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	54.3	34.4	11.3	<i>69.1</i>	<i>26.1</i>	<i>4.8</i>
2-3 children	66.7	24.8	8.4	72.4	21.0	6.5
4+ children	58.3	16.5	25.2	60.3	14.3	25.4
Residence						
Urban	64.4	34.2	1.4	<i>74.9</i>	<i>23.4</i>	<i>1.7</i>
Rural	60.5	24.2	15.2	67.5	20.0	12.5
Education						
Never	na	na	na	na	na	na
Primary	53.8	27.4	18.9	61.3	21.8	16.9
Post Primary Vocational	--	--	--	--	--	--
Secondary	64.4	23.5	12.1	72.0	19.2	8.9
College	<i>64.9</i>	<i>29.5</i>	<i>5.5</i>	--	--	--
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	<i>46.8</i>	<i>31.8</i>	<i>21.3</i>	<i>56.0</i>	<i>21.2</i>	<i>22.8</i>
Lower	<i>62.9</i>	<i>28.7</i>	<i>8.4</i>	<i>65.4</i>	<i>25.5</i>	<i>9.1</i>
Middle	65.9	19.9	14.2	72.7	19.0	8.3
Higher	71.8	19.4	8.7	77.9	15.9	6.2
Highest	54.6	29.5	15.9	<i>67.2</i>	<i>19.9</i>	<i>12.9</i>

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 349)
Total				
All	53.9	41.9	4.2	
Age Group				
15-19	<i>47.5</i>	<i>34.4</i>	<i>18.1</i>	
20-24	52.3	39.9	7.8	
25-29	57.7	42.3	0.0	
30-34	53.9	45.6	0.5	
35-39	55.0	42.6	2.4	
40-44	<i>55.1</i>	<i>42.5</i>	<i>2.4</i>	
45-49	--	--	--	
Marital Status				
Married, or in union	51.1	45.9	2.9	
Unmarried, sexually active	<i>76.7</i>	<i>22.0</i>	<i>1.3</i>	
Parity				
0-1 children	49.1	43.0	7.9	
2-3 children	54.3	42.7	3.0	
4+ children	56.9	40.8	2.3	
Residence				
Urban	65.4	30.6	4.1	
Rural	51.9	43.9	4.2	
Education				
Never	--	--	--	
Primary	57.6	40.1	2.3	
Post Primary Vocational	--	--	--	
Secondary	51.5	42.7	5.8	
College	<i>49.4</i>	<i>49.2</i>	<i>1.4</i>	
University	--	--	--	
Wealth Quintile				
Lowest	66.4	32.9	0.8	
Lower	49.6	43.0	7.4	
Middle	54.5	42.2	3.3	
Higher	52.8	42.8	4.4	
Highest	49.0	47.1	3.9	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(349)	(280)	(349)	(280)	(187)	(156)	(349)	(280)
All	67.5	70.6	51.4	54.4	91.6	92.0	71.0	71.5
Age Group								
15-19	54.0	--	30.5	--	--	--	65.3	--
20-24	59.1	61.6	58.0	56.6	85.0	--	63.8	60.5
25-29	73.0	77.4	52.1	54.6	92.0	91.5	80.3	81.6
30-34	67.6	67.4	45.2	45.8	93.9	93.4	71.4	70.1
35-39	65.9	65.6	51.6	52.9	88.4	86.9	70.2	70.5
40-44	68.5	70.4	64.8	66.4	100.0	100.0	73.5	74.4
45-49	--	--	--	--	--	--	--	--
Marital Status								
Married, or in union	70.6	na	54.4	na	92.0	na	71.5	na
Unmarried, sexually active	62.6	na	46.4	na	--	na	81.4	na
Parity								
0-1 children	58.9	68.3	53.2	63.0	96.3	--	64.1	65.3
2-3 children	72.4	73.6	53.3	56.1	92.1	93.4	79.4	78.8
4+ children	66.1	67.3	49.4	49.5	89.1	88.4	63.8	63.7
Residence								
Urban	74.1	75.0	64.6	65.4	91.8	92.7	71.8	70.9
Rural	66.4	69.9	49.1	52.5	91.5	91.8	70.8	71.6
Education								
Never	--	--	--	--	--	--	--	--
Primary	62.4	64.7	46.6	49.6	89.5	90.8	71.9	71.0
Post Primary Vocational	--	--	--	--	--	--	--	--
Secondary	70.0	73.8	51.4	54.9	91.8	92.0	68.6	69.5
College	72.7	--	68.0	--	--	--	76.4	--
University	--	--	--	--	--	--	--	--
Wealth Quintile								
Lowest	64.3	69.2	41.7	49.4	--	--	77.2	76.6
Lower	62.8	61.0	49.3	46.7	94.3	92.8	70.5	68.3
Middle	68.1	71.4	45.4	49.8	93.3	96.9	70.8	71.1
Higher	72.7	75.8	55.9	57.2	86.5	85.7	67.4	66.5
Highest	69.3	77.7	65.3	72.0	91.4	92.6	70.7	78.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 348)	(N = 348)	(N = 348)
All	93.9	93.6	89.4
Age Group			
15-19	<i>87.0</i>	<i>91.4</i>	<i>83.0</i>
20-24	97.3	96.7	94.0
25-29	99.4	97.3	96.7
30-34	92.2	93.3	89.7
35-39	91.9	90.2	84.0
40-44	<i>95.3</i>	<i>90.2</i>	<i>87.8</i>
45-49	--	--	--
Marital Status			
Married, or in union	94.0	94.5	90.3
Unmarried, sexually active	<i>100.0</i>	<i>85.9</i>	<i>85.9</i>
Parity			
0-1 children	97.5	97.8	95.4
2-3 children	97.5	95.7	93.8
4+ children	89.2	89.4	82.3
Residence			
Urban	93.1	93.9	88.8
Rural	94.0	93.6	89.5
Education			
Never	--	--	--
Primary	93.1	92.9	88.7
Post Primary Vocational	--	--	--
Secondary	94.9	93.5	90.0
College	<i>91.3</i>	<i>96.3</i>	<i>87.6</i>
University	--	--	--
Wealth Quintile			
Lowest	99.2	99.2	98.5
Lower	94.5	92.2	90.2
Middle	93.0	87.8	82.5
Higher	89.8	96.8	89.3
Highest	94.4	94.2	89.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(743)	(459)	(743)	(459)	(743)	(459)
All	10.5	9.9	16.9	21.7	23.1	26.6
Age Group						
15-19	12.1	--	11.1	--	18.7	--
20-24	6.2	1.8	21.2	29.9	26.3	31.7
25-29	12.7	11.1	26.0	28.2	30.9	31.4
30-34	10.2	11.1	16.2	15.5	21.1	21.3
35-39	13.4	15.1	22.8	26.8	32.0	36.6
40-44	10.3	9.2	14.3	16.3	21.1	21.2
45-49	6.1	6.5	9.0	11.3	13.6	15.9
Marital Status						
Married, or in union	9.9	na	21.7	na	26.6	na
Unmarried, sexually active	25.3	na	27.2	na	40.2	na
Parity						
0-1 children	12.5	13.6	25.1	31.8	32.8	37.8
2-3 children	6.8	7.4	20.3	23.2	23.3	26.1
4+ children	13.3	11.4	15.9	16.5	24.9	23.6
Residence						
Urban	5.0	7.0	21.1	28.2	24.0	31.8
Rural	11.4	10.4	16.2	20.6	23.0	25.8
Education						
Never	--	--	--	--	--	--
Primary	12.3	12.9	15.3	16.8	22.7	24.5
Post Primary Vocational	--	--	--	--	--	--
Secondary	8.9	7.1	17.3	25.5	23.8	29.2
College	11.9	<i>13.8</i>	24.0	<i>31.0</i>	24.7	<i>32.1</i>
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	7.8	6.2	12.6	19.7	19.6	24.4
Lower	12.8	9.8	19.7	20.4	25.7	24.6
Middle	14.2	16.3	22.3	28.2	32.1	38.4
Higher	11.4	8.2	14.6	17.8	22.0	22.3
Highest	5.8	7.7	14.3	21.4	15.2	21.9

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	245	630	875
Households Occupied	222	595	817
Households Interviewed	210	577	787
Household Response Rate ¹	94.59%	96.97%	96.33%
Interviews with Women			
Number of Eligible Women ²	193	568	761
Number of Eligible Women Interviewed	191	552	743
Eligible Woman Response Rate ³	98.96%	97.18%	97.63%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.508	0.022	0.463	0.552	0.649	0.023	0.601	0.694
Currently using a traditional method	0.038	0.010	0.022	0.064	0.047	0.013	0.027	0.082
Currently using any contraceptive method	0.545	0.020	0.503	0.587	0.696	0.020	0.654	0.736
Currently using DMPA-IM	0.435	0.035	0.364	0.509	0.480	0.037	0.405	0.557
Currently using DMPA-SC	0.012	0.009	0.003	0.046	0.008	0.006	0.002	0.031
Currently using condoms	0.097	0.025	0.056	0.162	0.031	0.012	0.014	0.068
Currently using implants	0.246	0.026	0.196	0.305	0.268	0.030	0.211	0.335
Chose method by self or jointly in past 12 months	0.958	0.014	0.917	0.980	0.971	0.013	0.928	0.988
Informed by provider about other methods	0.675	0.040	0.588	0.752	0.706	0.044	0.607	0.789
Informed by provider about side effects	0.514	0.044	0.425	0.603	0.544	0.047	0.447	0.638
Satisfied with provider: Would return and refer friend/relative to provider	0.894	0.021	0.842	0.930	0.903	0.019	0.857	0.936
Visited by health worker who talked about family planning in past 12 months	0.105	0.040	0.048	0.214	0.099	0.038	0.045	0.204

¹ Married includes married women and those who are living with a man