

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Kenya (West Pokot) Snapshot of Indicators Phase 2 (2021) Cross-sectional Survey

Suggested citation: International Centre for Reproductive Health Kenya (ICRHK) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Kenya (West Pokot) Phase 2 Cross-sectional Survey Snapshot of Indicators, PMA/Kenya-West Pokot-P2-CS SOIs. 2020.* Kenya and Baltimore, Maryland, USA.

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	777	777
Age Group			
15-19	21.8	169	164
20-24	16.7	130	141
25-29	18.9	147	150
30-34	15.5	121	121
35-39	9.7	75	74
40-44	9.3	72	68
45-49	8.1	63	59
Marital Status			
Married, or in union	68.1	530	532
Unmarried, sexually active	10.4	81	73
Parity			
0-1 children	15.4	119	122
2-3 children	18.9	147	161
4+ children	44.0	342	328
Residence			
Urban	8.9	69	148
Rural	91.1	708	629
Education			
Never	23.0	179	193
Primary	44.2	344	331
Post Primary Vocational	0.8	6	6
Secondary	20.6	160	163
College	10.1	79	71
University	1.3	10	13
Wealth Quintile			
Lowest	16.6	129	143
Lower	20.1	157	155
Middle	20.2	157	147
Higher	23.5	183	170
Highest	19.6	152	162

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	30.6	32.0	26.3	28.1	4.3	3.8
Age Group						
15-19	18.8	--	14.2	--	4.6	--
20-24	40.6	36.7	34.6	30.2	6.0	6.4
25-29	38.7	35.2	33.4	30.5	5.3	4.7
30-34	27.5	28.2	26.8	27.4	0.7	0.7
35-39	46.4	48.0	40.2	41.3	6.2	6.7
40-44	21.4	22.4	16.7	17.2	4.7	5.2
45-49	20.3	18.8	18.8	18.1	1.5	0.7
Marital Status						
Married, or in union	32.0	na	28.1	na	3.8	na
Unmarried, sexually active	47.0	na	32.4	na	14.6	na
Parity						
0-1 children	47.3	35.0	44.9	33.4	2.4	1.6
2-3 children	39.4	40.0	32.7	32.4	6.8	7.7
4+ children	28.6	29.5	25.7	26.6	2.9	2.9
Residence						
Urban	52.5	58.9	48.0	52.4	4.5	6.5
Rural	28.4	29.8	24.2	26.2	4.2	3.6
Education						
Never	15.4	16.2	11.7	12.1	3.7	4.1
Primary	28.2	31.3	25.4	28.5	2.9	2.8
Post Primary Vocational	--	--	--	--	--	--
Secondary	39.0	60.8	33.0	58.0	6.0	2.8
College	56.2	51.3	47.3	42.6	8.9	8.7
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	15.3	16.1	11.1	11.1	4.2	5.0
Lower	19.4	22.7	16.1	18.1	3.3	4.7
Middle	25.9	27.6	21.6	24.0	4.3	3.6
Higher	37.0	40.3	33.6	38.4	3.5	1.9
Highest	52.0	57.5	45.8	53.4	6.2	4.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 237)

Married Users¹ (N = 169)

	All Users (N = 237)										Married Users ¹ (N = 169)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	1.9	40.6	0.7	29.7	2.0	3.6	0.7	3.7	3.3	13.9	2.3	42.1	1.0	33.1	2.8	4.0	0.0	1.4	1.5	12.0
Age Group																				
15-19	0.0	42.0	0.0	9.5	0.0	5.8	1.7	13.1	3.6	24.3	--	--	--	--	--	--	--	--	--	--
20-24	0.0	41.5	0.0	34.7	2.7	0.0	1.1	1.1	4.3	14.7	0.0	34.7	0.0	39.0	5.1	0.0	0.0	0.0	3.7	17.5
25-29	0.9	33.0	1.2	39.5	5.7	0.0	1.0	1.9	3.1	13.7	1.1	34.7	1.5	40.7	7.2	0.0	0.0	0.0	1.5	13.4
30-34	6.1	55.1	1.5	32.2	0.0	0.0	0.0	0.0	2.5	2.6	6.1	55.8	1.5	31.4	0.0	0.0	0.0	0.0	2.6	2.6
35-39	0.0	46.2	0.0	28.7	0.0	10.2	0.0	1.6	0.0	13.3	0.0	48.7	0.0	26.6	0.0	10.7	0.0	0.0	0.0	14.0
40-44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Marital Status																				
Married, or in union	2.3	42.1	1.0	33.1	2.8	4.0	0.0	1.4	1.5	12.0	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	31.4	0.0	17.7	0.0	0.0	2.9	10.5	6.4	31.0	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	60.8	1.2	26.5	2.5	0.0	1.0	2.0	1.0	5.1	--	--	--	--	--	--	--	--	--	--
2-3 children	2.0	30.9	1.7	41.5	1.9	1.2	0.0	0.0	3.7	17.2	1.0	33.7	1.9	39.0	2.1	1.3	0.0	0.0	2.0	19.1
4+ children	3.4	42.0	0.0	30.5	2.2	6.2	0.0	2.4	3.3	10.0	3.5	43.6	0.0	30.3	2.3	6.4	0.0	2.5	1.6	9.8
Residence																				
Urban	7.4	40.7	4.6	21.4	0.0	1.9	4.6	7.5	3.4	8.6	8.7	42.1	7.3	25.7	0.0	2.9	0.0	2.2	0.0	11.1
Rural	0.9	40.6	0.0	31.1	2.3	3.9	0.0	3.0	3.3	14.9	1.3	42.0	0.0	34.3	3.2	4.1	0.0	1.3	1.7	12.1
Education																				
Never	5.5	30.3	0.0	33.3	2.6	0.0	0.0	0.0	4.1	24.2	5.7	31.6	0.0	34.7	2.7	0.0	0.0	0.0	0.0	25.3
Primary	2.1	46.3	0.0	32.5	2.6	3.0	0.0	1.9	1.5	10.1	1.7	49.2	0.0	31.2	3.2	1.4	0.0	2.4	1.9	8.9
Post Primary Vocational	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
Secondary	0.0	37.2	0.8	29.4	2.3	2.8	0.9	9.2	1.8	15.5	0.0	35.6	1.6	46.3	4.6	5.7	0.0	1.6	0.0	4.6
College	2.3	35.1	1.5	26.1	0.0	8.8	1.3	1.3	7.9	15.9	3.2	34.4	2.2	27.5	0.0	12.5	0.0	0.0	3.3	16.9
University	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Wealth Quintile																				
Lowest	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Lower	3.3	40.0	0.0	24.0	10.6	2.4	0.0	0.0	2.8	17.0	--	--	--	--	--	--	--	--	--	--
Middle	0.0	33.7	0.0	32.2	3.5	2.7	0.0	7.2	4.2	16.5	0.0	29.8	0.0	37.0	4.8	3.7	0.0	6.2	5.7	12.9
Higher	2.0	42.3	0.0	36.3	0.0	3.8	0.0	4.5	1.7	9.4	2.9	51.9	0.0	37.4	0.0	3.0	0.0	0.0	0.0	4.7
Highest	2.7	48.2	2.1	20.4	0.0	5.3	2.1	3.4	3.8	11.9	3.0	51.1	3.3	26.1	0.0	8.4	0.0	1.0	0.0	7.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background

Characteristics

Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 777)	Married Women ³ (N = 532)	All Women (N = 777)	Married Women ³ (N = 532)
Total				
All	13.1	13.7	13.2	14.5
Age Group				
15-19	6.3	--	7.9	--
20-24	17.7	17.5	16.8	12.7
25-29	19.8	17.3	13.6	13.1
30-34	9.5	9.6	17.2	17.9
35-39	18.8	17.9	21.5	23.4
40-44	7.6	8.3	9.1	8.9
45-49	12.4	10.8	6.4	7.3
Marital Status				
Married, or in union	13.7	na	14.5	na
Unmarried, sexually active	17.6	na	14.8	na
Parity				
0-1 children	15.6	13.2	29.3	20.2
2-3 children	19.0	17.8	13.6	14.6
4+ children	12.8	12.7	13.0	13.9
Residence				
Urban	20.4	18.2	27.7	34.2
Rural	12.4	13.3	11.8	12.9
Education				
Never	6.2	6.1	5.5	6.0
Primary	11.7	12.6	13.7	15.9
Post Primary Vocational	--	--	--	--
Secondary	18.1	35.4	14.8	22.6
College	25.4	22.2	21.9	20.4
University	--	--	--	--
Wealth Quintile				
Lowest	8.1	7.6	2.9	3.5
Lower	7.7	9.3	8.4	8.7
Middle	12.9	15.8	8.7	8.2
Higher	17.1	16.3	16.4	22.1
Highest	18.2	20.4	27.6	33.0

¹ Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

² Long-acting methods include IUD, implants, and sterilization (male and female).

³ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 777)			Married Women ¹ (N = 532)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	15.9	3.7	19.6	16.6	4.7	21.3
Age Group						
15-19	18.3	1.7	20.0	--	--	--
20-24	18.7	0.9	19.5	20.0	0.0	20.0
25-29	13.7	2.8	16.5	15.4	3.3	18.7
30-34	26.5	6.0	32.5	27.5	6.2	33.7
35-39	12.1	5.8	17.9	13.1	6.4	19.5
40-44	7.5	9.3	16.9	8.2	10.2	18.4
45-49	2.9	3.7	6.6	3.3	4.2	7.5
Marital Status						
Married, or in union	16.6	4.7	21.3	na	na	na
Unmarried, sexually active	38.3	3.6	41.8	na	na	na
Parity						
0-1 children	13.6	0.6	14.2	15.2	1.0	16.2
2-3 children	17.5	1.2	18.7	19.0	1.4	20.4
4+ children	14.8	6.9	21.6	15.8	7.0	22.8
Residence						
Urban	5.2	1.5	6.8	7.1	2.7	9.8
Rural	16.9	3.9	20.8	17.4	4.8	22.2
Education						
Never	15.3	4.6	19.8	16.7	5.0	21.7
Primary	18.0	4.8	22.8	18.4	5.5	23.8
Post Primary Vocational	--	--	--	--	--	--
Secondary	15.6	1.5	17.1	13.5	2.6	16.1
College	10.3	2.3	12.6	11.6	3.0	14.6
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	20.0	3.2	23.2	21.8	3.8	25.6
Lower	21.3	4.3	25.5	17.2	5.0	22.3
Middle	18.2	4.8	23.0	19.1	6.0	25.1
Higher	14.4	3.1	17.5	14.1	3.3	17.4
Highest	6.3	3.2	9.5	9.6	5.6	15.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=777)					Married Women ² (N=532)				
	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	30.6	26.3	19.6	50.2	52.4	32.0	28.1	21.3	53.2	52.8
Age Group										
15-19	18.8	14.2	20.0	38.7	36.7	--	--	--	--	--
20-24	40.6	34.6	19.5	60.1	57.5	36.7	30.2	20.0	56.7	<i>53.3</i>
25-29	38.7	33.4	16.5	55.2	60.5	35.2	30.5	18.7	53.9	56.6
30-34	27.5	26.8	32.5	59.9	44.6	28.2	27.4	33.7	61.9	44.3
35-39	46.4	40.2	17.9	64.3	<i>62.6</i>	48.0	41.3	19.5	67.5	<i>61.1</i>
40-44	21.4	16.7	16.9	38.3	<i>43.7</i>	22.4	17.2	18.4	40.8	<i>42.3</i>
45-49	20.3	18.8	6.6	26.9	--	18.8	18.1	7.5	26.2	--
Marital Status										
Married, or in union	32.0	28.1	21.3	53.2	52.8	na	na	na	na	na
Unmarried, sexually active	47.0	32.4	41.8	88.8	36.5	na	na	na	na	na
Parity										
0-1 children	47.3	44.9	14.2	61.4	73.0	35.0	33.4	16.2	51.2	<i>65.3</i>
2-3 children	39.4	32.7	18.7	58.1	56.2	40.0	32.4	20.4	60.4	53.6
4+ children	28.6	25.7	21.6	50.2	51.2	29.5	26.6	22.8	52.3	50.9
Residence										
Urban	52.5	48.0	6.8	59.3	81.0	58.9	52.4	9.8	68.7	76.2
Rural	28.4	24.2	20.8	49.3	49.1	29.8	26.2	22.2	52.0	50.4
Education										
Never	15.4	11.7	19.8	35.2	33.1	16.2	12.1	21.7	37.9	31.9
Primary	28.2	25.4	22.8	51.0	49.7	31.3	28.5	23.8	55.1	51.7
Post Primary Vocational	--	--	--	--	na	--	--	--	--	na
Secondary	39.0	33.0	17.1	56.1	58.7	60.8	58.0	16.1	76.8	<i>75.5</i>
College	56.2	47.3	12.6	68.8	<i>68.7</i>	51.3	42.6	14.6	65.9	<i>64.6</i>
University	--	--	--	--	--	--	--	--	--	--
Wealth Quintile										
Lowest	15.3	11.1	23.2	38.5	28.7	16.1	11.1	25.6	41.8	26.6
Lower	19.4	16.1	25.5	45.0	35.9	22.7	18.1	22.3	45.0	<i>40.2</i>
Middle	25.9	21.6	23.0	48.9	44.2	27.6	24.0	25.1	52.7	45.6
Higher	37.0	33.6	17.5	54.5	61.5	40.3	38.4	17.4	57.7	66.5
Highest	52.0	45.8	9.5	61.5	74.5	57.5	53.4	15.2	72.6	73.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=449)			Married ¹ Women with 1 or More Births (N=393)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	67.0	28.2	4.8	72.8	22.7	4.4
Age Group						
15-19	35.2	50.2	14.6	--	--	--
20-24	53.3	40.8	5.8	68.0	29.6	2.4
25-29	72.0	26.6	1.4	75.3	23.1	1.6
30-34	72.9	24.0	3.1	72.8	24.1	3.1
35-39	83.9	14.8	1.3	83.5	15.2	1.3
40-44	64.7	18.2	17.0	63.4	19.0	17.7
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	72.8	22.7	4.4	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	43.6	49.2	7.1	66.6	25.8	7.6
2-3 children	68.3	29.0	2.7	70.4	27.0	2.5
4+ children	75.3	19.7	5.0	75.2	20.1	4.7
Residence						
Urban	61.3	29.7	9.0	69.3	25.8	4.9
Rural	67.4	28.1	4.5	73.0	22.6	4.4
Education						
Never	75.8	20.2	4.1	75.3	20.5	4.1
Primary	66.2	26.8	6.9	70.0	24.6	5.5
Post Primary Vocational	--	--	--	--	--	--
Secondary	44.2	51.3	4.5	60.9	31.8	7.3
College	70.4	28.9	0.7	82.1	17.9	0.0
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	71.5	24.3	4.2	70.3	25.3	4.4
Lower	66.7	30.8	2.5	69.7	27.5	2.8
Middle	64.5	31.0	4.5	72.6	23.5	3.9
Higher	64.9	32.6	2.5	73.8	24.2	1.9
Highest	67.3	21.8	10.9	79.9	9.9	10.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 179)
Total				
All	68.2	26.7	5.1	
Age Group				
15-19	--	--	--	
20-24	<i>83.9</i>	<i>11.9</i>	<i>4.1</i>	
25-29	<i>65.0</i>	<i>35.0</i>	<i>0.0</i>	
30-34	<i>72.6</i>	<i>24.7</i>	<i>2.7</i>	
35-39	--	--	--	
40-44	--	--	--	
45-49	--	--	--	
Marital Status				
Married, or in union	66.5	29.6	3.9	
Unmarried, sexually active	--	--	--	
Parity				
0-1 children	75.9	19.8	4.2	
2-3 children	<i>63.7</i>	<i>32.3</i>	<i>3.9</i>	
4+ children	67.3	27.9	4.8	
Residence				
Urban	52.0	38.4	9.7	
Rural	71.4	24.4	4.2	
Education				
Never	--	--	--	
Primary	73.5	20.8	5.6	
Post Primary Vocational	na	na	na	
Secondary	54.2	36.2	9.7	
College	<i>68.6</i>	<i>31.4</i>	<i>0.0</i>	
University	--	--	--	
Wealth Quintile				
Lowest	--	--	--	
Lower	--	--	--	
Middle	--	--	--	
Higher	58.0	36.9	5.1	
Highest	69.3	29.3	1.4	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(179)	(129)	(179)	(129)	(138)	(99)	(179)	(129)
All	82.0	84.2	77.9	76.9	97.6	97.7	85.9	87.3
Age Group								
15-19	--	--	--	--	--	--	--	--
20-24	80.1	--	84.1	--	95.8	--	83.8	--
25-29	89.5	89.0	70.1	64.5	96.5	100.0	82.8	81.0
30-34	90.2	90.2	76.7	76.7	--	--	92.8	92.8
35-39	--	--	--	--	--	--	--	--
40-44	--	--	--	--	--	--	--	--
45-49	--	--	--	--	--	--	--	--
Marital Status								
Married, or in union	84.2	na	76.9	na	97.7	na	87.3	na
Unmarried, sexually active	--	na	--	na	--	na	--	na
Parity								
0-1 children	76.7	--	83.2	--	94.1	--	82.6	--
2-3 children	86.1	86.9	72.4	72.3	98.9	98.8	86.2	87.0
4+ children	84.8	86.3	79.6	79.2	99.1	99.1	90.2	91.8
Residence								
Urban	76.0	84.3	68.0	72.6	90.4	94.0	70.2	75.4
Rural	83.2	84.2	79.9	77.7	98.8	98.3	89.0	89.3
Education								
Never	--	--	--	--	--	--	--	--
Primary	82.4	83.6	83.2	80.0	99.4	99.3	92.7	94.1
Post Primary Vocational	na	na	na	na	na	na	na	na
Secondary	72.6	70.3	72.6	76.2	93.3	--	76.9	72.4
College	92.3	--	73.5	--	--	--	90.8	--
University	--	--	--	--	--	--	--	--
Wealth Quintile								
Lowest	--	--	--	--	--	--	--	--
Lower	--	--	--	--	--	--	--	--
Middle	--	--	--	--	--	--	--	--
Higher	78.6	79.0	81.1	83.3	99.2	98.9	90.8	92.2
Highest	79.3	82.3	74.2	72.2	96.7	98.5	79.4	82.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 179)	(N = 179)	(N = 179)
All	95.6	97.5	95.6
Age Group			
15-19	--	--	--
20-24	<i>92.9</i>	<i>95.0</i>	<i>92.9</i>
25-29	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>
30-34	<i>98.8</i>	<i>100.0</i>	<i>98.8</i>
35-39	--	--	--
40-44	--	--	--
45-49	--	--	--
Marital Status			
Married, or in union	96.5	98.4	96.5
Unmarried, sexually active	--	--	--
Parity			
0-1 children	95.0	97.2	95.0
2-3 children	<i>99.2</i>	<i>100.0</i>	<i>99.2</i>
4+ children	96.5	99.1	96.5
Residence			
Urban	93.6	95.9	93.6
Rural	96.0	97.8	96.0
Education			
Never	--	--	--
Primary	95.9	100.0	95.9
Post Primary Vocational	na	na	na
Secondary	91.9	92.5	91.9
College	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>
University	--	--	--
Wealth Quintile			
Lowest	--	--	--
Lower	--	--	--
Middle	--	--	--
Higher	96.5	96.5	96.5
Highest	97.1	98.2	97.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(777)	(532)	(777)	(532)	(777)	(532)
All	10.9	12.4	20.7	24.8	25.0	29.1
Age Group						
15-19	6.7	--	9.9	--	13.4	--
20-24	11.8	13.3	17.8	21.7	22.8	24.9
25-29	16.6	16.9	31.4	29.3	36.5	35.2
30-34	11.4	11.8	26.8	27.8	32.8	34.1
35-39	15.5	15.9	24.9	27.2	29.1	30.8
40-44	7.4	8.1	13.7	13.2	15.9	15.7
45-49	4.9	3.3	22.1	22.9	24.0	22.9
Marital Status						
Married, or in union	12.4	na	24.8	na	29.1	na
Unmarried, sexually active	8.1	na	11.7	na	15.1	na
Parity						
0-1 children	13.8	11.7	24.3	20.1	28.2	21.1
2-3 children	15.9	16.7	27.0	26.5	32.5	32.3
4+ children	10.5	10.8	24.8	26.2	28.8	30.0
Residence						
Urban	10.0	10.0	11.6	13.6	18.6	19.7
Rural	11.0	12.6	21.6	25.7	25.6	29.8
Education						
Never	12.8	14.0	29.6	30.3	32.9	34.0
Primary	11.1	12.4	19.5	23.1	25.3	29.0
Post Primary Vocational	--	--	--	--	--	--
Secondary	8.0	7.9	11.3	16.4	15.1	17.8
College	13.8	13.5	22.5	21.9	24.1	24.1
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	12.9	15.4	26.2	28.2	28.5	30.9
Lower	13.1	14.1	21.9	26.3	27.5	32.5
Middle	12.0	14.4	27.9	36.8	31.9	41.6
Higher	8.9	9.9	17.8	19.3	20.9	21.9
Highest	8.2	7.6	10.8	11.2	17.3	16.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	210	688	898
Households Occupied	176	636	812
Households Interviewed	163	634	797
Household Response Rate ¹	92.61%	99.69%	98.15%
Interviews with Women			
Number of Eligible Women ²	148	631	779
Number of Eligible Women Interviewed	148	629	777
Eligible Woman Response Rate ³	100.00%	99.68%	99.74%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.263	0.035	0.198	0.340	0.281	0.041	0.205	0.373
Currently using a traditional method	0.043	0.012	0.023	0.076	0.038	0.015	0.017	0.083
Currently using any contraceptive method	0.306	0.038	0.233	0.390	0.320	0.041	0.242	0.409
Currently using DMPA-IM	0.297	0.044	0.214	0.395	0.331	0.054	0.231	0.450
Currently using DMPA-SC	0.020	0.013	0.005	0.068	0.028	0.017	0.008	0.091
Currently using condoms	0.037	0.018	0.014	0.093	0.014	0.011	0.003	0.059
Currently using implants	0.406	0.045	0.318	0.500	0.421	0.050	0.323	0.525
Chose method by self or jointly in past 12 months	0.949	0.034	0.814	0.988	0.961	0.025	0.860	0.990
Informed by provider about other methods	0.820	0.060	0.663	0.913	0.842	0.066	0.657	0.937
Informed by provider about side effects	0.779	0.040	0.687	0.850	0.769	0.036	0.685	0.836
Satisfied with provider: Would return and refer friend/relative to provider	0.956	0.023	0.875	0.986	0.965	0.019	0.897	0.988
Visited by health worker who talked about family planning in past 12 months	0.109	0.030	0.061	0.188	0.124	0.037	0.067	0.219

¹ Married includes married women and those who are living with a man