



BILL & MELINDA GATES INSTITUTE for POPULATION and REPRODUCTIVE HEALTH

Nigeria (Kano) Snapshot of Indicators Phase 2 (2021) Cross-sectional Survey

Suggested citation: Centre for Research, Evaluation Resources and Development (CRERD), Bayero University Kano (BUK), and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Nigeria (Kano) Phase 2 Cross-sectional Survey Snapshot of Indicators, PMA/Nigeria-Kano-P2-CS SOIs.* 2021. Nigeria and Baltimore, Maryland, USA.











Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted
Total	or sample	Number	Number
	100.0	4426	4426
All	100.0	1136	1136
Age Group			
15-19	23.4	266	268
20-24	17.7	201	211
25-29	18.7	213	205
30-34	13.9	158	152
35-39	11.9	136	132
40-44	7.8	89	98
45-49	6.4	73	70
Marital Status			
Married, or in union	74.6	848	818
Unmarried, sexually active	0.1	848 2	5
· · ·	0.1	2	3
Parity			
0-1 children	6.9	78	89
2-3 children	19.1	217	220
4+ children	47.2	537	510
Residence			
Urban	37.3	424	514
Rural	62.7	712	622
	02.7	712	022
Education			
Never	48.3	549	489
Primary	16.0	182	199
Secondary	30.8	350	360
Higher	4.8	54	87
Wealth Quintile			
Lowest	18.3	208	198
Lower	19.0	216	239
Middle	22.5	255	178
			199
Higher	19.8	224	
Highest	20.5	233	322



Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

	Any Method		Modern	Method ¹	Traditiona	Traditional Method		
Background Characteristics	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women		
Total								
All	9.6	12.7	7.5	9.9	2.1	2.8		
Age Group								
15-19	1.8	6.8	0.7	2.5	1.2	4.3		
20-24	10.9	14.2	9.2	12.0	1.7	2.3		
25-29	15.5	16.4	12.3	12.9	3.2	3.4		
30-34	12.7	13.6	10.3	11.0	2.4	2.5		
35-39	10.5	11.0	7.9	8.3	2.6	2.7		
40-44	10.0	10.6	7.5	7.9	2.6	2.7		
45-49	7.6	8.4	6.2	6.8	1.5	1.6		
Marital Status								
Married, or in union	12.7	na	9.9	na	2.8	na		
Unmarried, sexually active		na		na		na		
Parity								
0-1 children	13.9	14.3	8.5	8.7	5.4	5.6		
2-3 children	14.9	15.6	12.8	13.3	2.2	2.3		
4+ children	11.5	12.0	8.8	9.1	2.8	2.9		
Residence								
Urban	16.8	26.3	14.1	22.0	2.7	4.3		
Rural	5.3	6.5	3.5	4.3	1.7	2.1		
Education								
Never	5.2	5.7	4.2	4.6	1.0	1.1		
Primary	15.0	17.8	12.9	15.4	2.1	2.5		
Secondary	11.8	25.9	8.3	18.2	3.5	7.7		
Higher	21.1	32.7	16.9	25.7	4.2	7.0		
Wealth Quintile								
Lowest	3.4	3.8	2.5	2.8	0.9	1.0		
Lower	4.4	5.7	3.6	4.6	0.8	1.0		
Middle	5.1	7.2	3.8	5.3	1.4	1.9		
Higher	11.8	16.6	9.7	13.5	2.2	3.1		
Highest	22.5	33.3	17.4	25.6	5.1	7.7		

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 124)

Married Users¹ (N = 122)

Cital actoristics																•		•		
	iterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern		Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC (Condom	Other Modern	
Total																				
All	1.5	26.2	1.3	26.4	7.5	11.9	0.0	2.8	0.4	22.0	1.5	26.5	1.3	26.7	7.5	12.0	0.0	1.8	0.4	22.3
Age Group																				
15-19																				
20-24																				
25-29	0.0	26.3	0.0	34.5	5.6	11.9	0.0	1.0	0.0	20.7	0.0	26.6	0.0	34.8	5.7	12.0	0.0	0.0	0.0	20.9
30-34	0.0	11.0	3.3	30.7	16.1	12.5	0.0	7.6	0.0	18.8	0.0	11.0	3.3	30.7	16.1	12.5	0.0	7.6	0.0	18.8
35-39																				
40-44																				
45-49																				
Marital Status																				
Married, or in union	1.5	26.5	1.3	26.7	7.5	12.0	0.0	1.8	0.4	22.3	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually ac	tive										na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children																				
2-3 children	0.0	28.0	4.4	25.0	7.8	17.7	0.0	2.4	0.0	14.7	0.0	28.0	4.4	25.0	7.8	17.7	0.0	2.4	0.0	14.7
4+ children	2.6	26.1	0.0	27.9	9.0	9.0	0.0	0.7	0.6	24.1	2.6	26.1	0.0	27.9	9.0	9.0	0.0	0.7	0.6	24.1
Residence																				
Urban	2.2	29.2	2.0	24.3	9.0	12.3	0.0	4.3	0.5	16.2	2.3	29.6	2.1	24.6	9.2	12.5	0.0	2.8	0.5	16.4
Rural	0.0	20.6	0.0	30.5	4.5	11.3	0.0	0.0	0.0	33.2	0.0	20.6	0.0	30.5	4.5	11.3	0.0	0.0	0.0	33.2
Education																				
	0.0	22.5	1 -	10.7	2.1	245	0.0	0.0	0.0	10.7	0.0	22.5	1 -	10.7	2.1	245	0.0	0.0	0.0	10.7
Never	0.0 4.4	33.5	1.5 0.0	18.7 43.6	2.1 4.0	24.5 8.2	0.0	0.0	0.0	19.7 14.0	0.0 4.4	33.5	1.5 0.0	18.7 43.6	4.0	24.5 8.2	0.0	0.0	0.0	19.7 14.0
Primary Secondary	0.9	25.8 25.1	1.6	18.4	15.6	5.2	0.0	2.7	0.9	29.5	0.9	25.8 25.3	1.6	18.5	15.7	5.3	0.0	1.9	0.0	29.8
Higher						J.Z						25.5				J.J				25.0
Wealth Quintil	е																			
Lowest																				
Lower																				
Middle				24.2	16.3	100				10.4				24.2	16.3	10.0				10.4
Higher	0.0	22.2	0.0	24.3	16.2	18.9	0.0	0.0	0.0	18.4	0.0	22.2	0.0	24.3	16.2	18.9	0.0	0.0	0.0	18.4
Highest	3.0	28.4	2.8	24.6	4.0	7.9	0.0	5.9	0.7	22.8	3.1	29.0	2.8	25.1	4.1	8.0	0.0	3.9	0.7	23.2

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics

Characteristics	Short Acti	ng Methods ¹	Long Actir	ng Methods ²
	All Women (N = 1136)	Married Women ³ (N = 818)	All Women (N = 1136)	Married Women ³ (N = 818)
Total	(14 – 1130)	(14 – 010)	(N - 1130)	(N - 010)
All	4.7	6.1	2.8	3.7
Age Group				
15-19	0.7	2.5	0.0	0.0
20-24	4.6	5.7	4.6	6.3
25-29	8.2	8.6	4.1	4.3
30-34	8.5	9.1	1.8	1.9
35-39	4.3	4.5	3.6	3.8
40-44	4.1	4.3	3.4	3.6
45-49	2.5	2.8	3.7	4.0
Marital Status				
Married, or in union	6.1	na	3.7	na
Unmarried, sexually active		na		na
Parity				
0-1 children	4.4	4.5	4.1	4.2
2-3 children	7.9	8.2	4.9	5.1
4+ children	5.5	5.7	3.3	3.4
Residence				
Urban	8.5	13.0	5.6	8.9
Rural	2.4	3.0	1.1	1.3
Education				
Never	2.4	2.6	1.8	2.0
Primary	8.3	10.0	4.5	5.4
Secondary	5.0	11.0	3.3	7.2
Higher	13.6	20.2	3.3	5.5
Wealth Quintile				
Lowest	0.5	0.6	2.0	2.2
Lower	2.3	3.0	1.2	1.6
Middle	3.4	4.8	0.4	0.5
Higher	7.0	9.9	2.6	3.7
Highest	9.7	14.0	7.7	11.6

¹ Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

² Long-acting methods include IUD, implants, and sterilization (male and female).

³ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics

Background Characteristics	All V	All Women (N = 1136)			Vomen ¹ (N = 81	8)
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	17.5	3.2	20.7	23.0	4.3	27.3
Age Group						
15-19	4.0	0.3	4.2	14.0	1.0	14.9
20-24	18.8	0.0	18.8	25.5	0.0	25.5
25-29	29.0	0.5	29.5	31.0	0.5	31.5
30-34	26.7	4.7	31.4	26.6	5.0	31.6
35-39	23.5	6.9	30.4	24.6	7.2	31.8
40-44	15.3	17.7	33.0	16.1	18.7	34.7
45-49	0.9	2.5	3.4	1.0	2.8	3.8
Marital Status						
Married, or in union	23.0	4.3	27.3	na	na	na
Unmarried, sexually active				na	na	na
Parity						
0-1 children	12.5	0.0	12.5	12.9	0.0	12.9
2-3 children	27.7	0.3	28.0	28.1	0.3	28.4
4+ children	23.5	6.6	30.1	24.2	6.9	31.1
Residence						
Urban	15.1	2.6	17.7	23.3	4.2	27.5
Rural	18.9	3.5	22.4	22.9	4.3	27.2
Education						
Never	19.2	4.9	24.1	20.9	5.4	26.3
Primary	17.6	0.6	18.2	20.9	0.7	21.5
Secondary	15.0	1.2	16.3	31.8	2.8	34.6
Higher	15.8	4.8	20.6	24.2	8.0	32.1
Wealth Quintile						
Lowest	10.1	3.8	13.9	11.4	4.3	15.7
Lower	14.1	1.1	15.2	17.1	1.5	18.6
Middle	23.9	4.9	28.8	33.3	6.9	40.2
Higher	20.8	2.2	23.0	28.7	3.1	31.8
Highest	17.1	3.6	20.6	25.2	5.4	30.5

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background Characteristic

Highest

Characteristics		All W	omen (N	N=1136)			Married	Women ²	(N=818))
	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	9.6	7.5	20.7	30.2	24.7	12.7	9.9	27.3	40.0	24.7
Age Group										
15-19	1.8	0.7	4.2	6.0		6.8	2.5	14.9	21.8	
20-24	10.9	9.2	18.8	29.7	31.0	14.2	12.0	25.5	39.7	30.1
25-29	15.5	12.3	29.5	45.0	27.3	16.4	12.9	31.5	47.8	27.0
30-34	12.7	10.3	31.4	44.2	23.4	13.6	11.0	31.6	45.2	24.4
35-39	10.5	7.9	30.4	40.9	19.3	11.0	8.3	31.8	42.8	19.3
40-44	10.0	7.5	33.0	43.0	17.4	10.6	7.9	34.7	45.3	17.4
45-49	7.6	6.2	3.4	11.1		8.4	6.8	3.8	12.2	
Marital Status										
Married, or in union	12.7	9.9	27.3	40.0	24.7	na	na	na	na	na
Unmarried, sexually active						na	na	na	na	na
Parity										
0-1 children	13.9	8.5	12.5	26.4		14.3	8.7	12.9	27.1	
2-3 children	14.9	12.8	28.0	42.9	29.7	15.6	13.3	28.4	44.0	30.2
4+ children	11.5	8.8	30.1	41.6	21.1	12.0	9.1	31.1	43.0	21.1
Residence										
Urban	16.8	14.1	17.7	34.5	40.8	26.3	22.0	27.5	53.8	40.8
Rural	5.3	3.5	22.4	27.7	12.7	6.5	4.3	27.2	33.6	12.8
Education										
Never	5.2	4.2	24.1	29.3	14.3	5.7	4.6	26.3	32.0	14.3
Primary	15.0	12.9	18.2	33.2	38.8	17.8	15.4	21.5	39.4	39.0
Secondary	11.8	8.3	16.3	28.1	29.6	25.9	18.2	34.6	60.5	30.1
Higher	21.1	16.9	20.6	41.7	40.6	32.7	25.7	32.1	64.8	39.7
Wealth Quintile										
Lowest	3.4	2.5	13.9	17.3	14.5	3.8	2.8	15.7	19.5	14.5
Lower	4.4	3.6	15.2	19.6	18.3	5.7	4.6	18.6	24.3	19.1
Middle	5.1	3.8	28.8	33.9	11.1	7.2	5.3	40.2	47.4	11.1
Higher	11.8	9.7	23.0	34.8	27.7	16.6	13.5	31.8	48.4	28.0
				_						

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

17.4

20.6

43.1

40.3

22.5

25.6

33.3

63.9

40.1

30.5

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background	All Wom	en with 1 or N	Nore Births	Married Women with 1 or More Birth				
Characteristics		(N=662)			(N=644)			
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All		
Total								
All	74.2	22.6	3.2	74.2	22.7	3.2		
Age Group								
15-19	88.3	10.3	1.5	88.2	10.4	1.5		
20-24	81.2	18.8	0.0	80.8	19.2	0.0		
25-29	70.7	28.1	1.2	70.4	28.4	1.2		
30-34	81.7	18.3	0.0	82.8	17.2	0.0		
35-39	60.0	32.1	8.0	60.2	32.4	7.4		
40-44	66.3	23.6	10.2	66.1	23.4	10.4		
45-49								
Marital Status								
Married, or in union	74.2	22.7	3.2	na	na	na		
Unmarried, sexually active	na	na	na	na	na	na		
Parity								
0-1 children	91.2	8.8	0.0	91.0	9.0	0.0		
2-3 children	78.4	21.2	0.4	78.6	21.0	0.4		
4+ children	69.6	25.4	4.9	69.6	25.5	4.8		
Residence								
Urban	67.0	29.4	3.5	66.8	29.9	3.3		
Rural	77.4	19.6	3.1	77.4	19.5	3.1		
Education								
Never	75.4	20.7	3.9	75.4	20.8	3.8		
Primary	77.7	21.1	1.2	76.9	21.9	1.2		
Secondary	70.9	27.7	1.4	71.7	26.9	1.4		
Higher	59.3	33.6	7.1	59.3	33.6	7.1		
Wealth Quintile								
Lowest	82.8	14.4	2.8	82.6	14.6	2.8		
Lower	79.0	19.7	1.3	79.5	19.2	1.4		
Middle	68.4	29.0	2.6	68.4	29.0	2.6		
Higher	69.8	25.2	5.0	69.4	25.4	5.2		
Highest	70.6	25.0	4.4	70.8	25.3	3.9		

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with F Partner/Provider	Provider/Partner Alone	(N = 92)
Total				
All	53.1	44.0	3.0	
Age Group				
15-19				
20-24				
25-29	53.9	46.1	0.0	
30-34				
35-39				
40-44				
45-49				
Marital Status				
Married, or in union	53.3	43.7	3.0	
Unmarried, sexually active				
Parity				
0-1 children				
2-3 children	55.9	41.2	2.9	
4+ children	50.8	49.2	0.0	
Residence				
Urban	52.6	43.0	4.4	
Rural	54.0	46.0	0.0	
Education				
Never				
Primary				
Secondary	48.9	48.2	2.9	
, Higher				
Wealth Quintile				
Lowest				
Lower				
Middle				
Higher				
Highest	45.3	48.5	6.2	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Method Information Index Components

Percentage of current modern contraceptive ¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

		about other 2 chods		about side 2 ects	Told what to do side e	if experienced 4 ffects		t switching 2 s in future
Background Characteristics	All	Married ³	All	Married ³	All	Married ³	All	Married ³
	Users	Users	Users	Users	Users	Users	Users	Users
Total	(92)	(91)	(92)	(91)	(74)	(74)	(92)	(91)
All	83.5	83.9	84.5	84.9	93.2	93.2	82.9	83.2
Age Group								
15-19								
20-24								
25-29	79.2	80.3	89.0	90.3			73.5	74.5
30-34								
35-39								
40-44								
45-49								
Marital Status								
Married, or in union	83.9	na	84.9	na	93.2	na	83.2	na
Unmarried, sexually active		na		na	na	na		na
Parity								
0-1 children								
2-3 children	85.3	85.3	87.3	87.3	86.3	86.3	84.8	84.8
4+ children	82.2	82.2	84.2	84.2	96.6	96.6	81.3	81.3
Residence								
Urban	80.4	80.9	82.7	83.2	92.4	92.4	79.3	79.8
Rural	90.3	90.3	88.6	88.6			90.6	90.6
Education								
Never								
Primary								
Secondary	91.4	92.6	84.6	85.7	86.0	86.0	84.7	85.8
Higher								
Wealth Quintile								
Lowest								
Lower								
Middle								
Higher								
Highest	95.0	95.8	83.4	84.2	95.1	95.1	98.2	99.1

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

- 2 Asked of all current/recent modern contraceptive users
- 3 Married includes married women and those who are living with a man
- 4 Asked of all current/recent modern contraceptive users who were informed about side effects
- na Not applicable
- -- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total All	(N = 91) 99.0	(N = 91) 98.0	(N = 91) 97.0
Age Group			
15-19			
20-24			
25-29	100.0	98.6	98.6
30-34			
35-39			
40-44			
45-49			
Marital Status			
Married, or in union	99.0	98.5	97.4
Unmarried, sexually active			
Parity			
0-1 children			
2-3 children	100.0	100.0	100.0
4+ children	98.1	97.1	95.3
Residence			
Urban	98.6	99.4	97.9
Rural	100.0	94.9	94.9
Education			
Never			
Primary			
Secondary	98.6	98.8	97.4
Higher			
Wealth Quintile			
Lowest			
Lower			
Middle			
Higher			
Highest	97.9	99.1	97.0

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility discussed far	mily planning	Either visited by health worker or visited facility and discussed family planning		
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women	
Total	(1136)	(818)	(1136)	(818)	(1136)	(818)	
All	4.4	5.6	15.5	20.3	17.5	22.8	
Age Group							
15-19	0.9	2.8	4.6	17.4	5.3	19.5	
20-24	4.6	6.2	16.7	22.6	18.7	25.4	
25-29	4.6	4.9	22.6	23.9	24.3	25.7	
30-34	7.5	8.0	23.7	23.3	26.5	26.3	
35-39	5.8	5.7	22.2	22.8	23.9	24.6	
40-44	6.4	5.9	13.1	12.9	16.3	16.3	
45-49	4.5	3.3	4.7	5.2	9.2	8.4	
Marital Status							
Married, or in union	5.6	na	20.3	na	22.8	na	
Unmarried, sexually active		na		na		na	
Parity							
0-1 children	10.1	10.4	30.8	31.6	31.3	32.2	
2-3 children	8.1	8.3	23.5	23.7	27.7	27.9	
4+ children	4.3	4.1	18.2	18.6	20.4	20.7	
Residence							
Urban	8.1	12.1	23.3	36.3	26.1	40.2	
Rural	2.2	2.6	10.9	13.0	12.4	14.8	
Education							
Never	2.6	2.8	13.3	14.4	15.0	16.2	
Primary	3.9	4.6	20.5	24.4	22.7	27.1	
Secondary	5.8	11.4	16.1	33.9	17.7	36.7	
Higher	15.7	24.9	17.8	25.8	25.3	37.2	
Wealth Quintile			1,10		23.3	07.2	
Lowest	1.2	1.4	11.8	13.3	12.2	13.8	
Lowest	2.5	3.3	17.8	21.6	19.9	24.3	
Middle	4.0	5.5	10.4	14.6	12.6	17.6	
Higher	4.0	5.3	15.3	21.2	16.5	22.9	
Highest	9.9	13.5	22.7	33.1	26.5	37.8	

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	389	490	879
Households Occupied	381	477	858
Households Interviewed	379	475	854
Household Response Rate ¹	99.48%	99.58%	99.53%
Interviews with Women			
Number of Eligible Women ²	515	627	1142
Number of Eligible Women Interviewed	514	622	1136
Eligible Woman Response Rate ³	99.81%	99.20%	99.47%

¹ Household response rate = households interviewed/households selected

² Eligible women are women ages 15-49 identified in completed household interviews

³ Eligible response rate = eligible women interviewed/eligible women



Sample Error Estimates

	All Women					Married Women ¹			
Variable	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper	
Currently using a modern method	0.075	0.017	0.046	0.118	0.099	0.024	0.060	0.158	
Currently using a traditional method	0.021	0.007	0.010	0.042	0.028	0.010	0.014	0.057	
Currently using any contraceptive method	0.096	0.022	0.060	0.150	0.127	0.030	0.078	0.201	
Currently using DMPA-IM	0.264	0.062	0.157	0.410	0.267	0.062	0.159	0.412	
Currently using DMPA-SC	0.075	0.043	0.023	0.215	0.075	0.043	0.023	0.217	
Currently using condoms	0.028	0.021	0.007	0.113	0.018	0.015	0.004	0.080	
Currenlty using implants	0.262	0.041	0.186	0.355	0.265	0.041	0.189	0.358	
Chose method by self or jointly in past 12 months	0.970	0.030	0.780	0.997	0.970	0.031	0.780	0.997	
Informed by provider about other methods	0.835	0.057	0.679	0.924	0.839	0.057	0.680	0.927	
Informed by provider about side effects	0.845	0.054	0.695	0.929	0.849	0.054	0.698	0.932	
Satisfied with provider: Would return and refer friend/relative to provider	0.970	0.021	0.875	0.993	0.974	0.020	0.874	0.995	
Visited by health worker who talked about family planning in past 12 months	0.044	0.014	0.023	0.083	0.056	0.018	0.029	0.105	

¹ Married includes married women and those who are living with a man